

AN ISO 9001 & 14001 COMPANY

# **TENDER DOCUMENT**

TENDER No: WRO/CON/876/339

## FOR

"Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State."

# **VOLUME- I**

## EXECUTING AGENCY

**Engineering Projects (India) Limited** Western Regional Office: Mumbai

### ENGINEERING PROJECTS (INDIA) LTD. (A Govt. of India Enterprise) Contract Division, Western Regional Office, Mumbai

#### NIT No: WRO/CON/876/339

Dated: 04.12.2024

#### **NOTICE INVITING e- TENDER (NIT)**

Tender for "Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State."

1. Engineering Projects (India) Ltd. on behalf of National Education Society for Tribal Students (NESTS), invites the open tenders **on Percentage Rate basis** through e-tendering from the eligible contractors/firms who fulfill the eligibility criteria as per the brief particulars of scope for "Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State." in single stage two bid system (Techno-commercial bid & Price Bid):

Sr. No.	Name of Work	Tentative Estimated Cost (Including GST @ 18%)	Time of Completion	EMD (Rs.)	Tender Fee (Rs.) (Including GST @ 18%)
1	"Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State"	Rs. 1,39,49,313/- (Rupees One Crore Thirty-Nine Lacs Forty-Nine Thousand Three Hundred Thirteen)	2 (Two) Months + 12 (Twelve) months Defect Liability Period	Rs. 2,79,000/- (Rs. Two Lakh Seventy- Nine Thousand only)	Rs.2,360.00 (Rupees Two Thousand Three Hundred Sixty Only)

#### 2. Scope of Work:

The brief scope of work in this tender shall include (but not limited to) Civil Architectural & Structural, Sanitary, Plumbing, Electrical (internal & External), Firefighting, Water supply (Internal & External), Sanitary installation, drainage, Sewerage, STP, Pump House, Power Supply, Fire detection including fire alarm works, Sprinkler system, Signage's, road network, Site development, landscaping work, Boundary wall, Rain water Harvesting etc. for single phase works at Dahanu Dist. Palghar in Maharashtra State.

#### **Project Site Information**

Location: Dahanu Dist. Palghar Maharashtra State. The details of scope of

work are given in the tender document.

3. Time schedule of Tender activities:	3.	Time schedule of Tender activities:
--	----	-------------------------------------

Ι	Start Date & Time for Downloading of tender documents	04.12.2024 FROM 1800 Hrs
П	Last Date & Time of online submission of Tenders	11.12.2024 at 1500 Hrs
Ш	Date & Time of online opening of tender (Technical Bid)	11.12.2024 at 1500 Hrs
IV	Last Date of Submitting Pre-bid Queries	06.12.2024 till 1700 Hrs

All pre-bid queries shall have to be sent addressing HOD(Contracts), Contract Division, Engineering Projects (India) Limited, Western Regional Office, Mumbai to wrocontracts@engineeringprojects.com/wrocontractsepil@gmail.com

#### 4. Qualification Criteria:

Contractors/Bidders who fulfill the following requirements are eligible to participate in this tender. **The joint ventures/ Consortium is not accepted.** Also, Certificates of experience as JV/Consortium will not be accepted.

#### (A) Technical Criteria:

- 1. The bidders must have experience of having successfully completed following similar works during the last seven (7) years ending last day of the month previous to the one in which tender invited and should be either of the following:
  - a. Three similar completed works, each costing not less than the amount equal to **FORTY PERCENT (40%)** of estimated cost put to tender

OR

b. Two similar completed works, each costing not less than the amount equal to **FIFTY PERCENT (50%)** of estimated cost put to tender

#### OR

c. One similar completed work of aggregate cost not less than the amount equal to **EIGHTY PERCENT (80%)** of estimated cost put to tender

The 'Similar work' shall mean any Building work including Electrical, Sanitary & Plumbing works

For arriving at cost of similar work, the value of work executed shall be brought to current costing level by enhancing the actual value of work at simple rate of seven percent (7%) per annum, calculated from the date of completion to the date of Bid opening.

The cost of free issue materials shall not be included in the completion cost of works.

The work completion experience certificates issued by any Government Organizations / Semi Government Organizations / State Government Public Works Department / Central Government/ Public Sector Undertakings/ Autonomous Bodies / Municipal Bodies shall be accepted for assessing the eligibility of the tenderer.

Note: Bidder shall submit copies of completion certificates along with LOA/LOI Contractagreement clearly mentioning the detail scope of work, value of work, date of start, time as per LOI and actual date of completion and actual value of work completed. The experience certificate in this regard should be issued by officer not below the rank of Executive Engineer / Project Manager/ Unit Officer.

- (B) Financial Criteria
- ii. Should have average annual financial turnover on works amounting at least 50% of the estimated cost during the last three consecutive financial years ending on 31.03.2024 duly certified by a Chartered Accountant (Bidder shall submit the copies duly certified balance sheets by a Chartered Accountant with Unique Document identification number (UDIN).
- iii. Should not have incurred any losses in more than two years during the immediate last Five consecutive financial years, ending 31.03.2024, Copies of Annual report including therein balance sheet, statement of profit & loss along with schedules for last 5 years and a Certificate from Chartered Accountant with UDIN issued by ICAI is also to be submitted.
- iv) Should have a Banker's Certificate from a National / Schedule Bank of the amount equal to **40% of the estimated cost.** The Banker's certificate should not have been issued earlier than three (03) Months of last date of submission of tender.

#### OR

Net Worth certificate of Minimum **10% of the estimated cost put to tender** issued by certified Chartered Accountant with Unique Document Identification Number (UDIN). The Net worth certificate shall be of the last financial year ending on 31st March 2024.

The Bankers certificate or Net Worth Certificate shall be in the format prescribed in Annexure V.

#### 5. Tender Fee:

Bidder including MSME bidders can download the bid document from the portal without registering or paying document fees; however, interested bidders must pay tender fees

for participating in the tendering and submitting the bid. For this purpose, the interested bidders shall be required to pay ₹ 2,360.00 (Rupees Two Thousand Three Hundred Sixty Only) including GST @ 18%. The tender fee is inclusive of GST @ 18% and is non-refundable. The bidders must submit, the scanned copy of Tender fee receipt after depositing the tender fee online through RTGS/NEFT in EPI's Bank Account ( as mentioned Below) along with the online bid.

1)	Name of Beneficiary	:	Engineering Projects (India) Ltd.
2)	Account No.	:	200001601125
3)	Name of Bank	:	IndusInd Bank, M-56 Greater Kailash II,
			(Main Market), New Delhi-110048
4)	IFSC Code	:	INDB0000012
5)	GST of EPI	:	07AAACE0061C2ZE

Note: Being a work contract, MSME benefits are not applicable to this tender. NIT submitted without or insufficient tender fees and EMD shall be summarily rejected.

#### 6. Earnest Money Deposit

The bid must be accompanied by scanned copy of Earnest Money Deposit (EMD) of Rs. **2,79,000/- (Rs. Two Lakh Seventy-Nine Thousand only)** The Earnest Money Deposit (EMD) can be either in the form of Crossed Demand Draft or Pay Order of any Nationalized Bank / Scheduled Bank, Fixed Deposit Receipts, Bankers Cheque or Bank Guarantee with **SFMS code** from any of the commercial banks or payment online in an acceptable form, safeguarding the purchaser interest in all respects.

The validity of EMD should be 150 days from last date of submission. EPI's bank detail is mentioned at Sr. No. 5 above.

Proforma for Bank Guarantee in Lieu of Earnest Money Deposit is enclosed at **Annexure XIV.** 

The scanned copy of EMD shall be submitted by the bidders with their online bid. Preferably, the physical form of EMD, in case of DD, BG, FDR, insurance surety bond, shall be submitted before due date and time for submission but not later than 5 (five) calendar days from last date of submission or within the extended time. In case the EMD/Bid security in original physical form does not reach EPIL within the above cut-off date, his bid shall be rejected and not considered for future evaluation, irrespective of their status/ ranking in tender and notwithstanding the fact that a copy of EMD/Bid security was earlier uploaded by the bidder on the mentioned Portal (online bid).

In case EMD/Bid security is submitted through net banking or any other mode of online transfer, transaction details/ proof of submission through net banking shall have to be uploaded in designated place in the tendering portal.

# Note: BG should be submitted with Structured Finance Managing System (SFMS) issued by beneficiary bank.

- **7.** An attested copy of power of attorney/affidavit/Board Resolution executed as under shall accompany the tender Documents.
  - a) In case of Sole Proprietorship, an affidavit of Sole Proprietorship and if the tender is signed by any other person Power of Attorney by the Sole Proprietor in favour of signatory.
  - b) In case of Partnership, if document is not signed by all the partners, Power of Attorney in favour of the Partner/person signing the documents authorizing him to sign the documents. The person signing the documents should also have a specific authority to refer disputes with the partnership firm to arbitration.
  - c) In Case of Company, copy of Board Resolution authorizing the signatory to sign on behalf of the Company.
- 8. Bidder must submit undertaking regarding details of Constitution of firm/Company along with the details of its directors as per enclosed **Annexure-VII**. In case, the bidder fails to submit Constitution of firms with the bid along with the details of its firm Directors as per Annexure-VII their bid will be rejected.
- **9.** It is desired that the bidder visits the site before submitting the bid to assess the Ground condition and working conditions at site. In case the bidder decides not to visit site, they shall be responsible for all the consequences thereof. Bidder must submit a self-declaration as per **Annexure-IX** with the bid in respect of the same.
- 10. For Promotion of Public Procurement (Preference to Make in India) order 2017 (Revised Order dated 16.09.2020) GOI Guideline for procurement, the equivalent Indian makes of materials conforming to requisite quality in addition to List of Makes/Brands may be considered subject to approval of Client/Engineer. Also "local supplier / bidder at tht time of tendering, bidding or solicitation shall be required to provide a certificate from the Statutory Auditor that the item offered meets the minimum local content and shall give the details of the location(s) at which the local value addition is made (Certificate as per Annexure-X).
- **11.** The credentials of the Bidders with respect to Technical & Financial criteria shall be verified and inspection of the works, if required, to be carried out by EPI. If not found satisfactory by EPI, their bid will be considered non-responsive and rejected.
- **12.** Tender documents comprising of the following are available for downloading from CPP Portal: <u>https://etenders.gov.in/eprocure/app</u> and available for reference on the websites of EPI: <u>www.engineeringprojects.com</u> & CPP Portal: www.eprocure.gov.in
  - **Volume I:** Notice Inviting Tender, instructions to Tenderers, General Conditions of Contract, and Bidder Registration Module.
  - Volume II: Additional Conditions of Contract, Client Documents, Specifications and Drawings.
  - Volume III: Price Bid.

**13.** Bidder should have Digital Signature Certificate (DSC) from one of the authorized Certifying Authorities to participate in the tender, interested bidders must enrol themselves in CPP Portal. <u>https://etender.gov.in/eprocure/app</u> to participate in the bidding under this invitation for bids. Also, Tender documents comprising of the following are available on the website of EPI: <u>www.epi.gov.in</u> & CPP Portal: <u>http://etenders.gov.in/eprocure/app</u>

For any technical related queries for CPP portal, please call at 24 x 7 Help Desk Number 0120-4001 002, 0120-4001 005, 0120-6277 787 International Bidders are requested to prefix +91 as country code <u>Technical-support-eproc@nic.in</u> Policy Related – <u>cpp-doe@nic.in</u>

They may obtain further information regarding this tender from inviting. Authority at the address given in NIT from 10:00 hours to 17:00 hours on all working days till the last date of online submission of Bidding Documents. No special character like !,@,#,\$,%,&,\*,\_ to be include while saving he file/uploading.

For proper uploading of the bids on the portal namely CPP Portal: <u>http://etenders.gov.in/eprocure/app</u> (hereinafter referred to as the 'portal'). It shall be the sole responsibility of the bidders to apprise themselves adequately regarding all the relevant procedures and provisions as detailed at the portal as well as by contacting <u>http://etenders.gov.in/eprocure/app</u> directly, as and when required, for which contract details are mentioned above. The EPI in no case shall be responsible for any issues related to timely or properly uploading/submission of the bid in accordance with the relevant provisions of Section instruction to Bidders of the Bidding Documents.

- 14. E-Bids must be submitted/uploaded along with scanned copies of relevant documents pertaining to Clause No. 4 (i) to (iv) & Clause No. 27 (a) to (q) under Single Stage Two Envelope Bidding Procedure on the CPP Portal on or before last date and time of online bid submission. Late bids will not be accepted. Under the above procedure, only the first envelope (Technical Part) shall be opened in the presence of the bidders' representatives who choose to attend in person at the address given below on schedule date and time of bid opening or may be viewed by the bidders by logging into the portal as per features available to them. Second envelope i.e. Price part shall be opened of technically qualified bidders.
- **15.** In case of any unscheduled holiday taken place on the last day of submission of tender, the next working day will be treated as scheduled day and time of submission of Tender.
- **16.** The rates quoted by the bidder shall be firm and fixed for the entire period of completion and till handing over of the work. No revision to rates or any escalation shall be allowed on account of any increase in prices of materials, labour, POL, and Overheads, etc. during the entire contract period or extended contract period.
- **17.** The corrigendum or addendum, extension, cancellation of this NIT, if any, shall be hosted on the EPI's website/ CPP portal the bidders are required to check these websites regularly for this purpose, to consider before uploading/submission of tender. All

Corrigendum and addendum are to be uploaded by bidder duly signed and stamped a bid annexure.

- **18.** The price bid shall be accepted subject to verification of credentials of the bidders from issuing authorities i.e. departments/ Banks. Opening of price bid does not prove the qualification of the bidder and no bidder can raise any claim whatsoever if their price bids are denied on the ground of verification of his credentials.
- **19.** EPI reserves the right to extend the date of submission of the tender or cancel the tender or accept any tender or reject any or all tenders or split the work of tender or annul this tendering process without assigning any reason and liability whatsoever and to re-invite tender at its sole discretion. In case of tie-tender, where two firms become the lowest, EPI reserves the right split the work among these bidders and / or EPI will reserve the right to award the tender to any one of such bidders.
- **20.** Notwithstanding anything stated in tender, EPI reserves the right to assess the capabilities and capacity of the tenderer to perform the contract, in the overall interest of EPI. In case, tenderer capabilities and capacities are not found satisfactory, EPI reserves the right to reject the tender.
- **21.** All prospective MSME bidders are requested to get themselves registered on TReDS platform (<u>www.rxil.in</u>) to avail payment benefits.
- **22.** It is desirable that the bidder should have valid PF Registration. In case, the bidders do not have PF Registration, the same shall be obtained by successful bidder within one month from the date of LOI or before release of First RA Bill.

#### 23. Disqualification:

The tenderers may note that they are liable to be disqualified and not considered for the opening of Price Bid if:

- a) Representation in the forms, statements and attachments submitted in the prequalification document are proved to be incorrect, false and misleading.
- b) The Bidder is currently declared suspended/blacklisted/banned/debarred by EPIL or by any Central/State Government Department/Public Undertaking or Enterprise of Central/State Government and such ban is in force at the time of submission of the Bid or extended deadline for submission of the bid. All bidders must furnish an undertaking as per Annexure-XII.
- c) They have submitted incompletely filled in formats without attaching certified supporting documents and credentials to establish their eligibility to participate in the Tender.
- d) If the tenderer attempts to influence any member of the committee, EPI reserves its right to take appropriate action including disqualification of tenderer(s) as may be deemed fit and proper by EPI at any time without giving any notice to the contractor in this regard. The decision of EPI in the matter of disqualification shall be final and binding on the Tenderer.
- e) In case, any document, information and/or certificate submitted by Tenderer is found to be incorrect/false/fabricated or the Tenderer has breached the terms and conditions of Integrity Pact, EPI at its discretion may disqualify/reject/terminate the

Tenderer, forfeit the EMD and the Tenderer shall also be liable to be suspended/debarred for a period which shall be not less than one year extending till maximum for a period of three years.

f) The Maximum- (i) Two numbers of Single Phase or (ii) Four Numbers of Phase-01 / 02 or (iii) One Number of Single Phase & two number of Phase-01 / 02of EMRS works that can be awarded to the single contractor.

If the bidders have already worked / working in EMRS for one or more PSUs, they have to give undertaking on company letterhead (as enclosed **Annexure- XVI**) for the same with certified work done value against awarded value, as on ending previous day of last date of submission of tender.

In this case, if the work done of the contractor, is equal or more than 95% of awarded value, of any one of the projects like Single phase / Phase-1 / Phase- 2 projects, duly certified by Site-in-charge / Project-In-charge or equivalent, will be considered as completed work.

In such case, EPIL reserve rights about qualification of bidder in terms of financial & technical capacities & in above cases (i), (ii) & (iii) (including ongoing EMRS work in any PSUs) can only be given to the bidder. If any time found that bidder has given wrong information, bidder shall be disqualified by EPIL and Blacklisted for any jobs from Government of India.

- 24. EPI shall suspend/ban any business dealing with any such contractor who fails to perform or defaults/ deviates from the terms of tender/contract without any reasonable cause, is responsible for loss of business/money/reputation to EPI, indulges in malpractices, cheating, bribery, fraud or any other misconduct or formation of cartels to influence the tendering process or influence the price. Suspension of business dealing involves putting a contractor on bench or banning a contractor for business with EPI for periods not less than one (1) year extending utmost till (3) years.
- 25. Conditions for the bidders belongs to the countries sharing borders with India: Bidder should follow the circular for Restrictions on Public Procurement from certain countries by Ministry of Finance vide press note posted on: 23 July, 2020 by PIB Delhi. The Bidder should provide the undertaking in the format as given in the Annexure-VIII.
- **26.** Bidders shall submit the following documents duly signed and stamped a part of Technical bid online. Only Online mode will be accepted for tender submission.
  - a) Documentary evidence with regards to deposition of Tender fees and Earnest Money Deposit (EMD) as per NIT. In case, the bidder submits EMD in form of Bank Guarantee, DD, FDR, Bankers Cheque, etc. then physical submission of Original EMD is to be ensured within 5 (five) days from date of opening of Bid. Proforma for EMD BG is enclosed in Annexure- XIV.
  - b) Letter of Undertaking as per Annexure-I.
  - c) Form of Tender as per Annexure-II.
  - d) Memorandum of NIT as per Annexure-III.
  - Self-certified copies of Experience / Completion / Performance certificates of completed similar works with work order / Letter of Award / Letter of Intent, Certified final bill/ proof of payment.
  - f) Financial Details as per Annexure-IV with documents.
  - g) Self-certified Copy of Bankers certificate or Documents regarding Net Worth of the

Company as per Annexure-V.

- h) Affidavit duly notarized by Notary Public on Non-Judicial Stamp Paper of ₹ 100/- for correctness of Documents / Information as per Annexure-VI along with supporting Power of Attorney / Board Resolution / Company Registration Certificate / Memorandum and Articles of Association / Partnership Deed / Affidavit.
- i) Director's Details as per Annexure-VII.
- j) Undertaking for Procurement from Border Sharing Countries Annexure-VIII.
- k) Site Visit Declaration Annexure-IX.
- Declaration in respect of local content for Public Procurement (Preference to Make in India) order 2017 (Revised Order dated 16.09.2020) GOI Guideline as per Annexure-X.
- m) Valid PF and ESI Registration.
- n) Copy of Permanent Account Number (PAN) and GST Registration Certificate.
- o) All pages of the entire Corrigendum (if any) duly signed by the authorized signatory.
- p) General Information as per Annexure-XI.
- q) A self-certification by the bidder that the Bidder should not be currently declared ineligible/suspended/blacklisted/banned/debarred by EPIL or by any Central/State Government Department/ Public Undertaking or Enterprise of Central/State Government and such ban should not be in force at the time of submission of the Bid or extended deadline for submission of bid as per Annexure-XII.
- r) Bidders must submit documentary evidences of having formally certified skilled workforce or commitment by the bidders/service providers to the effect that they would ensure that all their workers would be skilled through Recognition of Prior Learning (RPL) within two months from the date of commencement of work under the project, at the cost of the service provider/vendor as per **Annexure-XIII**.
- s) Undertaking for executed / ongoing EMRS works of the bidder as per Annexure-XVI.

# Requisite original documents may be asked from bidders as required by EPI after opening of Bid i.e. Power of Attorney (if required), Affidavit, Undertaking, etc.

27. All correspondence about the above shall be to the following address (By Post/In Person) HOD (Contracts),

Contract Division, Engineering Projects (India) Limited, Western Regional Office, Mumbai. E-mail: <u>wro-contracts@engineeringprojects.com</u> Mob No. +919910240035

- 28. Contact details for site related Queries / Visit: Shri Amar Kondagurla, Addl. General Manager (Tech) Engineering Projects (India) Limited, Flat No-03, 2nd Floor, Rachit Delight, Yeolekar Mala, College Road, Nashik – 422005, Maharashtra Mob No. +917001718353
- **29.** The validity of offer(s) submitted by Tenderer shall be ninety (90) days from the last date of submission of the Tender. The validity period may be extended on mutual consent.

For more information on EPI, visit our website at: <u>https://www.epi.gov.in</u> For information on the e-tender, please visit website of CPP portal Ltd. at <u>https://etenders.gov.in/eprocure/app</u>

#### Annexure - I

#### LETTER OF UNDERTAKING (TO BE ENCLOSED IN ENVELOPE-1 ALONGWITH EMD) (TO BE TYPED ON LETTER HEAD)

Name of Work : "Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State."

#### NIT No: WRO/CON/876/339

#### Date: 04.12.2024

#### UNDERTAKING FOR ACCEPTANCE OF TENDER CONDITIONS

- The Tender Documents for the work as mentioned in "Memorandum" to "Form of Tender" have been issued to me / us by ENGINEERING PROJECTS (INDIA) LIMITED and I/ We hereby unconditionally accept the tender conditions and Tender Documents in its entirely for the above work.
- 2. The contents of clause of the Tender Documents have been noted where in it is clarified that after unconditionally accepting the tender conditions in its entirety, it is not permissible to put any remarks(s) / condition(s) (except unconditional rebate on price, if any) in the 'Price-Bid' and the same has been followed in the present case. In case this provision of the Tender is found violated at any time after opening 'Price-Bid', I / We agree that my/our tender shall be summarily rejected and EPI shall, without prejudice to any other right or remedy be at liberty to forfeit the full said Earnest Money absolutely.
- 3. The required Earnest Money for this work is enclosed herewith.

Yours faithfully,

Authorized Signatory

Seal of Tenderer

Dated:

Annexure-II

#### FORM OF TENDER (TO BE TYPED ON LETTER HEAD)

Name of Work : "Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State."

#### NIT No: WRO/CON/876/339

#### Date: 04.12.2024

- We hereby tender for execution of work as mentioned in "Memorandum" to this "Form of Tender" as per Tender Documents within the time schedule of completion of work as per separately signed and accepted rates in the Bill of Quantities quoted by us for the whole work in accordance with the Notice Inviting Tender, Conditions of Contract, Specifications of materials and workmanship, Bill of Quantities Drawings, Time Schedule for completion of jobs, and other documents and papers, all as detailed in Tender Documents.
- 2. It is agreed that the time stipulated for jobs and completion of work in all respects and in different stages mentioned in the "Time Schedule for completion of jobs" and signed and accepted by us is the essence of the contract. We agree that in case of failure on my/our part to strictly observe the time of completion mentioned for jobs and the final completion of work in all respects according to the schedule set out in the said "Time schedule for completion of jobs" and stipulations contained in the contract, the recovery shall be made from us as specified therein. In exceptional circumstances extension of time which shall always be in writing may, however be granted by EPI at its entire discretion for some items, and We agree that such extension of time will not be counted for the final completion of work as stipulated in the said "Time schedule of completion of jobs".
- 3. We agree to pay the Earnest Money, Security Deposit cum Performance Guarantee, Retention Money and accept the terms and conditions as laid down in the "Memorandum" to this "Form of Tender".
- 4. Should this Tender be accepted, we agree to abide by and fulfill all terms and conditions referred to above and as conditioned in Tender Documents elsewhere and in default thereof, allow EPI to forfeit and pay EPI, or its successors or its authorized nominees such sums of money as are stipulated in the Tender Documents.
- 5. We hereby pay the earnest money amount as mentioned in the "Memorandum" to this "Form of Tender" in favour of Engineering Projects (India) Limited payable at place as mentioned in the "NIT/ITT".

- 6. If I/ We fail to commence the work with issue of Letter for Commencement of Work and / or I/ We fail to sign the agreement as per Clause 84 of General Conditions of Contract and/or I/ We fail to submit Security Deposit cum Performance Guarantee as per Clause 9.0 & 9.1 of General Conditions of Contract, I / We agree that EPI shall, without prejudice to any other right or remedy, be at liberty to cancel the Letter of Intent / Letter for Commencement of Work and to forfeit the said earnest money as specified above.
- 7. We are also enclosing herewith the Letter of Undertaking on the prescribed proforma as referred to in condition of NIT.

Date the	day of
SIGNATURE OF TENDERER	
NAME (CAPITAL LETTERS):	
OCCUPATION	
ADDRESS	

#### SEAL OF TENDERER

**Annexure -III** 

#### MEMORANDUM (ENCLOSURE TO FORM OF TENDER)

Name of Work : "Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State."

#### NIT No: WRO/CON/876/339

#### Date: 04.12.2024

S. NO.	Description	Cl. No.	Values/Description to be applicable for relevant clause(s)
i.	Name of work	NIT	"Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State."
ii.	Name of Owner/ Client	NIT	National Education Society for Tribal Students (NESTS)
iii.	Type of Tender	NIT	Percentage Rate Basis
iv.	Estimated Cost including GST	NIT	1,39,49,313/- (Rupees One Crore Thirty-Nine Lacs Forty-Nine Thousand Three Hundred Thirteen)
٧.	Earnest Money Deposit	NIT	Rs. 2,79,000/- (Rs. Two Lakhs Seventy-Nine Thousand only)
vi.	Time for completion of work	NIT	2 (Two) Months + 12 (twelve) months defect liability period
vii.	Mobilization Advance	ACC	As per ACC
viii.	Interest Rate on Mobilization Advance	ACC	As per ACC
ix.	Recovery of Mobilization Advance	ACC	As per ACC
х.	Validity of Tender	NIT	90 (Ninety) Days
xi.	Security Deposit cum Performance Guarantee	ACC	As per ACC

xii.	Additional Performance Security	ACC	As per ACC
xiii.	Retention Money	ACC	As per ACC
xiv.	Time allowed for starting the work	ACC	The date of start of contract shall be reckoned from the date of issue of e- mail/telegram/letter/telex /Fax of letter for commencement of work
xv.	Defect Liability Period	ACC	12 (Twelve) Months from the date of taking over of works.
xvi.	Arbitration	ACC	Arbitration shall be as per provisions of ACC. The Venue of Arbitration shall be Mumbai.
xvii.	Jurisdiction	ACC	Courts in Mumbai.

SIGNATURE OF TENDERER :

NAME (CAPITAL LETTERS) :

OCCUPATION :

ADDRESS :

\_\_\_\_\_

\_\_\_\_\_

SEAL OF TENDERER :

ANNEXURE -IV

#### **FINANCIAL DETAILS**

(Details to be filled online also)

Name of Work : "Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State."

#### NIT No: WRO/CON/876/339

#### Date: 04.12.2024

		FY 2021-22	FY 2022-23	FY 2023-24
		<u>₹ (In Lacs)</u>	<u>₹ (In Lacs)</u>	<u>₹ (In Lacs)</u>
		а	b	С
i)	Profit/Loss			
ii)	Gross Annual Turnover of Previous 3 Financial years ending as on last day of the preceding Financial Year.			
iii)	Average Annual Turnover for previous 3 financial years $(\underline{\ast} \text{ In Lakh}) = (a+b+c)/3$			
iv)	Net Worth (Paid up capital +reserves) OR	as on 31.03.2024	<u>.</u>	
	Bank Solvency amount as mentioned i	n the Bankers Cer	tificate	

#### MANDATORY INFORMATION DOCUMENTS

- 1. Summarized page of Audited Profit & Loss Account of previous five Financial Years duly certified by the chartered account, is to be submitted.
- 2. Summarized page of Audited Balance Sheet of last Financial Years (ending on last day of the preceding Financial Year) duly certified by the chartered is to be submitted.

Signature of Chartered Accountant with seal

Seal and Signature of bidder

Unique Document Identification Number (UDIN)

#### Annexure-V

#### BANKERS CERTIFICATE FROM A SCHEDULED BANK

This is to certify that to the best of our knowledge	edge and information that M/s. / Sh.
having marginally noted address,	as a Customer of our bank
are / is respectable and can be treated as good f	or any engagement upto a limit of Rs.
(Rupees	)

This certificate is issued without any guarantee or responsibility on the bank or any of the officers.

(Signature) For the Bank

NOTE

- 1. Bankers Certificate should be on letter head of the Bank, addressed to tendering authority.
- 2. In case of Partnership firm, certificate should include names of all partners as recorded with the Bank.

#### FORM FOR CERTIFICATE OF NET WORTH FROM CHARTERED ACCOUNTANT

"It is to certify that as per the audited balance sheet and profit & loss account during the financial year\_\_\_\_\_, the Net Worth of M/s.\_\_\_\_\_(Name & Registered Address of individual/firm/company), as on \_\_\_\_\_\_\_ (the relevant date) is ₹ \_\_\_\_\_\_after considering all liabilities. It is further certified that the Net Worth of the company has not eroded by more than 30% in the last three years ending on (the relevant date)"

Unique Document Identification Number (UDIN) \_\_\_\_\_\_ Signature of Chartered Accountant \_\_\_\_\_ Name of Chartered Accountant \_\_\_\_\_ Membership No. of ICAI Date and Seal (To be submitted by bidder on non-judicial stamp paper of ₹ 100/-(Rupees Hundred only) duly attested by Notary Public)

(To be submitted in Envelop -1 i.e Technical Bid)

#### AFFIDAVIT

Affidavit of Mr\_\_\_\_\_So\_\_\_\_- R/o\_\_\_\_-.

I, the deponent above named do hereby solemnly affirm and declare as under :

- 1. That I am the Proprietor/Authorized signatory of M/s .....having its Head / Regd. Office at.....
- 2. That the information / documents/Experience certificates submitted by M/s .....along with the tender for ..... (Name of work).... To EPI are genuine, true and nothing has been concealed.
- 3. I shall have no objection in case EPI verifies them from issuing authority (ies). I shall also have no objection in providing the original copy of the document (s), in case EPI demand so for verification.
- 4. I hereby confirm that in case, any document, information & / or certificate submitted by me found to be incorrect / false / fabricated, EPI at its discretion may disqualify /reject/ terminate the bid / contract and also forfeit the EMD / All dues.
- 5. I shall have no objection in case EPI verifies any or all Bank Guarantee(s) under any of the clause (s) of Contract including those issued towards EMD and Performance Guarantee from the Zonal Branch / office issuing Bank and I / we shall have no right or claim on my submitted EMD before EPI receives said verification.
- 6. That any credential alongwith the Bank Guarantee issued against the EMD issued by (name and address of the Bank) is genuine and if found at any stage to be incorrect / false/ fabricated, EPI shall reject my bid cancel pre-Qualification and debar me from Participating in any future tender for three years.

I, ------ the Proprietor / Authorised signatory of M/s ------ do hereby confirm that the contents of the above Affidavit are true to my knowledge and nothing has been concealed there from------ and that no part of it is false.

Verified at -----day of \_\_\_\_\_\_day of \_\_\_\_\_

DEPONENT

ATTESTED BY (NOTARY PUBLIC)

Annexure – VII

#### UNDERTAKING (To be submitted by Bidder on its company Letter Head)

Name of Work : "Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State."

#### NIT No: WRO/CON/876/339

#### Date: 04.12.2024

This is to confirm that the following persons are the present Proprietor / Directors/ Partners of the company/firm:

1.

- 2.

It is further confirmed that none of the above Directors is associated with any other company/firm which is quoting for the above referred tender of EPI.

The details of constitution of M/s.....is submitted along with this annexure.

In case, at any later stage the above information is found incorrect, EPI can cancel our BID/LOI/Contract Agreement and may take any suitable action deemed fit against our company.

Authorized Signatory

Date: Name & Seal of the Company

Annexure – VIII

#### Undertaking for Procurement form Border Sharing Countries (In Company's Letter Head)

Name of Work : "Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State."

NIT No: WRO/CON/876/339

Date: 04.12.2024

I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries; I certify that this bidder is not from such a country or if from such a country, has been registered with EPI and will not sub-contract any work to a contractor from such countries unless such contractor is registered with EPI.

I hereby certify that this bidder fulfils all requirements in this regard and is eligible to be considered.

Authorized Signatory

Date:

Name & Seal of the Company

#### Site Visit Declaration (To be Enclosed in Company's Letter Head)

Name of Work : "Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State."

NIT No: WRO/CON/876/339

Date: 04.12.2024

Dear Sir,

I/We\_\_\_\_\_Undersigned visited the project site on \_\_\_\_\_\_ and collected all the required information and data regarding availability of material and noted the environmental condition.

Yours faithfully,

(Signature of the Tenderer)

Seal Tenderer Dated

Annexure – X

#### Public Procurement (Preference to Make in India)

#### UNDERAKING LOCAL CONTENT CERTIFICATE

Name of Work : "Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State."

NIT No: WRO/CON/876/339

Date: 04.12.2024

Name & Seal of the Statutory Authority

#### **GENERAL INFORMATION**

1.	Name of Applicant/Company	
2.	Address for correspondence	
3.	Official e0-mail for communication	
4.	Contact Person:	
	Telephone Nos.:	
	Fax Nos.:	
	Mobile:	
5	Type of Organization:	
	a) An Individual	
	b) A proprietary firm	
	c) A firm in partnership (Attach copy of	
	Patnership)	
	d) A Limited Company	
	(Attach copy of Article of Association)	
	e) Any other (mention the type)	
6	Place and Year of Incroporation	
7	Name of Directors/Partners in the	
	organization	
8	Name(s) and Designation of the person,	
	who is authorized to deal with EPI (Attach	
	copy of power of Attorney)	
9.	Bank Details: Name of Bank, Address of	
	Bank Branch, Account No., RTGS, IFS Code	

Signature of Bidder with Seal

Annexure – XII

#### Declaration for Non-Blacklisting Status (On Company Letter Head)

Name of Work : "Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State."

NIT No: WRO/CON/876/339

Date: 04.12.2024

I/We ...... hereby certify that we are not declared ineligible/suspended/ blacklisted/banned/debarred by EPIL or by any Central/State Government Department /public undertaking or Enterprise of Central/State Government till the date of submission of our bid.

Yours faithfully,

(Signature of the Tenderer)

Seal of Tenderer

Dated:

#### DECLARATION FOR CERTIFIED SKILLED WORKFORCE

Name of Work : "Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State."

#### NIT No: WRO/CON/876/339

Date: 04.12.2024

We, ..... certify that we shall submit documentary evidence of having formally certified skilled workforce within two months from the date of commencement of work under the project.

OR

We, ..... undertake that all our workers would be skilled through Recognition of Prior Learning (RPL) within two months from the date of commencement of work under the project.

(Signature of the Tenderer)

#### Annexure-XIV

#### PROFORMA FOR BANK GURANTEE IN LIEU OF EARNEST MONEY DEPOSIT

We the above said Bank further agree and undertake to pay the said amount of ₹ ...... without any demur on demand within 48 hours. Any demand made on the Bank by EPI shall be conclusive as regards the amount due and payable by the Bank under this guarantee.

We, the above said Bank, further agree that EPI shall have full liberty, without our consent and without affecting in any manner our obligation to verify, modify or delete any of the conditions. We, the above said Bank, lastly undertake not to revoke this guarantee during its currency except with the prior consent of EPI in writing.

Dated.....this day of.....2024.

For and on behalf of the Bank

Note: on a Non-Judicial stamp paper of ₹ 100/- (Rupees One Hundred Only)

Annexure – XVI

## Undertaking for List of Works undergoing under EMRS Projects

(To be submitted under Letter head)

SI. No.	Name of work	Value of theproject	Date of Completio	Client Nameand	Completed value of theproject as on
			n	Address	date.
1					
2					
3					

Signature of the Tenderer

Seal of Tenderer

Date:

# **Bidder Registration Module**

To enroll as a bidder click on the **Online Bidder Enrollment** link.

02-Apr-2020	nment OCUREMEN Syster	rs   Tenders by Clo	sing Date L	Corrigendum   B	asults of Tenders	a Home ⊠ Contact Us ♣ Site
02-Apr-2020		overnment eProcuren			esuits of femalers	
MIS Reports	Welcome to eProcurer The eProcurement System enal the bids online through this port	nent System bles the Tenderers to de			of cost and then submit	User Login
Tenders by Location	💪 Latest Tenders					
Tenders by Organisation	Tender Title	Reference No	Closing I	Date Bi	d Opening Date	X7ESAF
Tenders by Classification	1. OCB_CKICP_MC_1_EPC_12_0	OCB/ CKICP/ MC-1/	EPC-12/01	13-May-2020 02:00 PM	13-May-2020 03:00 PM	Captcha * Login
Tenders in Archive	2. Triple cell RCC Box culvert	Tender14201920CN 03.03.2020	IDPDODated	13-Apr-2020 03:00 PM	15-Apr-2020 03:00 PM	<b>Online Bidder Enrollment</b>
Tenders Status	Latest Tenders updates eve	ery 15 mins.				Generate / Forgot Password Find My Nodal Officer
Cancelled/Retendered	🙆 Latest Corrigen	dums				Search with ID/Title/Reference no
Downloads	Corrigendum Title	Reference No	Closing I	Date Bi	d Opening Date	C Tender Search Go
Debarment List						Advanced Search
Debarment List						Help For Contractors
Announcements	Latest Corrigendum update	s every 15 mins.				Information About DSC
Recognitions	Certifying Agency					FAQ
Recognitions		s	Т <mark>О</mark> С			Feedback





The system leads to the page where the details of the bidders are to be filled in. There are preferential categories for the preferential bidders who can avail the privileges that are provided. The Preferential categories are Make in India, MSME and STARTUP. The bidders first has to click on the check box of Preferential Bidder to select the Preferential Category.

02-Apr-2020	Search   Active Tenders   Tenders	by Closing Date   Corrigendum	Results of Tenders	🚖 Home 🖾 Contact Us 🚜 Site
		Government eProcur	ement System	
MIS Reports	Online Enrollment of Corp	orate/Bidder		
	Login Id *			Email ID and Mobile No Policy
Tenders by Location	Enter email address for login id. eg: abc@n (Care may be taken to enter valid e-mail ID cannot be modified once registered.)		idential. The login ID	Email and mobile must comply following requisites,
enders by Organisation	Correspondence Email*			<ol> <li>As Mobile and Email are the modes of correspondence, ensure</li> </ol>
	(Correspondence Email ID can be same as	your Login ID.)		that mobile no and email id provided are correct.
enders by Classification	Mobile* [	-Select- 🔻		<ol> <li>The verification codes are valid for 900 seconds from the time Send Verification Code is clicked.</li> </ol>
Tenders in Archive				
	Company Details			
Tenders Status	Company Name *			
Cancelled/Retendered	Preferential Bidder: Preference Category*		•	
Downloads	Registration Number *	Make in India MSME STARTUP		
Debarment List			11	
Debarment List	Name of Partners / Directors		11	
	BidderType*	Indian Foreign		
Announcements	City *			





The details of the bidder are entered in the Online Enrollment of Corporate/Bidder page. The Correspondence Email id and the Mobile Number should be a valid email id and a valid mobile number because further contacts will be only through this mobile number and correspondence email id.

Login Id *	biddertest2@gmail.com	Email ID and Mobile No Policy
Enter email address for login id. eg: abc@ni (Care may be taken to enter valid e-mail ID be modified once registered.)	Email and mobile must comply following requisites, 1. As <b>Mobile</b> and <b>Email</b> are the modes of correspondence, ensure	
Correspondence Emai* biddertest2@gmail.com		
(Correspondence Email ID can be same as	your Login ID.)	that mobile no and email id provided are correct.
Mobile*	IND (91) V 99	<ol> <li>The verification codes are valid for 900 seconds from the time Send Verification Code is clicked.</li> </ol>
Company Details		
Company Name *	Sai Private Limitted.	
Preferential Bidder:	✓ Yes	Page
Preference Category*	Make in India	-
Registration Number *	A123456Z	1
Registered Address*	Chennai	
Name of Partners / Directors		
BidderType*	Indian O Foreign	
City *	Chennai	
State*	Tamil Nadu	
Postal Code*	123456	
PAN/TAN Number *	AESTG2458A	





Once after filling the details, the bidder enters the Captcha and clicks on the Submit Button to submit the provided details.

Establishment Year	2010 ~	
Nature of Business*	Nature of Business	
Legal Status*	Limited Company ~	
Company Category *	Regd. with District Industries Cen $\vee$	
Contact Details		
Enter Company's Contact Person Detail	•	
Title *	Mr	
Contact Name*	Praveen Rawat	Page
Date Of Birth (DD/MM/YYY)*	12/09/1989	2
Designation	CEO	2
Phone D	etails eg: +91 044 22272449	
Phone*	IND (91) V 044 2	
5		
Enter Captcha 8NJS8V	NJS8V <sub>2 Refresh</sub>	1





The Bidder enrollment Acknowledgement is displayed on the screen. The bidder Clicks on the Send Verification Code button to receive the verification code in the provided mobile number and the correspondence email id.

Bidder Enrollment Acknowledgement	📇 Print
Login ID :	biddertest2@gmail.com
User Type :	Corporate Tenderer
Correspondence Email :	biddertest2@gmail.com
Mobile :	91-94 8
Company Details	
Company Name :	Sai Private Limitted.
Preferential Bidder :	Yes
Preference Category :	Make in India
Registration Number :	A123456Z
Registered Address :	Chennai
Name of Partners / Directors :	Nil
City :	Chennai
State :	Tamil Nadu
Postal Code :	123456
PAN/TAN Number :	AESTG2458A
Company's Establishment Year :	2010
Company's Nature of Business :	Nature of Business
Company's Legal Status :	Limited Company
Company Category :	Regd. with District Industries Centre(DIC)
Contact Details	
Title :	Mr
Contact Name :	Praveen Rawat
DOB (Date Of Birth) :	12-Sep-1989
Designation :	CEO
Phone :	91 044 2000009





The bidder enters the Mobile Verification Code, Mail Verification Code, enters the New Password, confirms the same, enters the Captcha and clicks on the Submit button to submit the entered details.

Generate password		Freed ID and Makila Ma Dalian
Generate password for the login id bi	ddertest2@gmail.com	Email ID and Mobile No Policy Verification code must comply following requisites,
Provide the verification code received Registered Mobile Number. Mobile Verification Code Mail Verification Code	•	<ol> <li>Provide verification code sent to mobile in Mobile Verification code.</li> <li>Provide verification code sent to email in Mail Verification code.</li> </ol>
	••••••	Password Policy
Enter Captcha	UDXC	Your password must comply following requisites, 1. Length must be within <b>8</b> to <b>32</b> characters 2. Any <b>English lowercase and</b> <b>uppercase (a-z and A-Z)</b> characters 3. Any numbers between 0-9
	tion code, please click on 'Update Email e/Forgot Password' link in the home page pile no are correct.	4. Any special characters from the bracket [! @ # \$ ^ * _ ~] Good eg: Cric\$2009 Bad eg: cric2009





The success message is displayed on the screen.

Governr E-PRC (Demo)	ment DCUREMENT System	
02-Apr-2020	Search   Active Tenders   Tenders by Closing Date   Corrigendum   Results of Tenders 🛛 🚖 Home 🖾 Cor	itact Us 🛛 🚜 SiteMap
	Government eProcurement System	
MIS Reports		
Tenders by Location		
Tenders by Organisation	Your Password has been Generated / changed successfully. Please login from Home page with your new password to	
Tenders by Classification	confirm.	
Tenders in Archive		
Tenders Status		
Cancelled/Retendered		
Downloads		
Debarment List		
Debarment List		





The bidder enters the Login Id, Captcha and clicks on the Login button to login to the portal.

Govern E-PR( (Demo)	ment OCUREMEN Syste	IT w			
02-Apr-2020	Search   Active Ten		sing Date   Corrigend	um   Results of Tenders	🚖 Home 🖾 Contact Us 🚜 SiteMap
🗎 ıt System					
MIS Reports	Welcome to eProcure The eProcurement System ena the bids online through this port	ables the Tenderers to do	wnload the Tender Sched	ule free of cost and then submit	User Login
Tenders by Location	💪 Latest Tenders				Login ID * biddertest2@gmail.cor
Tenders by Organisation	Tender Title	Reference No	Closing Date	Bid Opening Date	4 THX5 D 2
	2. THE CONTECTION CONTEN	03.03.2020		03.00 ( 11) 13 Mpl 2020 03.00 ( 11)	Captcha * 4THX5D
Tenders by Classification	3. Supply of Computers	NIT/IT/2020/1234	10-Apr-2020	09:00 AM 13-Apr-2020 09:00 AM	Login Online Bidder Enrollment
Tenders in Archive					
Tenders Status	Latest Tenders updates ev	ery 15 mins.			Generate / Forgot Password? Find My Nodal Officer
Cancelled/Retendered	💪 Latest Corriger	ıdums			Search with ID/Title/Reference no
	Corrigendum Title	Reference No	Closing Date	<b>Bid Opening Date</b>	Q Tender Search
Downloads		No active corri	gendums available.		Go
Debarment List					Advanced Search





The bidder enters the password, captcha and clicks on the Proceed button to proceed further.

Governi E-PRO (Demo)	ment DCUREMENT System					A.
02-Apr-2020	Search   Active Tenders   Ten	ders by Closing Date	Corrigendum   Results	of Tenders	🚖 Home 🖾 Contact	Us 🔏 SiteMap
			Government ePro	ocurement System		
MIS Reports	User Login					
Tenders by Location	Welcome Sai Private Limi	tted.,				
		Login ID	biddertest2@gmail.com			
Tenders by Organisation		Password*	•••••			
Tenders by Classification						
Tenders in Archive		Captcha	E7S4NS	2		
		Captcha Text*	E7S4NS			
Tenders Status		Cancel	Proceed			
Cancelled/Retendered		Ge	enerate / Forgot Password?	2		
Downloads						
Debarment List						





The Bidder registers the DSC by clicking on the Signing Certificate icon to register the signing certificate.

Government	St. a	Welcome Last login	: biddertest2@gmail.o : 02-Apr-2020 02:11		02	Server Time -Apr-2020 14:12:06	🏫 Home	E Logout
eProcurement System	eg st				Go	overnment eProc	urement	System
	USER MANAGEN	MENT						
	0 User DSC Enr	ollment						
				biddertest2 Tenderer	2@gmail.com			
	You	have not registe		re Certificat	e yet. Please click on	Signing Certificate link bel	ow.	
						<b>R</b> View Existing	Certificates	
	Active	e Certificates Ir	formation					
	S.No	Certificate	Certificate Type	Туре	Validity	Enroll Date	View	
			No certifica	tes have be	en enrolled.			





The Bidder selects the Signing certificate and clicks on the OK button to map the signing certificate.

	Login Id :	biddertest2@gmail.com		
		Tenderer		
ase go through th	ne below points before r	egistering the DSC card	/ e-Token:	
ease insert your e-Tr	2. DSC 3. Use the 4. This e-to 5. DSC	r can access the 'Informati application to view the DSG screen lists the signing cer oken, user needs to select		
Digital Certificat	te : Signing		•	
DSC Enrollment		Type		





The success message is displayed on the screen.

	L	ogin Id: biddertest2@gr	nail.com	
Please go thr	ough the below points	Roles : Tenderer	DSC card / e-Token:	
	your e-Token to read you	Token in the system Certificate). 2. DSC once registere 3. User can access the the application to vi 4. This screen lists the e-token, user need 5. DSC registered use	erly install drivers for the DSC sn a before clicking the DSC enrollm d to the login cannot be remove a 'Information about DSC' tab or ew the DSC certificate issuing au signing certificate available in th s to select the relevant DSC to r r only can perform any action in	ent menu (Signing d or reassigned. the Homepage of ithorities. e inserted DSC card / egister.
Please insert v		r bigitai quiterrage		
Please insert y	,,	DSC is en	rolled successfully.	Refresh
Digital C	ertificate : Signing		olled successfully.	Refresh
	ertificate : Signing ent Issued By	/ Туре	OK Expiry Date	





The successful enrollment of DSC is displayed on the screen. The Bidder clicks on the Next button to proceed further.

				t2@gmail.com		
		Roles :	Tenderer			
1	OSC is enrolled succes	ssfully.				
					<b>S</b> View Existing	Certificates
Activ	ve Certificates Inforn	nation			<b>p</b> View Existing	Certificates
	<b>ve Certificates Inforn</b> Certificate	nation Certificate Type	Туре	Validity	View Existing	Certificates View





The Dash Board of the Bidder is loaded where the Bidder can change the Mobile Number, E-Mail Address and clicks on the Save button to save the provided details. If the Bidder does not want to change the Mobile Number, E-Mail Address he/she can just click on the Skip button to proceed further.

Government		rtest2@gmail.com pr-2020 02:16 PM	Server Time 02-Apr-2020 14:16:30	🔒 Home 🕞 Logout
eProcurement System	e sta		Government eProc	urement System
	DASHBOARD			
	Welcome Sai Private Limitted.,			
	Roles : Tenderer			
	In order to enable International SMS ale update their Mobile Number along with	erts facility, the eProcurement Application r the Country Code.	equires all the users to	
	In addition, the users are also required	to update their email address enefits for the users include receipt of mob	ile and empil plants to	
	the events such as;     User Enrollment / Registration	ments for the users include receipt of mob	lie and email alerts to	
	<ul> <li>Tender related events</li> <li>Bid submission events</li> <li>Block / Debarred Notification</li> </ul>			
	Mobile Number: *	IND (91) 99		
	E-Mail Address: *	biddertest2@gmail.com		
		d receive an OTP by SMS / e-mail on abov vived the messages on time, please reched		
	Click on "Skip" button to complete the	activity later.		
			SI	kip Save





Once the Bidder clicks on the Save button, the system navigates to the page where OTP is to be entered, received through the changed E-Mail Id. The bidder enters the OTP and clicks on the Verify button to verify the entered OTP.

DASHBOARD	
Welcome Sai Private Limitted.,	
Roles : Tenderer	
OTP has been sent to the entered Email ID and Mobile No.	
Entered Email ID : biddertest2@gmail.com Entered Mobile No : 91 - 9	
OTP* •••••	
OTP will Expire in 04:44 minutes!	
Verify Resend OTP	





The bidder enters the 15 digit GSTN Number, Name as registered in GSTN Portal and clicks on the Save button to save the provided details.

oods and Service Tax Network (GSTN) Registration Information	
Do You have a GSTN Registration Number * 🔘 Yes 🔾 No	
GSTN Number eg: 99 AAAAA9999A 9 Z Z	
Please enter the 15 digit GSTN Number * 37 💙 AAAAA99999A 9 Z Z	
Name as Registered in GSTN Portal * Praveen Rawat	





The bidder clicks on the Next button to proceed further.

Delea	ome Sai Private Limitted.,				
Roles	: Tenderer				
Go	oods and Service Tax Netwo	ork (GSTN) Registration Inform	ation		
	Do You have a GSTN Registra	ation Number * 💿 Yes 🔿 No			
		GSTN Number eg: 99 AAAA	A9999A 9 Z Z		
	Please enter the 15 digit 0	SSTN Number * 💙	Z	]	
	Name as Registered in	GSTN Portal *			
				Clear	Save
Bidde	er GSTN Registration Detail	S			
	GSTN Registration Detail GSTN Number 37AAAAA9999A9ZZ	s GSTN Name Praveen Rawat	Created E	Date 20 02:21 PM	Select





The system navigates to the page where Startup India Registration Details page, where the bidder can click on the Registered radio button to provide the registration details or click on the Not Registered radio button and click on the Next button to proceed further.

Startup India	a Registration	
	portal is now integrated with Startup India. Bidders are now required to declare themselves, if the	
	registered as Startup India. If you are registered as Startup India, provide your Registration numb as registered with the Startup India.	ber and
EProcurement p	<b>User</b> portal will not share or disclose the Startup India Registration details with third party and will be us	sed solely t
establish and au	uthenticate the details received from Startup India portal.	
	Startup * 🔿 Registered 🖲 Not Registered	





Once the process is over the left Menu for the Bidder is loaded. Click on the My Accounts left menu to view the account details.

4	Government eProcurement System	Land	ys.		Welcome Last login	ertest2@gmail.com .pr-2020 02:11 PM	Server Time 02-Apr-2020 14:22:39 Government eProcu	E Logout System
	areada and	DASH	BOARD	i				
ι	lser Management	<u> </u>						
+	My Accounts	100 m 1 m 1 m 1		ai Private L	imitted.,			 
+	My Documents	Role	s : Tender	rer				
4	uction Management							
+	My Auctions		📢 An					
+	Live Auctions		An 🗠	nouncer	nents			-
+	View Auction History							
B	id Management							
+	Search Active Tenders							
+	My Tenders							
+	Clarification							
+	My Active Bids							
+	Bid Opening (Live)							
+	Bidder Turnover Details							
+	Awarded Bid Document							
+	Techno Commercial Query							
+	Confirmatory Documents							
+	Techno Commercial Query History							
٠	Short fall Documents							





By Clicking the User Profile icon, The bidder can view the profile, Edit the profile, set the profile password which would be asked for editing the profile, the bidder can change the Email id & Mobile number and change the profile image.
 By Clicking the Authentication icon, the bidder can change the password and activate & inactivate the active DSC.
 On Clicking the Communication Ion, the bidder can select the product category for which the SMS and mail can be triggered if tenders are published under the selected product category and also the SMS and mail Notification can be selected by the bidder.
 On selecting the Privileges icon, a provision for registering MSME and Startup India are provided.
 On Clicking the DashBoard, the bidder can view the User Dash board.


Y ACCOUNTS				
Welcome Sai Private Li Roles : Tenderer	mitted.,			
Koles . Tenderer				
•	(9)	<u>ه</u> (		
User Profile	• <b>D</b> Authentication	Communication	Privileges	DashBoard
MSME	<b>#</b> Startup India			
MOME	Startup India			









# **Bid Submission Module**







Governm E-PRO (Demo)	nent CUREME Syst	NT				
18-Jul-2017						
conducted on various topics on a r		used training will be conducted on a				
MIS Reports	Digital Certificate A	Authentication				
Tenders by Location	Welcome Wip	erify User PIN	X			
Tenders by Organisation	12	Now verify your User PIN:			Cancel	
Tenders by Classification		User PIN: ••••••				
	S.No Alias Na	Enable soft k	eyboard	pe Expiry Date		Status
Tenders in Archive	1. M RAMA	Change User PIN	gin Cancel	26-Dec-2017 0	)3:29 AM	Live
Tenders Status	LOGIN	is not appearing in this screen, p	n the following checks:			Logout
Cancelled/Retendered		e Environment (JRE) 1.6 or abo hould be installed from the reso	d be installed.			
Downloads		ndud be installed from the reso int card / e-Token must be plug	the system's USB port /	/ smart card reader.		
Announcements	E	Enter DSC Pin and Login Butto				
Recognitions						

System	
DURINE DRIVE	DASHBOARD
User Management	
<ul> <li>My Accounts</li> </ul>	Welcome Wipro,
My Documents	Roles : Tenderer Dashboard
Auction Management	
<ul> <li>My Auctions</li> </ul>	
Live Auctions	Announcements
View Auction History	
Bid Management	Web based training on Government eProcurement System is being conducted on various topics on a regular
Search Active Tenders	• basis. The Web based training will be conducted on all Central Government working days from 2.30 PM to
My Tenders	4.30 PM in English only.
Clarification	
My Active Bids	Click on Search Active
<ul> <li>Bid Opening (Live)</li> </ul>	Tenders
Techno Commercial Query	
History     Confirmatory Documents	
Short fall Documents	
My Bids History	
Confirmatory Documents	
<ul> <li>History</li> <li>Short Fall Documents History</li> </ul>	
Archived Clarification	

### **User Management**

Search Tenders

#### My Accounts

#### My Documents

#### Auction Management

- My Auctions
- Live Auctions
- View Auction History


**Bid Management** 

- Search Active Tenders
- My Tenders
- Clarification
- My Active Bids
- Bid Opening (Live)
- Techno Commercial Query
- History
- Confirmatory Documents
- Short fall Documents
- My Bids History
- Confirmatory Documents
- History
- Short Fall Documents History
- Archived Clarification
- Tender Status
- My Withdrawn Bids

Organisation	-Select-	V	Tender ID		
Department	-Select-	V	Keyword #	surgical	
Division	-Select-	V	Tender Category	-Select-	~
Sub Division	-Select-	V	Product Category	-Select-	~
Org Chain					
ocation/City					
Fender Type	-Select-	V	Form of Contract	-Select-	~
/alue Criteria	-Select-	V	-Select-	~	
Date Criteria	-Select-	v	From	То	
outo ontenno					

Search Active Tenders from the above given option and click on Submit

4	Government	2	2	Last login	: 18-J	ul-2017 03:12	PM	18-Jul-2017		🕇 Home 🛛 📄 Logout				
(	eProcurement System	w	2	/				Governme	ent eProcure	ement System				
		BID	MANA	GEMENT										
U	ser Management					Sele	ect the check I	Box						
+	My Accounts	0	Active	Tenders	l									
+	My Documents	(												
A	uction Management									Back				
+	My Auctions		Oper	Tenders										
*	Live Auctions		S.No	Tender ID	Tender	Title	Tender Reference Number	Product Category	Value in ₹	Favorite				
+	View Auction History		1.	2017_NIC_49820_1		or supply of	XX-97/SO(DO)/Surgical	Medical		⁰ 🖌 🔕				
В	id Management				dressing	disposable and items	Disposable items/2017-18/St	Equipments/Waste						
+	Search Active Tenders													
+	My Tenders							Set	t Open Tender as	Favorite				
+	Clarification													
+	My Active Bids													
+	Bid Opening (Live)													
+	Techno Commercial Query History						Clipton Oner	Tondor						
+	Confirmatory Documents						Click on Oper favor		15					
+	Short fall Documents						14 / 01							
+	My Bids History													
+	Confirmatory Documents													



System	
	DASHBOARD
Jser Management	
My Accounts	Welcome Wipro,
My Documents	Roles : Tenderer
Auction Management	
My Auctions	
Live Auctions	Announcements
View Auction History	
Bid Management	Web based training on Covernment eProgramment System is being conducted on various tenics on a regular
Search Active Tenders	<ul> <li>Web based training on Government eProcurement System is being conducted on various topics on a regular</li> <li>basis. The Web based training will be conducted on all Central Government working days from 2.30 PM to</li> </ul>
My Tenders	4.30 PM in English only.
Clarification	
My Active Bids	Click on My Tenders
Bid Opening (Live)	
Techno Commercial Query	
History Confirmatory Documents	
Short fall Documents	
My Bids History	
Confirmatory Documents	
History Short Fall Documents Histor	4
Archived Clarification	

4	Government	32	~	Last	login		Jul-2017 03:					17 15:18:10	🏫 Home	Logout
	eProcurement System	e s	N.								Governi	nent ePro	curement	System
		BID MA	NAGEN	IENT										
ι	Jser Management													
+	My Accounts	🚺 My 1	<b>Fenders</b>											
+	My Documents													
1	Auction Management		Sear					1	Teeds	- 704 -				
+	My Auctions		Tend	er ID					Tende	riitie				
+	Live Auctions											Clear	Search	
+	View Auction History		My Tenders											
E	Bid Management		S.No	Tender II	D		Tender Refe	rence Numbe	er	Tender Tit	le		View	
+	Search Active Tenders		1	2017_NIC_	49820_	1 ) it	(X-97/SO(DO) tems/2017-18	)/Surgical Dis /St	posable	Tender for and dressin		rgical disposable		
+	My Tenders		2	2017_NIC	_49725_	1 0	hk flow wilso	n		chk flow wil			<b></b>	
+	Clarification										/			
+	My Active Bids										/ /			
+	Bid Opening (Live)													
+	Techno Commercial Query						Click	on Viev	w Ico	on for	bid			
+	History Confirmatory Documents						e non	submi			010			
+	Short fall Documents													
+	My Bids History													
+	Confirmatory Documents						_							

NIT Document	S No.	Document Name		Description		Document
	1			Description Notice Inviting	Tender for supply of surgical	Size (in KB
		Tendernotice_1.pdf	4	disposal and dr		
					<b>a</b> Di	ownload as zip
Work Item Documents	S.No	Document Type	Docume	nt Name	Description	Document Size (in KB)
	1	BOQ	BOQ_461	34.xls	Price Bid	294
	2	Tender Documents	AIIMSTD.	.pdf	Tender document for supply of surgical disposable items and dressing items	2773
Tender Inviting	Authori	ty				
Name		Store Officer				
Address		Room No. 108,1st Floo Delhi-110 029	or, Animal Ho	use Building, Ne	ear Biotechnology Building, A	IIMS, New

Version: 1.09.05 02-Dec-2016

(c) 2008 Tenders NIC, All rights reserved.

4	Government	2	Res	Last login		18-Jul-2017 03:12 PM	18	-Jul-2017 15:18:51	🚹 Home	Logout
	eProcurement System	ry	24				Go	vernment eProc	urement	System
		BID	MANAGEM	IENT						
ι	lser Management									
+	My Accounts	0	Terms & Cond	dition					1	🖨 Print
+	My Documents	(	-							
A	uction Management									_
+	My Auctions					eTender Portal U	ser Agreement			Ē
+	Live Auctions				r aco	count and use the eTender	portal you must rea	ad and accept the eTer	nder portal	
+	View Auction History		User Agr	eement.						
B	id Management		TERMS .	AND CONDIT	TIO	ONS OF E-TENDER SERV	ICES AGREEME	NT		
+	Search Active Tenders		YOU MA	AY NOT MOD	DIF	Y, COPY, REPRODUCE, F	EPUBLISH, UPL	OAD, POST, TRANS	SMIT. OR	
+	My Tenders		DISTRIB	BUTE, IN ANY	YM	ANNER, THE MATERIA				
+	Clarification		GRAPHI	ICS, CODE AN	ND	OR SOFTWARE.				
+	My Active Bids		You may	print and dow	vnlo	ad portions of material from	n the different area	as of the Site solely fo	or your own	L .
+	Bid Opening (Live)			mercial use pro	0	Select the Chec	k Box and	copyright or propriet	tary notices	6
+	Techno Commercial Query History		from the	materials.		Click on Next				
+	Confirmatory Documents							J		-
+	Short fall Documents		🗹 I Agre	ee						
+	My Bids History							Back	Next	
+	Confirmatory Documents									


- Live Auctions
- View Auction History

## **Bid Management**

- Search Active Tenders
- My Tenders ÷
- Clarification 4
- My Active Bids ٠
- Bid Opening (Live) 4
- Techno Commercial Query
- History Confirmatory Documents
- Short fall Documents
- My Bids History
- **Confirmatory Documents**
- History
- Short Fall Documents History
- Archived Clarification
- Tender Status
- My Withdrawn Bids ٠

Login ID	rbidder5@nic.in	bidder5@nic.in						
Company Name	Wipro	Registration Number	ASDAS322					
Establishment Year	2016	Nature of Business	Software					
Legal Status	Limited Company	Company Category	Others					
City	Mumbai	State	Maharashtra					
Postal Code	4567789	PAN Number	CESTG2458B					


Contact Details				
Title *	Mrs			Enter the Contact details
Contact Name*	Kaniak	Rastogi		and Click on Next Button
Correspondence Email*	shivan	igoel.1405	@gmail.com	
Designation	AGM			
Phone*	91	011	24305770	70
Mobile*	97177	21686		
Registered Address*	Mumb	ai		
Name of Partners / Directors	L			
				Back Next





My Withdrawn Bids


U	lser Management								
•	My Accounts	My Tender	rs 🔸 Offline Fee	Payment					
•	My Documents								
A	uction Management			Organisat	ion Chain :	NIC Org  NIC_Dept			
•	My Auctions			Tender Reference	e Number :	XX-97/SO(DO)/Surgio	cal Disposal	ole items/2017	-18/St
_	Live Auctions			0	fender ID :	2017_NIC_49820_1			
				Те		Tender for supply of dressing items	surgical dis	posable and	
•	View Auction History		Eee to b	e paid (Inclusive of Ta		-			
B	id Management		ree to b		xes) III ( .	1,000			
•	Search Active Tenders								
	My Tenders	Speci	fy Instruments f	or Offline Payment :					
	Clarification	Instru	ment Type	DD - Demand Draft	•	Amount *			
'		Instru	ment Number *			Issuer Details *			
•	My Active Bids	Issue	d Date *			Challan Number			
	Bid Opening (Live)	Evoin	Data 1		_	Account Number			
•	Techno Commercial Query	Expiry	Date *		_				
•	History Confirmatory Documents			ntering details	•			Cancel	Save
	Short fall Documents		0	n Next Button	1				
		Fee [	etails						
•	My Bids History	S.No	Instrument No.	Name	Issued Da	ate Date	Acc.No	Amount	Delet
•	Confirmatory Documents History	1	54561265	DD - Demand Draft	18-Jul-2017	21-Sep-2017		1,000	
•	Short Fall Documents History								
,	Archived Clarification						_	Delate	Maut
,	Tender Status							Delete	Next
Ē	My Withdrawn Bids								


4	Government	Ros	Last login	: 18-Jul-2017 03:12 PM	1	8-Jul-2017 15:20:37	1 Home	🔁 Logout
	eProcurement System				G	overnment eProcu	irement	System
		BID SUBMISSI	ON					
ι	Jser Management							
+	My Accounts	0 My Tenders	EMD Offline	Payment				
+	My Documents							
1	Auction Management							
+	My Auctions	If,	You are exempte	ed from EMD payment, then select t	the option to 'Yes' and r	provide the details.		
+	Live Auctions			ted from EMD payment: 🔘 Yes				
+	View Auction History							
E	3id Management						Hand	
+	Search Active Tenders						Next	
+	My Tenders							
+	Clarification		Γ					
+	My Active Bids			Select the <b>Radio</b>				
+	Bid Opening (Live)			for EMD exemp then click on				
+	Techno Commercial Query							
+	History Confirmatory Documents							
+	Short fall Documents							
+	My Bids History							
+	Confirmatory Documents							




















		Lastingin . 10-30/2017 03.12 FM 10 30/2017 13.24.30
	eProcurement System	Government eProcurement System
		BID SUBMISSION
ι	lser Management	
+	My Accounts	O My Tenders → EMD Offline Payment
+	My Documents	
A	uction Management	
+	My Auctions	If, You are exempted from EMD payment, then select the option to 'Yes' and provide the details.
+	Live Auctions	Are you exempted from EMD payment:      Yes      No
+	View Auction History	If yes, Provide the exemption type:      Percentage      Fixed
E	id Management	Percentage/Amount* 100
+	Search Active Tenders	Actual EMD amount in ₹: 50,000 Only pdf,jpg files are permitted to upload.
+	My Tenders	:\Users\praveen_r\Desktop\81867-1.pdf
+	Clarification	Upload EMD exemption document:*
+	My Active Bids	
+	Bid Opening (Live)	Next
+	Techno Commercial Query	
+	History Confirmatory Documents	
+	Short fall Documents	
+	My Bids History	Click on Next button
+	Confirmatory Documents History	
	Short Fall Documents History	

System	e la companya de la compa		Government	t eProcurem	ient S				
	BID MANAGEMENT								
ser Management									
My Accounts	0 My Tenders + 2017_NIC_49820_1	<ul> <li>Transaction Message</li> </ul>	Click on Act	t <b>ion</b> Icon f	for				
My Documents	entering interested items								
uction Management	Organiz	zation Chain : NIC Org  NIC_De	pt						
My Auctions		nce Number : XX-97/SO(DO)/Su		017-18					
Live Auctions	Tender ID : 2017_NIC_49820_1								
View Auction History	Tender Title : Tender for supply of surgical disposable and dressin								
id Management					_				
Search Active Tenders	Bid Process List								
My Tenders	S.No Bid Process			Action	_				
Clarification	1 ITE Details 2 Profile			<u> </u>	_				
My Active Bids									
Bid Opening (Live)									
Techno Commercial Query	Bid Payment Details								
History Confirmatory Documents	S.No Fee Type Actual I	Fee Exempted Fee	Fee To Be Paid	Paid Fee	Edit				
	1 Tender Fee	1000.00 (INR)	0.00	1000.00 (INR)					
Short fall Documents	2 Emd Eee 5	50000 00 (INR) 50000 00 (I	(NP) 0.00	0.00	0				

50000.00 (INR)

50000.00 (INR)

Emd Fee

2

- My Bids History
- **Confirmatory Documents**
- History Short Fall Documents History

Encrypt&Upload

0.00 🕥

0.00

+	Search Active Tenders		Bi
+	My Tenders		s.I
+	Clarification		1
•	My Active Bids		2
+	Bid Opening (Live)		3
•	Techno Commercial Query		4
•	History Confirmatory Documents	1	5
+	Short fall Documents		6
+	My Bids History		7
•	Confirmatory Documents	4	8
+	History Short Fall Documents History		9
+	Archived Clarification		10
+	Tender Status		11
+	My Withdrawn Bids		12
			13
			14
			15

S.No	Item Code	Description	1. Select N each item t		U		es/No
1		Disposable Syringes with Need (Sterilized) (ISO) *Reuse pre plunger syringe with possibility	vention breakable			St	
2	item1	Size: 1 ml (As and when requi		Nos	1.00	Yes	-
3	item2	Size: 2 ml		Nos	50000.00	Yes	•
4	item3	Size: 5 ml		Nos	50000.00	Yes	•
5	item4	Size: 10 ml		Nos	50000.00	Yes	•
6	item5	Size: 20 ml (As and when req	uired)	Nos	1.00	Yes	•
7	item6	Size: 50CC		Nos	30000.00	No	•
В		Disposable Syringes without N (Sterilized) *Reuse prevention syringe with possibility of mult	breakable plunger				
9	item7	Size: 2 ml		Nos	50000.00	Yes	•
10	item8	Size: 5 ml		Nos	50000.00	Yes	•
11	item9	Size: 10 ml		Nos	50000.00	Yes	•
12	item10	Size: 20 ml (As and when req	uired)	Nos	1.00	Yes	•
13	item11	Size: 50 ml		Nos	20000.00	Yes	•
14	item12	Disposal Syringe with Needle (Sterlized) (ISI/ISO/CE) Size:		Nos	20000.00	Yes	
15	item13	Auto destructive disposal Syri syringe on completing the inje prevent any reuse. Non reuse activated auto disable syringe	action should lock to able involuntary	Nos	1.00	Yes	•
					Back	s	ave
		2. Click on Sa					

#### Search Active Tenders

- My Tenders
- Clarification
- My Active Bids
- Bid Opening (Live)
- Techno Commercial Query History Confirmatory Documents
- Short fall Documents
- My Bids History
- Confirmatory Documents
- History
- Short Fall Documents History
- Archived Clarification
- Tender Status
- My Withdrawn Bids

No of sheets :	1	iotal item(s) available in sheet(s) :	13
Eligible item(s) as quoted :	12	Not eligible item(s) as quoted :	1 Click to View

2         item2         Size: 2 ml         Nos         50000.00           3         item3         Size: 5 ml         Nos         50000.00           4         item3         Size: 10 ml         Nos         50000.00           5         item4         Size: 20 ml (As and when required)         Nos         1.00           6         item6         Size: 50CC         Nos         30000.00           7         item7         Size: 2 ml         Nos         50000.00           8         item8         Size: 5 ml         Nos         50000.00           9         item9         Size: 10 ml         Nos         50000.00           10         item10         Size: 20 ml (As and when required)         Nos         50000.00           11         item10         Size: 20 ml (As and when required)         Nos         1.00           11         item10         Size: 20 ml (As and when required)         Nos         1.00           12         item12         Disposal Syringe with Needle with Leur Lock (Sterlized) (ISI/ISO/CE)         Nos         20000.00	S.No	Sheet Name	Item Code	Description	Units	Quantity	Bidder Value
3item3Size: 5 mlNos50000.004item4Size: 10 mlNos50000.005item5Size: 20 ml (As and when required)Nos1.006item6Size: 50CCNos30000.007item7Size: 2 mlNos50000.008item8Size: 5 mlNos50000.009item9Size: 10 mlNos50000.0010item10Size: 20 ml (As and when required)Nos50000.0011item11Size: 50 mlNos20000.0012item12Disposal Syringe with Needle with Leur Lock (Sterlized) (ISI/ISO/CE) Size: 1CCNos20000.0013item13Auto destructive disposal Syringes with leur lock. The syringe on 	1	BoQ1	item1	Size: 1 ml (As and when required)	Nos	1.00	Yes
4item4Size: 10 mlNos50000.005item5Size: 20 ml (As and when required)Nos1.006item6Size: 50CCNos30000.007item7Size: 2 mlNos50000.008item8Size: 5 mlNos50000.009item9Size: 10 mlNos50000.0010item10Size: 20 ml (As and when required)Nos50000.0011item11Size: 50 mlNos1.0012item12Disposal Syringe with Needle with Leur Lock (Sterlized) (ISI/ISO/CE) Size: 1CCNos20000.0013item13Auto destructive disposal Syringes with leur lock. The syringe on completing the injection should lock to prevent any reuse. Non reuseableNos1.00	2		item2	Size: 2 ml	Nos	50000.00	Yes
5item5Size: 20 ml (As and when required)Nos1.006item6Size: 50CCNos30000.007item7Size: 2 mlNos50000.008item8Size: 5 mlNos50000.009item9Size: 10 mlNos50000.0010item10Size: 20 ml (As and when required)Nos1.0011item11Size: 50 mlNos20000.0012item12Disposal Syringe with Needle with Leur Lock (Sterlized) (ISI/ISO/CE) Size: 1CCNos20000.0013item13Auto destructive disposal Syringes with leur lock. The syringe on completing the injection should lock to prevent any reuse. Non reuseableNos1.00	3		item3	Size: 5 ml	Nos	50000.00	Yes
6item6Size: 50CCNos30000.007item7Size: 2 mlNos50000.008item8Size: 5 mlNos50000.009item9Size: 10 mlNos50000.0010item10Size: 20 ml (As and when required)Nos1.0011item11Size: 50 mlNos20000.0012item12Disposal Syringe with Needle with Leur Lock (Sterlized) (ISI/ISO/CE) Size: 1CCNos20000.0013item13Auto destructive disposal Syringes with leur lock. The syringe on completing the injection should lock to prevent any reuse. Non reuseableNos1.00	4		item4	Size: 10 ml	Nos	50000.00	Yes
7item7Size: 2 mlNos50000.008item8Size: 5 mlNos50000.009item9Size: 10 mlNos50000.0010item10Size: 20 ml (As and when required)Nos1.0011item11Size: 50 mlNos20000.0012item12Disposal Syringe with Needle with Leur Lock (Sterlized) (ISI/ISO/CE) Size: 1CCNos20000.0013item13Auto destructive disposal Syringes with leur lock. The syringe on completing the injection should lock to prevent any reuse. Non reuseableNos1.00	5		item5	Size: 20 ml (As and when required)	Nos	1.00	Yes
8item8Size: 5 mlNos50000.009item9Size: 10 mlNos50000.0010item10Size: 20 ml (As and when required)Nos1.0011item11Size: 50 mlNos20000.0012item12Disposal Syringe with Needle with Leur Lock (Sterlized) (ISI/ISO/CE) Size: 1CCNos20000.0013item13Auto destructive disposal Syringes with leur lock. The syringe on completing the injection should lock to prevent any reuse. Non reuseableNos1.00	6		item6	Size: 50CC	Nos	30000.00	No
9item9Size: 10 mlNos50000.0010item10Size: 20 ml (As and when required)Nos1.0011item11Size: 50 mlNos20000.0012item12Disposal Syringe with Needle with Leur Lock (Sterlized) (ISI/ISO/CE) Size: 1CCNos20000.0013item13Auto destructive disposal Syringe on completing the injection should lock to prevent any reuse. Non reuseableNos1.00	7		item7	Size: 2 ml	Nos	50000.00	Yes
10item10Size: 20 ml (As and when required)Nos1.0011item11Size: 50 mlNos20000.0012item12Disposal Syringe with Needle with Leur Lock (Sterlized) (ISI/ISO/CE) Size: 1CCNos20000.0013item13Auto destructive disposal Syringes with leur lock. The syringe on completing the injection should lock to prevent any reuse. Non reuseableNos1.00	8		item8	Size: 5 ml	Nos	50000.00	Yes
11item11Size: 50 mlNos20000.0012item12Disposal Syringe with Needle with Leur Lock (Sterlized) (ISI/ISO/CE) Size: 1CCNos20000.0013item13Auto destructive disposal Syringes with leur lock. The syringe on completing the injection should lock to prevent any reuse. Non reuseableNos1.00	9		item9	Size: 10 ml	Nos	50000.00	Yes
12       item12       Disposal Syringe with Needle with Leur Lock (Sterlized) (ISI/ISO/CE) Size: 1CC       Nos       20000.00         13       item13       Auto destructive disposal Syringes with leur lock. The syringe on completing the injection should lock to prevent any reuse. Non reuseable       Nos       1.00	10		item10	Size: 20 ml (As and when required)	Nos	1.00	Yes
Leur Lock (Sterlized) (ISI/ISO/CE)         Size: 1CC         13         item13         Auto destructive disposal Syringes with leur lock. The syringe on completing the injection should lock to prevent any reuse. Non reuseable	11		item11	Size: 50 ml	Nos	20000.00	Yes
with leur lock. The syringe on completing the injection should lock to prevent any reuse. Non reuseable	12		item12	Leur Lock (Sterlized) (ISI/ISO/CE)	Nos	20000.00	Yes
syringes Size: 1ml	13		item13	with leur lock. The syringe on completing the injection should lock to prevent any reuse. Non reuseable involuntary activated auto disable	Nos	1.00	Yes
Click on Next Button.				Click on Next Button	. [		

Version: 1.09.05 02-Dec-2016

(c) 2008 Tenders NIC, All rights reserved.

#### **User Management**

My Accounts

My Documents

#### Auction Management

- My Auctions
- Live Auctions
- View Auction History

#### **Bid Management**

Search Active Tenders

- My Tenders
- Clarification
- My Active Bids
- Bid Opening (Live)
- Techno Commercial Query
   History
- Confirmatory Documents
- Short fall Documents
- My Bids History
- Confirmatory Documents
   History
- Short Fall Documents History
- Archived Clarification
- Tender Status
- My Withdrawn Bids


Organization Chain : NIC Org||NIC\_Dept Tender Reference Number : XX-97/SO(DO)/Surgical Disposable items/2017-18/St Tender ID : 2017\_NIC\_49820\_1


Tender Title : Tender for supply of surgical disposable and dressing items


	ocess List	
S.No	Bid Process	Action
1	ITE Details	9
2	Profile	۵


S.No	Fee Type	Actual Fee	Exempted Fee	Fee To Be Paid	Paid Fee	Edit
1	Tender Fee	1000.00 (INR)	0.00	0.00	1000.00 (INR)	
2	Emd Fee	50000.00 (INR)	50000.00 (INR)	0.00	0.00	
					Encrypt&Uplo	a
	C	ick on <b>Ener</b> y	nt&Unload		Encrypt&Uploa	ad
	C	lick on <b>Encry</b> Buttor	-		Encrypt&Uploa	ad


#### My Tenders + 2017\_NIC\_49820\_1 + Transaction Message













Version: 1.09.05 02-Dec-2016 (c) 2008 Tenders NIC, All rights reserved.








Name of the	Wipro					
Bidder/						
Bidder/ Bidding Firm						
/ Company :						
		PRICE SC	HEDULE			· · · · · · · · · · · · · · · · · · ·

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the

Item Description 2 e Syringes with Needle with leur lock (Sterilized) ( ISO) evention breakable plunger syringe with possibility of multipl As and when required)	AUMBER # Quantity 4 le aspiratio 1 50000 50000	TEXT # Units 5 Nos Nos	NUMBER # Unit RATE In Figures To be entered by the Bidder in Rs. P 13 31.00	NUMBER GST Rates in % on Unit Rates 14 5.00	NUMBER # TOTAL AMOUNT Without Taxes in Rs. P 53 31.00	NUMBER # TOTAL AMOUNT With Taxes in Rs. P 54	TEXT # TOTAL AMOUNT In Words 55 INR Thirty Two and Paise Fifty Five Only
2 e Syringes with Needle with leur lock (Sterilized) ( ISO) evention breakable plunger syringe with possibility of multipl As and when required)	4 le aspiratio 1 50000	5 ns, Nos	Figures To be entered by the Bidder in Rs. P 13 31.00	on Unit Rates	AMOUNT Without Taxes in Rs. P 53	With Taxes in Rs. P 54	In Words
evention breakable plunger syringe with possibility of multipl As and when required)	le aspiratio 1 50000	ns, Nos	entered by the Bidder in Rs. P 13 31.00	14	Without Taxes in Rs. P 53	in Rs. P 54	55
evention breakable plunger syringe with possibility of multipl As and when required)	le aspiratio 1 50000	ns, Nos	Bidder in Rs. P 13 31.00		in Rs. P 53	Rs. P 54	
evention breakable plunger syringe with possibility of multipl As and when required)	le aspiratio 1 50000	ns, Nos	Rs. P 13 31.00		Rs. P 53	54	
evention breakable plunger syringe with possibility of multipl As and when required)	le aspiratio 1 50000	ns, Nos	13 31.00		53		
evention breakable plunger syringe with possibility of multipl As and when required)	le aspiratio 1 50000	ns, Nos	31.00				
evention breakable plunger syringe with possibility of multipl As and when required)	1 50000	Nos		5.00	31.00	32.55	IND Thirty Two and Paice Fifty Five Only
As and when required)	1 50000	Nos		5.00	31.00	32 55	INP. Thirty Two and Paice Fifty Five Only
				5.00	31.00	32.55	INP. Thirty Two and Paise Fifty Five Only
		Nos	00.00		01.00	02.00	and thinky two and raise they the only
	50000		32.00	5.00	1600000.00	1680000.00	INR Sixteen Lakh Eighty Thousand Only
		Nos	35.00	5.00	1750000.00	1837500.00	INR Eighteen Lakh Thirty Seven Thousand Five
	50000	Nos	41.00	5.00	2050000.00	2152500.00	INR Twenty One Lakh Fifty Two Thousand Five
(As and when required)	1	Nos	60.00	5.00	60.00	63.00	INR Sixty Three Only
	30000	Nos			0.00	0.00	INR Zero Only
e Syringes without Needle without leur lock (Sterilized)							
evention breakable plunger syringe with possibility of multipl	le aspiratio	ns					
	50000	Nos	21.00	5.00	1050000.00	1102500.00	INR Eleven Lakh Two Thousand Five Hundred Onl
	50000	Nos			1250000.00	1312500.00	INR Thirteen Lakh Twelve Thousand Five Hundred
	50000	Nos			1400000.00	the second se	INR Fourteen Lakh Seventy Thousand Only
(As and when required)	1	Nos			32.00		INR Thirty Three and Paise Sixty Only
					the second se		INR Seven Lakh Thirty Five Thousand Only
ringe with Needle with Leur Lock (Sterlized) Size: 1CC	20000	Nos	50.00	5.00	100000.00	1050000.00	INR Ten Lakh Fifty Thousand Only
ctive disposal Syringes with leur lock. The syringe on completing the ould lock to prevent any reuse. Non reuseable involuntary activated	1	Nos	65.00	5.00	65.00	68.25	INR Sixty Eight and Paise Twenty Five Only
4111344							
					3350031.00	3517532.55	INR Thirty Five Lakh Seventeen Thousand Five Hundred & Thirty Two and Paise Fifty Five Only
	As and when required) As and when required) Finge with Needle with Leur Lock (Sterlized) Size: 1CC Ctive disposal Syringes with leur lock. The syringe on completing the	Syringes without Needle without leur lock (Sterilized)         evention breakable plunger syringe with possibility of multiple aspiratio         50000         50000         50000         50000         50000         50000         50000         50000         50000         As and when required)         1         20000         ringe with Needle with Leur Lock (Sterlized)         Size: 1CC         ctive disposal Syringes with leur lock. The syringe on completing the uld lock to prevent any reuse. Non reuseable involuntary activated syringes	Syringes without Needle without leur lock (Sterilized)         evention breakable plunger syringe with possibility of multiple aspirations         50000       Nos         Source       20000         Nos       20000         size: 1CC       20000         ctive disposal Syringes with leur lock. The syringe on completing the uld lock to prevent any reuse. Non reuseable involuntary activated syringes       1	Syringes without Needle without leur lock (Sterilized)         evention breakable plunger syringe with possibility of multiple aspirations         50000       Nos       21.00         50000       Nos       25.00         50000       Nos       25.00         50000       Nos       25.00         50000       Nos       28.00         As and when required)       1       Nos       32.00         ringe with Needle with Leur Lock (Sterlized)       20000       Nos       50.00         Size: 1CC       20000       Nos       50.00         ctive disposal Syringes with leur lock. The syringe on completing the uld lock to prevent any reuse. Non reuseable involuntary activated syringes       1       Nos       65.00	Syringes without Needle without leur lock (Sterilized)         evention breakable plunger syringe with possibility of multiple aspirations         50000       Nos       21.00       5.00         50000       Nos       25.00       5.00         50000       Nos       28.00       5.00         As and when required)       1       Nos       32.00       5.00         20000       Nos       35.00       5.00         singe with Needle with Leur Lock (Sterlized)       20000       Nos       50.00         Size: 1CC       20000       Nos       50.00       5.00         uld lock to prevent any reuse. Non reuseable involuntary activated syringes       1       Nos       65.00       5.00	Syringes without Needle without leur lock (Sterilized)           evention breakable plunger syringe with possibility of multiple aspirations           50000         Nos         21.00         5.00         1050000.00           50000         Nos         25.00         5.00         1250000.00           50000         Nos         28.00         5.00         1400000.00           As and when required)         1         Nos         32.00         5.00         32.00           ringe with Needle with Leur Lock (Sterlized)         20000         Nos         35.00         5.00         1000000.00           size: 1CC         20000         Nos         50.00         5.00         65.00         65.00         65.00           uld lock to prevent any reuse. Non reuseable involuntary activated syringes         1         Nos         65.00         5.00         65.00         3350031.00	Syringes without Needle without leur lock (Sterilized)           evention breakable plunger syringe with possibility of multiple aspirations           50000         Nos         21.00         5.00         1050000.00         1102500.00           50000         Nos         25.00         5.00         1250000.00         1312500.00           50000         Nos         28.00         5.00         1400000.00         1470000.00           As and when required)         1         Nos         32.00         5.00         700000.00         735000.00           20000         Nos         35.00         5.00         1000000.00         735000.00           ringe with Needle with Leur Lock (Sterlized)         20000         Nos         50.00         5.00         1000000.00         1050000.00           Size: 1CC         20000         Nos         50.00         5.00         65.00         65.00         68.25           uld lock to prevent any reuse. Non reuseable involuntary activated syringes         1         Nos         65.00         5.00         65.00         65.00         68.25







		DID 20DW12210M
U	lser Management	
+	My Accounts	O Bid Submission + Packet Details
+	My Documents	
A	uction Management	Organisation Chain : NIC Org  NIC_Dept
•	My Auctions	Tender Reference Number : XX-97/SO(DO)/Surgical Disposable items/2017-18/St
+	Live Auctions	Tender ID: 2017_NIC_49820_1
+	View Auction History	Tender Title : Tender for supply of surgical disposable and dressing items
B	lid Managemer Green n	nark shows related
•	Canada Antina	cal and financial You have uploaded your packet document(s). However your bid is
•		ents successfully. idered valid only after receiving bid acknowledgment on clicking 'Freeze
•	Clarification	Submission' button.
•	My Active Bids	Tender Covers 📀 View Uploaded File Details
•	Bid Opening (Live)	Fee/PreQual/Technical Finance
•	Techno Commercial Query	
+	History Confirmatory Documents	
+	Short fall Documents	
+	My Bids History	
*	Confirmatory Documents History	
•	Short Fall Documents History	Please use My Documents option to up Click on Next ortant Documents.
+	Archived Clarification	Click this icon to Re-Upload the documents.
+	Tender Status	Back Next
	Mr. With Jeanne, Dide	


S.No	Packet Type	File Name	Description	File Size (KB)	File Hash
1	Fee/PreQual /Technical	81867-1.pdf	Scanned copy of Tender Fee and EMD	239.00	fPL5m5ErOTCH/y74Cc9IMaTEZZI=
		download.pdf	Scanned copy of Tender form as per section- VII and Documentary evidence form	14416.00	NS2tVnbDwmr2FetPMtabJWTYrjc=
		NITRD.pdf	Scanned copy of Manufacturer Authorisation form , Documents with GIT clause 17 and performance certi	452.00	G+pt5LsvmaAYcvywvmY9rf1ob7k=
		NIT.pdf	Scanned copy of checklist as per section VII	838.00	3mBNAYOKG3exNWUVUNbLWOjWU7U=
2	Finance	BOQ_46134.xls	Price Bid	296.00	0DYJ2PgnJ66alNW6zqrRXOv32Co=



Government	Last login :	: 18-Jul-2017 03:12 PM 18-Jul-2017 15:38:10
eProcurement System	E IA	Government eProcurement Syste
	BID MANAGEMENT	
Jser Management		Bid submitted successfully and
My Accounts	Bid Acknowledgement	bidder <b>print the bid detail</b> s for
My Documents		future reference
uction Management	Bid Acknowledgement	
My Auctions		
Live Auctions	Print Bid Details	Print Acknowledgement
View Auction History		
id Management		Organisation Chain : NIC Org  NIC_Dept
Search Active Tenders		Tender Ref No. : XX-97/SO(DO)/Surgical Disposable items/2017-18/St
		Tender ID : 2017_NIC_49820_1
My Tenders		Tender Title : Tender for supply of surgical disposable and dressing items
Clarification		Bid Start Date & Time: 18-Jul-2017 03:00 PM
My Active Bids		Bid End Date & Time : 18-Jul-2017 04:00 PM
Bid Opening (Live)		Bid ID : 39190
Techno Commercial Query		Bidder Name : Wipro
History Confirmatory Documents		Bid Submitted Date & Time: 18-Jul-2017 03:38 PM
		Bidder IP Address: 10.1.14.149
Short fall Documents		
My Bids History		
Confirmatory Documents		

History

# Thank you







AN ISO 9001 & 14001 COMPANY

# **TENDER DOCUMENT**

TENDER No: WRO/CON/876/339

## FOR

"Balance Civil & MEP works of Eklavya Model Residential School (EMRS) school at Dahanu in Palghar District of Maharashtra State."

### **VOLUME- II**

EXECUTING AGENCY

Engineering Projects (India) Limited Western Regional Office: Mumbai

#### ADDITIONAL CONDITIONS OF CONTRACT

The following Additional Conditions of Contract shall be read in conjunction with General Conditions of Contract of EPI. If there are any provisions in these Additional Conditions of Contract, which are at variance with the provisions of General Conditions of Contract, the provisions in these Additional Conditions of Contract shall take precedence.

#### INTRODUCTION

Balance left out work at Construction of Eklavya Model Residential Schools" (EMRS) at Dahanu as mentioned in NIT. The following clauses of Additional Conditions of Contract (ACC) shall be applicable for this contract. These Additional Conditions of Contract shall be read in conjunction with General Conditions of Contract, Instructions to Tenderers (ITT)), Notice Inviting Tender (NIT), Bill of Quantities (BOQ), Tender conditions and Technical specifications & Other Tender Documents.

#### APPROACHES TO WORKSITE

The land is made available to the bidder(s)/contractor(s) free from all encumbrances as National Education Society for Tribal Students (NESTS)" provide to EPI. The contractor shall make his own arrangement for approach to work site including borrow/ disposal area and for movement of men, materials, machineries, other equipment etc. required for carrying out the work under this contract.

The access roads/ path to the work site may not be available at all places and at all time. The contractor shall plan his work as per the availability of access roads/ path at site. All drainage of works area and all-weather truck able haulage roads as required by the contractor shall be constructed and maintained during the construction period by the contractor at his own cost, including portions of the road already existing.

#### ORDER OF PRECEDENCE:

Clause 42.1 of GCC stands amended as under: In case of difference, contradiction, discrepancy, dispute with regard to Conditions of Contract, Specifications, Drawings, Bill of Quantities and Rates quoted by the Contractor and other documents forming part of the contract, the following shall prevail in order of precedence

- 1) Contract Agreement which includes NIT, Special Instructions to Tenderer, and Memorandum.
- 2) Letter of Intent / detailed letter of Work Order
- 3) Bill of Quantity / Schedule of Quantities
- 4) Additional Conditions of Contract (ACC)
- 5) General Conditions of Contract (EPI GCC).
- 6) Tender Drawings
- 7) Technical Condition of Contract (NESTS),
- 8) Technical Specification (NESTS)
- 9) Methodology for Civil Works
- 10) CPWD technical specifications & DSR latest edition
- 11) National Building Code (Latest Edition)
- 12) BIS specifications
- 13) Environmental, Social, Health and Safety (ESHS) Manuals & COVID-19 Manuals.

# A) Provisions under General Conditions of Contract of EPI are modified/ amended as under:-

S. No.	GCC Claus e No.	Modified/Amended provisions as per Additional Conditions of Contract	
1.0	1.0	General	
		In addition to Clause no 1.0 of GCC:	
		The Additional Conditions shall be read in conjunction with General Conditions of Contract. Where the provisions of these Additional Conditions are at variance with the provision of the General Conditions of Contract, the provisions of these Additional Conditions shall take precedence.	
1A		START OF WORK	
		The date of start of contract shall be reckoned from the date of issue of Letter of Intent./email/tel/fax for commencement of work	
2.0	8.0	MOBILIZATION ADVANCE:	
	8.2	<ul> <li>EPI GCC no 8.2 is modified under: Interest bearing advance for Mobilization, limited to 10% of the contract value <ul> <li>a. The rate of interest Base rate of State Bank of India prevailing +2% (plus two percentage).</li> <li>b. Mobilization advance 10% of contract value with interest rate as per memorandum. The mobilization advance will be recovered @25% of the value of work done from each running bill till complete mobilization advance recovered.</li> </ul> </li> </ul>	
3.0	9.0	SECURITY DEPOSIT CUM PERFORMANCE BANK GUARANTEE	
		"The successful bidder shall have to submit SDPBG equivalent to <b>5.0%</b> (Five Point Zero Percentage) of the contract value of the accepted tender within 21 (twenty-one) days from the date of issue of Letter of intent (LOI). If required, any extension of time beyond 21 days and upto 60 days may be granted by the Competent Authority. However, a penal rate of interest @12% per annum shall be charged for the delay in submission of SDPG after 21 (twenty-one) days i.e., from 22nd day to the date of submission of SDPG but within 60 days after the date of issue of LOI. Further, if 60th day happens to be declared holiday in the concerned office of EPI, submission of SDPBG can be accepted on the next working day. The SDPBG shall be submitted in the form of Bank Guarantee (format enclosed), from any Nationalized bank / Scheduled Bank / Commercial Bank or in the form of insurance Security Bonds or Account Payee Demand Draft or Fixed Deposit Receipt or online Payment in an acceptable form. This SDPBG shall be initially remain valid upto 90 (ninety) days after the end of Defect Liability Period (DLP). In case, the time for completion of work gets extended, the contractor shall get the validity of SDPBG extended to cover such extended time for completion of work plus DLP plus 90 days. In case, even after 60 days from the date of issue of LOI, the Bidder fails to submit the SDPBG of the requisite amount, LOI will stand withdrawn and EMD of the Bidder shall be forfeited."	
		ADDITIONAL SECURITY DEPOSIT CUM PERFORMANCE BANK GUARANTEE	
		<ul> <li>i. If the lowest bidder quotes below the estimated cost, then bidder has to submit an Additional Performance Security in addition to the above-mentioned Security Deposit cum Performance Bank Guarantee.</li> <li>ii. The value of the Additional Performance Security shall be decided in the following manner. <ul> <li>a. No Additional Performance Security for quoted price up to (-) 5%.</li> <li>b. Additional Performance Security will be 1.0% of the estimated cost for quoting (-) 5% to (-) 10%.</li> <li>c. If the bidder quotes between (-) 10% to (-) 15%, Additional Performance</li> </ul> </li> </ul>	

Security will be 1% plus half the percent bidder quoted beyond (-) 10%.

	<ul> <li>d. If the bidder quotes beyond (-) 15%, Additional Performance Security will be 3.5% plus the percent bidder quoted beyond (-) 15%.</li> </ul>		
	Examples:		
	<b>Case a.</b> When the bidder quotes within 5%, say the quote is (-) 4.5% below the estimated cost, the Additional Performance Security shall be zero.		
	<b>Case b.</b> When the bidder quoted (-) 5% or less but within (-) 10%, say the quote is (-) 7.0% below the estimated cost, the Additional Performance Security shall be 1% of the estimated cost of the tender.		
	<b>Case c.</b> When the bidder quoted (-) 10% or less but within (-) 15% below the estimated cost, say the quote is (-) 13.0% below the estimated cost, the Additional Performance Security shall be 1 + (13-10)/2 i.e. 2.5% of the estimated cost of the tender.		
	<b>Case d.</b> When the bidder quotes (-) 15% or less than 15% below the estimated cost, say the quote is 19% below the estimated cost, the Additional Performance Security shall be (19% - 15%) i.e. 4% + 3.5% = 7.5%).		
	iii. The Additional Performance Security shall be submitted in the form of Bank Guarantee (format enclosed), from any Nationalized bank / Scheduled Bank / Commercial Bank or in the form of Insurance Surety Bonds or Account Payee Demand Draft or Fixed Deposit Receipt or online Payment in an acceptable form (in two equal parts).		
	iv. The Additional Performance Security shall be released in the following manner.		
	<ul> <li>a. 50% of the Additional Performance Security will be released after 75% of the totalwork is completed.</li> </ul>		
	<ul> <li>Rest 50% of the Additional Performance Security will be released after 95% of the total work is completed.</li> </ul>		
	<ul> <li>In case, the Bidder fails to submit the Additional Performance Security of the requisite amount within 60 days from the date of issue of LOI, LOI will stand withdrawn and EMD of the Bidder shall be forfeited.</li> </ul>		
10.0	<b>RETENTION MONEY</b> As per Memorandum in NIT (Vol I) The following clauses shall be read in conjunction with Clause no. 10.0 of GCC. 3.11.1 The Retention Money shall be deducted from each running bill of the Contractor at 5% (Five percent only) of the gross value of the Running Account bill. The Retention Money shall be refunded to the Contractor after successful Completion of work & taking over by Client whichever is later.		
	10.0		

5.0	13.0	TAXES AND DUTIES
		<ul> <li>a) The Bidder must be registered with GST in respective state and should have valid GST number. In case the bidder does not have valid GST registration number, the same shall be obtained by the successful bidder within one month from the date of LOI or before release of 1st R/A bill whichever is earlier.</li> </ul>
		<ul> <li>b) The Bidder must submit as a compliance of GST Act, the invoices in GST compliant format failing which the GST amount including interest and penalty if any shall be recovered/ adjusted by EPI without any prior notice from the next invoices or available dues with EPI.</li> </ul>
		c) The Bidders are requested to update/ upload the GST/Taxes data periodically in proper format on GST portal so as to avail ITC credit by EPI failing which it shall be recovered / adjusted by EPI without any prior notice from the next invoices or available dues with EPI.
		d) Rates to be quoted in this tender inclusive of all taxes & duties including Labor cess, GST and all hidden costs like Labor camps with all Health Rules & Facilities, Cost involved in setting up the Site Office, Testing & Lab Charges, Transportation of Labor& Materials, Officials, all types of approvals from local authorities like Electrical, Water & Sewage disposals etc. GST to be disclosed separately in Price Bid /BOQ.
		<ul> <li>e) Bidder while quoting the rates in the tender must also consider the ITC credit applicable for the works, if any.</li> </ul>
		<ul> <li>f) Royalty, Labour cess challans to be submitted along with running bills. Otherwise recovery will be done from respected RA Bills at applicable rates. ESI &amp; EPF Shall be reimbursed against submission of Proof of Deposit Challan by Construction agapped</li> </ul>
		<ul> <li>agency.</li> <li>g) Labour cess shall be deposited by contractor for the value of work done or as applicable from time to time as per the directions of Government authorities &amp; Challan should be submitted along with each RA- Bills. If contractor fails to deposit labour cess to authority and does not submit the challan to EPI. then EPI shall deduct the same from each RA-Bill of contractor &amp; deposit the same to the authority. All the documentations and labour records shall be maintained properly by the contractor. It shall be produced to EPI / NETS / Govt. Authorities as and when is required.</li> </ul>
		<ul> <li>h) Royalty Charges: The rate quoted by bidder inclusive of all Royalty if required. The Seignior age charges will be recovered as per rules if applicable from the work bills of the contract or based on the theoretical requirement of material as per GO Ms. No 198 of Industries and commerce (MI) Dept. dated 13-08-2009 at the rates decided by Govt. from time to time</li> </ul>
		i) The contractor shall keep necessary books of accounts and other documents as per Govt .of India Guidelines for the purpose of this condition as may be necessary and shall allow inspection of the same by a duly authorized representative of EPI and shall also furnish such other information/document as EPI may require from time to time. In addition to the price bid format, an Annexure to indicate the "breakup of cost and levies such as GST and other taxes" considered in the quoted prices shall be annexed. This Annexure shall have breakup of all taxes/ duties relevant to the contract.

		In case of any reduction in rate of GST or other taxes in future or the project getting exemption status prior to the last date of bid submission or afterwards, the contractor shall pass on the benefit to EPI immediately, failing which EPI shall have the right to recover the differential amount from the amounts due to the sub-Bidder. Further, in case of any increase in rate of GST or other taxes in future or the project losing exemption status prior to last date of bid submission or afterwards, the said increase of taxes shall be paid / reimbursed to the sub- contractor, subject to the condition that the NESTS (National Education Society for Tribal Students) reimburses the said increased taxes to EPI"
6.0	16.0	Variation:
		Clause 16.0 of GCC of EPI stands good. No price variation/Escalation is allowed in this contract till completion of work.
7.0	17.0	INSURANCE OF WORKS ETC.
		Deleted
8.0	18.0	INSURANCE UNDER WORKMEN'S COMPENSATION ACT
		Deleted
9.0	21.0	LABOUR LAWS TO BE COMPLIED WITH BY THE CONTRACTOR:
		Deleted
10.0		COMPLIANCE WITH LABOUR REGULATIONS:
		During continuance of the contract, the Contractor and his sub-contractors shall abide at all times by all existing labour enactments and rules made there under, regulations, notifications and by e laws of the State or Central Government or local authority and any other labour law (including rules), regulations, bye-laws that may be passed or notification that may be issued under any labour law in future either by the State or the Central Government or the local authority. Salient features of some of the major labour laws that are applicable to construction industry are given below. The Contractor shall keep the Employer indemnified in case any action is taken against the Employer by the competent authority on account of contravention of any of the provisions of any Act or rules made there under, regulations or notifications including amendments. If the Employer is caused to pay or reimburse, such amounts as may be necessary to cause or observe, or for non-observance of the provisions stipulated in the notifications / bye laws / Acts / Rules / regulations including amendments, if any, on the part of the Contractor including his amount of performance security. The Employer / Engineer shall also have right to recover from the Contractor any sum required or estimated to be required for making good the loss or damage suffered by the Employer. The employees of the Contractor and the Sub-Contractor in no case shall be treated as the employees of the Employer at any point of time.

11.0	INBUILDING AND OTHER CONSTRUCTION WORK.
	Salient Features of Some Major Labour Laws Applicable To Establishments
	Engaged In Building And Other Construction Work.
	<ul> <li>a) Workmen Compensation Act 1923:- The Act provides for compensation in case of injury by accident arising out of and during the course of employment.</li> </ul>
	b) Payment of Gratuity Act 1972:- Gratuity is payable to an employee under the Act on satisfaction of certain conditions on separation if an employee has completed 5 years' service or more or on death the rate of 15 days wages for every completed year of service. The Act is applicable to all establishments employing 10 or more employees.
	<ul> <li>c) Employees P.F. and Miscellaneous Provision Act 1952: The Act Provides for monthly contributions by the employer plus workers @ 10% or 8.33%. The benefits payable under the Act are:         <ul> <li>(i) Pension or family pension on retirement or death, as the case may be.</li> <li>(ii) Deposit linked insurance on the death in harness of the worker.</li> <li>(iii) Payment of P.F. accumulation on retirement/death etc.</li> <li>(iv) Contractors are assigned to submit copy of "                 of the PF Deposited by 20th of next month.</li> </ul> </li> </ul>
	<ul> <li>d) Maternity Benefit Act 1951:- The Act provides for leave and some other benefits to women employees in case of confinement or miscarriage etc.</li> </ul>
	e) Contract Labour (Regulation & Abolition) Act 1970:- The Act provides for certain welfare measures to be provided by the Contractor to contract labour and in case

ECR" Electronic challan fees

the Contractor fails to provide, the same are required to be provided, by the Principal
Employer by Law. The Principal Employer is required to take Certificate of
Registration and the Contractor is required to take license from the designated
Officer. The Act is applicable to the establishments or Contractor of Principal
Employer if they employ 20 or more contract labour.
f) Minimum Wages Act 1948:- The Employer is supposed to pay not less than the
Minimum Wages fixed by appropriate Government as per provisions of the Act if the
employment is a scheduled employment. Construction of Buildings, Roads, and
Runways are scheduled employments.
g) Payment of Wages Act 1936:- It lays down as to by what date the wages are to be
paid, when it will be paid and what deductions can be made from the wages of the
workers.
h) Equal Remuneration Act 1979:- The Act provides for payment of equal wages for
work of equal nature to Male and Female workers and for not making discrimination
against Female employees in the matters of transfers, training and promotions etc.
i) Payment of Bonus Act 1965:- The Act is applicable to all establishments employing
20 or more employees. The Act provides for payments of annual bonus subject to a
minimum of 8.33% of wages and maximum of 20% of wages to employees drawing
Rs.3500/-per month or less. The bonus to be paid to employees getting Rs.2500/-
per month or above up to Rs.3500/- per month shall be worked out by taking wages
as Rs.2500/-per month only. The Act does not apply to certain establishments. The
newly set-up establishments are exempted for five years in certain circumstances.
Some of the State Governments have reduced the employment size from 20 to 10
for the purpose of applicability of this Act.
j) Industrial Disputes Act 1947:- The Act lays down the machinery and procedure for
resolution of Industrial disputes, in what situations a strike or lock-out becomes
illegal and what are the requirements for laying off or retrenching the employees or
closing down the establishment.
k) Industrial Employment (Standing Orders) Act 1946:- It is applicable to all
establishments employing 100 or more workmen (employment size reduced by
some of the States and Central Government to 50). The Act provides for laying down
rules governing the conditions of employment by the Employer on matters provided
in the Act and get the same certified by the designated Authority.
I) Trade Unions Act 1926:- The Act lays down the procedure for registration of trade
unions of workmen and employers. The Trade Unions registered under the Act have
been given certain immunities from civil and criminal liabilities.
m) Child Labour (Prohibition & Regulation) Act 1986:- The Act prohibits employment of
children below 14 years of age in certain occupations and processes and provides
for regulation of employment of children in all other occupations and processes.
Employment of Child Labour is prohibited in Building and Construction Industry.
n) Inter-State Migrant workmen's (Regulation of Employment & Conditions of Service)
Act 1979:- The Act is applicable to an establishment which employs 5 or more inter-
state migrant workmen through an intermediary (who has recruited workmen in one
state for employment in the establishment situated in another state). The Inter-State
migrant workmen, in an establishment to which this Act becomes applicable, are
required to be provided certain facilities such as housing, medical aid, travelling
expenses from home up to the establishment and back, etc
o) The Building and Other Construction workers (Regulation of Employment and
Conditions of Service) Act 1996 and the Cess Act of 1996:- All the establishments
who carry on any building or other construction work and employs 10 or more
workers are covered under this Act. All such establishments are required to pay
cess at the rate not exceeding 2% of the cost of construction as may be modified by
the Government. The Employer of the establishment is required to provide safety
measures at the Building or construction work and other welfare measures, such as
Canteens, First-Aid facilities, Ambulance, Housing accommodations for workers
near the work place etc. The Employer to whom the Act applies has to obtain a
registration certificate from the Registering Officer appointed by the Government.

12.0	28.1	<ul> <li>p) Factories Act 1948:- The Act lays down the procedure for approval at plans before setting up a factory, health and safety provisions, welfare provisions, working hours, annual earned leave and rendering information regarding accidents or dangerous occurrences to designated authorities. It is applicable to premises employing 10 persons or more with aid of power or 20 or more persons without the aid of power engaged in manufacturing process.</li> <li>LAND FOR LABOUR HUTS/ SITE OFFICE AND STORAGE ACCOMMODATION</li> <li>In addition to GCC Clause no 28.1,</li> <li>It is bidder responsibility to acquire the land for on its own cost of following</li> <li>Labour Hutment</li> <li>Cement Godown</li> </ul>
		<ol> <li>Storage unit</li> <li>Site Establishment including conference room for review meeting.</li> </ol>
13.0	28.3	FACILITIES - GCC clause no. 28.3 is deleted.
14.0	35.0	Secured Advance against Non-Perishable items: - Deleted.
15.0	37.0	PAYMENTS
		GCC Clause No: 37 Payment is modified as under
		The Contractor shall periodically submit <b>Running Account (RA) bills</b> in the prescribed
		Performa for the work done provided. All RA – Bills payments will be released subject to receipt of payment from client/NESTS. All running bills shall be accompanied with the photographs in sufficient nos. and angles illustrating the progress ofwork and for which claims raised in RA bill is evident. The photographs shall be duly signedby the contractor. The RA bill shall also accompany the progress chart showing status of work against agreed schedule, delays and way to mitigate such delays. The payment against each RA-Bill shall only be released on receipt of corresponding bill payment from NESTS to EPI.
		<ul> <li>a) The bills not submitted on the prescribed format may not be considered for payment. TDS shall be deducted on prescribed norms of the Govt. enforce time to time from the bills. In this regard, NESTS/EPIL Guidelines amended up to date for submission of RA Bills shall be followed.</li> </ul>
		<ul> <li>b) The Contractor shall have no claim on EPI in case the payments are delayed by the client (NESTS) due to any reason whatsoever.</li> </ul>

40.0	44.0	
16.0	44.0	WATER AND ELECTRICITY
		The Contractor shall make his own arrangement for Water & Electrical power for construction and other purposes at his own cost and if EPIL is providing necessary charges shall be deducted towards electricity and water. The Contractor shall also make standby arrangement for water & electricity to ensure un-interrupted supply.
17.0	47.0	ANTI-TERMITE TREATMENT & WATER PROOF TREATMENT
		Deleted
18.0	53.2	WORKS TO BE OPEN TO INSPECTION
		The work executed by the CONTRACTOR shall be subject to audit and quality control checks from Quality Control Division & Technical audit of EPI/NESTS third party inspecting Agency of the Client and Chief Technical Examiner of Central Vigilance Commission, Govt. of India. In the eventuality of any defect/substandard works as brought out in the report or noticed otherwise at any time during execution, maintenance period etc., the same shall be made good by the CONTRACTOR without any extra cost. In case the CONTRACTOR fails to rectify the defect/sub-standard work within the time period
		stipulated by EPI/NESTS, necessary action as deemed fit shall be taken by EPI/NESTS and decision of EPI/NESTS, shall be final and binding on the contractor.
		Any recovery, penalty imposed by CTE due to non-performance, non-compliance of agreed condition or otherwise whatsoever the same shall be recovered from RA Bill of contractor.
		The contractor shall make necessary safety arrangement at site including as mentioned in GCC and indemnify EPI against any consequence of accident at site.

19.0	72.0	COMPENSATION FOR DELAY AND REMEDIES
19(A)		If the contractor fails to maintain the required progress as per ACC Clause B. 10) "COMPLETION SCHEDULE FOR EACH SITE LOCATION" or to complete the work and clear the site on or before the contract or justified extended date of completion as well as any extension granted under relevant clause of the agreement, shall, without prejudice to any other right or remedy available under the law to the Government on account of such breach, pay as compensation the amount calculated at @ 1% (one percent) per month of delay to be computed on per day basis based on quantum of damage suffered due to sated delay on the part of contractor. Provided always that the total amount of compensation for delay to be paid under this condition shall not exceed 10% (ten percent) of the accepted Tendered Value of work"
19(B)		Deleted
20.0	74	DEFECT LIABILITY PERIOD
		Clause no. 74.0 of GCC shall be read as for Defect Liability period of <b>12 months</b> from the date of completion & handing over of the works to Client NESTS. Other condition of clause 74.0 of GCC will be same.

	<u>.                                    </u>	
21.0	76.0	GCC sub clause no. 76.1, 76.2 and 76.3 of Arbitration clause no. 76.0 are amended as given below.
		76.1 Before resorting to arbitration as per the clause given below, the parties if they so agree may explore the possibility of conciliation as per the provisions of Part III of the Arbitration and Conciliation Act, 1996 as amended by Arbitration and Conciliation (Amendment) Act, 2015. When such conciliation has failed, the parties shall adopt the following procedure for arbitration:
		i) Except where otherwise provided for in the contract, any disputes and differences relating to the meaning of the Specifications, Design, Drawing and Instructions herein before mentioned and as to the quality of workmanship or materials used in the work or as to any other questions, claim, right, matter or things whatsoever in any way arising out of or relating to the Contract, Designs, Drawings, Specifications, Estimates, Instructions, or these conditions or otherwise concerning the works of the execution or failure to execute the same whether arising during the progress of the work or after the completion or abandonment there of shall be referred to the Sole Arbitrator appointed mutually by both the parties as per the provision of Arbitration & Conciliation Act (as amended in 2015 & 2019).
		The Arbitrator shall be appointed within 30 days of the receipt of letter of invocation of arbitration duly satisfying the requirements of this clause.
		76.2 ARBITRATION BETWEEN CENTRAL PUBLIC SECTOR ENTERPRISES INTER SE / GOVERNMENT OF INDIA DEPARTMENTS/ MINISTRIES
		<ul> <li>(ii) Subject to any amendment that may be carried out by the Government of India from to time, the procedure to be followed in the arbitration shall be as is contained in D.O. No. F. No. 4(1)/2013-DPE(GM)/FTS-1835 dated 22<sup>nd</sup> May 2018 of Department of Rtb Enterprises, Ministry of Heavy Industries and Public Enterprises, Government of India or any modification issued in this regard.</li> </ul>
		76.3 JURISDICTION: The courts in Mumbai alone will have jurisdiction to deal with matters arising from thecontract.

#### **B) ADDITIONAL CLAUSES OTHER THAN GCC**

- 1) The Client/NESTS reserves the right to inspect the work through its Engineers/Officers of any other agency authorized by the Client/NESTS from time to time. The Client/NESTS shall communicate such observations, if any, for compliance by the Contractor.
- 2) The Client/NESTS reserves the right to get the work including measurement etc. checked with reference to the bills and accounts of contractor audited by its own officers or any other agency appointed by the Client/NESTS for this purpose. Results/findings of Client/NESTS on such checking shall be final and binding upon the contractor.
- **3)** Finalization of Tenders The Competent authority of Client/NESTS to accept the tender of contractor shall evaluate and shall accept the lowest tendered cost. After the approval for the same is conveyed by NESTS. In case the lowest tendered cost is higher than estimated cost, the NESTS to accept the tender with justification. The tender can be accepted only after the receipt of sanction by NESTS/Client.
- 4) The contractor shall be fully responsible for quality technical/structural soundness and effective & efficient construction management of the work. It shall ensure that all drawings issued by EPIL/Client are thoroughly examined as per the prevailing site conditions before actual execution and any deficiency /defect and/ or suggestions for improvement to suit the local conditions may be brought to the notice of EPIL/Client in writing and his approval shall be obtained before execution. No deviation from approved drawings/designs, specifications etc. shall be carried out without written approval of the EPIL. Any deviation from this shall make the contractor fully responsible to bear the extra cost involved, if any.
- 5) The Contractor shall be fully responsible to complete the "Works" in workmen like manner to the satisfaction of the Client and EPI by maintaining high standard of quality and precision as per 'Tender Documents,' Agreements, Terms & Conditions, Specifications, Drawings etc. within contractual completion period and within their quoted rates/ amount. The rates quoted/finalized shall remain firm throughout till completion of works including the extend period for which Extension shall be granted by EPI without Levy of L.D & in no case rate shall be revised.
- 6) The CONTRACTOR will not deal directly with Client and all the correspondence in matters regarding bills, claims, interpretation of the specifications, conditions and all matters related to the contract with Client, Client's Consultants, all other agencies including Government and Statutory bodies etc. shall be done through EPI only. CONTRACTOR shall prepare and submit expeditiously all bills, claims, details, clarifications, documents, information, etc. as required by EPI /Client for proper execution and successful completion of the "Works"

#### 7) STATUTORY REQUIRMENTS -

- a. It is the responsibility of the contractor for getting the all approval from the local statutory authorities such as town planning / municipal authorities / electricity board / fire / forest department etc. and other department for the total / entire works executed at site / NESTS premises as per the approved plans and designs etc.
- b. The contractor is advised to quote his rates for different works considering the above factors and all conditions given in NIT and ACC, GCC.

#### 8) PLANT AND MACHINERY

All plant & machinery required for execution of work shall have to be arranged by the contractor at his own cost.

#### 9) COMPLETION SCHEDULE FOR EACH SITE LOCATION

failure to complete the work within stipulated time period or justified extended time period, if any, shall invite action underrelevant clauses of the agreement with contractor for delayed performance.

10) The contractor shall comply with legal orders, directions and by laws of local bodies / authorities. The contractor shall give to the Municipality, Police, Local Bodies and concerned Governmental authorities all necessary notices relating to works that may be required under the law and obtain all requisite licenses, permissions for temporary obstructions, enclosures, collection and stacking of materials, etc.

The contractor shall pay at his own cost all fees, taxes and charges that may be liable on account of these operations in executing the contract. Nothing extra shall be paid by EPI on this account.

The contractor shall be bound to follow the instructions and restrictions imposed by the administration / Police authorities on the working and / or movement of labour, materials etc. nothing extra shall be payable due to less / restricted working hours at site or any detours in movement of vehicles.

#### **11)** TEST CERTIFICATE

a) All manufacturer's certificates of test showing that the all equipment / materials have been tested in accordance with the requirements of the relevant standard specification and the copy of the test certificate as well as standard shall be supplied free of cost to EPI / NESTS also all the required test as per NESTS/EPIL shall be carried out by contractor on his own cost

#### 12) LICENSES

The contractor shall arrange for obtaining the license and clearances for the operation. (If required) from the local authorities and statutory bodies at his own cost & nothing extra shall be payable. Certification of various equipment / installations from statutory bodies other agencies as required as per technical specifications, shall be arranged by contractor at his own cost before handing over.

#### 13) SITE ENGINEER OF CONTRACTOR AT SITE LOCATION

The Contractor shall employ at his cost the adequate number of technical staff during the execution of this work depending upon the requirement of work.

#### 14) COMPLIANCE OF CONSTRUCTION & DEMOLITION WASTES MANAGEMENT RULES 2016.

The contractor shall comply all the rules & regulation of Construction & Demolition waste Management Rules 2016 as notified by the Government of India as applicable for the said work and subsequent amendment if any, in the said act notified by the Government time to time. Nothing shall be paid extra.

#### 15) FACILITIES TO BE PROVIDED AT SITE FOR LABOUR WELFARE

All facilities to be provided at site for fulfilling all statuary labour welfare schemes are included in contractor's scope which shall include the following but not limited to the same.

#### 16) Final Bill:-

The final bill will be submitted by the contractor within 60 days from the date of acceptance of completion of work accompanied by the following documents :

a) Completion certificate issued by the Engineer-in-Charge specifying the handing over of the work including list of inventories (fittings & fixtures)

b) Computerized stage wise payment schedule.

c) No claim certificate by the contactor.

d) No claim certificate from the sub-agencies / venders engaged by the contractor.

f) Periodical services and measurement books.

g) Drawings for layout of underground cables and details showing location of sluice

valves, electric cable joints etc.

h) All operation and maintenance manuals.

i) All statutory approvals from various state / central govt. local bodies, if required for completion & handing over of the work as included in scope of Contractor.

j) Manufacture's guarantee of various machines / equipment's installed as part of works.

k) NOC from labour department, PF Department.

**17)** For items not covered under any of the specifications mentioned in Tender Documents, the works shall be carried out as per CPWD Specifications / manufacturer's specifications or as per directions of Engineer-in-Charge. The rate for such extra work shall be derived as follows:

a) If the item is available in DSR 2019, contractor has to execute the item as per tender percentage.

b) If the same item is not available in DSR 2019 and similar item is available, rate for such extra work shall be derived from the similar item.

c) If the rate for any item is not possible to derive as mentioned above, the rate shall be derived by analyzing as per the prevailing market rates following CPWD norms.

#### 18) Client's Authorized Representative, Third Party Inspection

NESTS/EPI at his discretion may authorize their representative or appoint agency On behalf of them to supervise and monitor project related all activities. Contractor willextend all necessary assistance required and cooperate.

The Third Party Quality Assurance will be conducted by Client as per agreed plan with client &contractor has to submit the reports at regular intervals along with RA bill to EPIL.

Contractor will extend all necessary assistance required and cooperate.

Contractor will make sitting arrangements for owner's representative & third party inspector & for their staff if any.

19) All defect notice during the currency of the contract and also during the defect liability period of 12 months after completion of the work except those pertaining to leakage/dampness which are governed by clause mentioned above shall be got completely and satisfactorily rectified by the contractor immediately after notifying the defects without any extra payment for the same. In case the defects are such as cannot be rectified or the contractor fails to rectify these satisfactorily and completely, EPIL/Client reserves his right to accept the work at reduced rates (provided defects are non-structural) or to get the rectification work done at the risk and cost of the contractor.

The decision of the Client NESTS, in this regard, shall be final and binding on the contractor.

#### 20) Alterations, Additions and Omissions

EPI/NESTS can make any variation of the form, quality or quantity of the works or any part thereof that may, in their opinion be necessary and for that purpose, or if for any other reason it shall in his opinion be desirable, they shall have power to order in writing to the contractor to do and the contractor shall do any of the following :

- i. Increase or decrease in the quantity of any work included in the contract in which case the value of contract may be increased or decreased.
- ii. Omit any such work.
- iii. Change the levels, lines, position and dimension of any part of the works and
- iv. Execute additional work of any kind necessary for the completion of the works and no such variation shall in any way vitiate or invalidate the contract, but the value, if any of all such variations shall be taken into account to ascertain the amount of the Contract Price.
- v. The contractor shall not affect any of the aforementioned changes without the written order of EPI / NESTS.

**21)** Agency shall ensure strict Quality Control measures and monitoring to ensure quality and timely construction.

(i) TPQA (Third Party Quality Assurance) The Construction Agency shall in consultation with NESTS/EPIL before commencement of work. TPQA shall be conducted by EPIL & NESTS appointed NIT as per TPQA Guidelines. No work shall be permitted without TPQA agency.

(ii) The Quality plan and Design Mix Shall be available before the time of commencement.

(iii) Agency shall ensure thorough checking/cross checking of reinforcements before casting of RCC, casting of all RCC work in presence of Site engineer, mandatory testing of materials at prescribed frequencies as per Quality Plan, etc. to ensure quality construction.

(iv) The important activities like layout and positioning of Columns, Beams, Brick Work shall be marked properly as per architectural drawings to avoid any deviation.

(v) The Critical Activities like DPC, water proofing for sunken portion of toilets and terrace must be done with specialized agency to avoid future leakage, water seepage, etc.

(vi) The regular monitoring and frequent site visit by engineering team including zonal head is absolutely necessary to ensure quality and reinforcement, structure is being done as per approved architectural and vetted structural drawings. Agency must ensure that the site engineer must be stationed at site.

(vii) Photograph of ongoing construction: - Agency shall continuously share the geotagged photographs of ongoing construction to EPIL. The photographs need to be shared in every stage of construction for important items and milestones like foundation reinforcement, RCC casting of foundations, columns, beams & Slab, masonry work, etc as well along with each running bill.

(viii) Manpower Deployment: Agency shall share the details of Site Engineers, project engineer for each location with name designation, experience immediately. No work shall be permitted without availability of a regular, technically qualified and experienced site engineer as per MoU.

**22) Barricading:** -The height of barricading should be mini. 2.0 M or more as per SPCB rules from the EGL on MS frame with G.I Sheet.

# C) Provisions under Model Rules for the Protection of Health and Sanitary Arrangements for Workers of EPI are modified/ amended as under: -

S.	Clause	Modified/Amended provisions as per Additional Conditions of Contract
No.	No.	

1	Following clause shall be added in the Model Rules:
	11. Precautionary/Preventive Measures against dissemination/spread of
	COVID-19
	A. Mandatory for every labourer/worker to undergo a health checkup and remain quarantined for a fortnight before beginning work at the site.
	B. All construction material entering the site would be left undisturbed for
	three days to eliminate the threat of COVID-19 Contamination.
	C. Keep in-person meetings (including toolbox talks and safety meetings) as short as possible, limit the number of workers in attendance, and use
	social distancing practices.
	D. Provide employees with access to soap, clean running water, and
	materials for drying their hands, or if soap and water are not readily
	available provide alcohol-based hand sanitizers containing at least 60% alcohol at stations around the establishment for use by workers.
	E. Coordinate site deliveries in line with the employer's minimal contact and
	cleaning protocols. Delivery personnel should remain in their vehicles if at
	all possible.
	F. Adopt staggered work schedules, e.g., provide alternating workdays or extra shifts, to reduce the total number of employees on a job site at any
	given time and to ensure physical distancing.
	G. Train construction workers on:
	<ol> <li>The signs and symptoms of COVID-19 and an explanation of how the disease is potentially spread, including the fact that</li> </ol>
	infected people can spread the virus even if they do not have
	symptoms.
	II. All policies and procedures that are applicable to the employee's duties as they relate to potential exposures to COVID-19. It is
	helpful to provide employees with a written copy of those
	standard operating procedures.
	III. Information on appropriate social distancing and hygiene
	practices, including: a. Avoiding physical contact with others and maintaining a
	distance of at least 6 feet from customers and other
	individuals, whenever possible, including inside work trailers.
	b. Appropriate cleaning practices (i.e., washing hands frequently
	with soap and water for at least 20 seconds, or, if soap and water are not immediately available, using alcohol-based hand
	sanitizer that contains at least 60% alcohol and rubbing hands
	until they are dry; sanitizing all surfaces workers will touch).
	c. The proper way to cover coughs and sneezes (i.e., sneezing or coughing into a tissue or into the upper sleeve).
	d. Importance of workers not touching their own faces (mouth,
	nose, eyes).
	<ul> <li>e. The benefits of driving to work sites or parking areas individually, when possible, without passengers or carpools.</li> </ul>
	IV. The importance of staying home if they are sick.
	V. Wearing masks over their noses and mouths to prevent them
	from spreading the virus.
	H. Ensure clean toilet and hand washing facilities. Clean and disinfect portable job site toilets regularly. Fill hand sanitizer dispensers regularly.
	Disinfect frequently touched items (i.e., door pulls and toilet seats)
	regularly.
	<ol> <li>Persons having flu-like symptoms should not come to work site and should seek medical attention from local health authorities. If they test</li> </ol>
	positive for Covid-19, they should inform the authorities concerned in the
	office immediately.

<ul> <li>J. If one or two cases are reported in the office, places visited by the patient over the last 48 hours will be disinfected. Work will only be resumed after disinfection.</li> <li>K. Every construction site would have weekly doctor visits. An isolation facility would also be created at the work site in case a labourer develops cough, cold or other symptoms.</li> </ul>
SUSPENSION OF BUSINESS DEALINGS: Notwithstanding anything contained herein, EPI shall suspend / ban business dealings with any Tenderer/ Contractor/ Consultant/ Supplier who fail to implement business ethics, commitment and sincerity of highest standards for the tenders under bidding or the work being undertaken by them. EPI shall be bound to suspend/ban any such Tenderer/ Contractor who default/ deviate from the terms of tender/ contract, without any reasonable cause, is responsible for loss of reputation, finance and/or business to EPI and/or indulges in any kind of malpractice, cheating , bribery, fraud, misconduct or formations of cartels influencing tender process or influencing the price. The period of suspension/banning the Tenderer/Contractor shall depend on the gravity of omission or commission which shall be not less than one year extending till maximum for a period of three years.
NIT/ITB Clause : In case, any document, information and/or certificate submitted by Tenderer is found to be incorrect/false/fabricated or the Tenderer has breached the terms and conditions of Integrity Pact, EPI at its discretion may disqualify /reject / terminate the Tenderer , forfeit the EMD and the Tenderer shall also be liable to be suspended/ debarred for a period which shall be not less than one year extending till maximum for a period of three years.

E) Preferred Makes: List enclosed herewith



# **ENGINEERING PROJECTS (INDIA) LIMITED**

(A Govt. of India Enterprise)

# INSTRUCTIONS TO TENDERERS AND

# GENERAL CONDITIONS OF CONTRACT

### DECEMBER, 2007

# **VOLUME-I**

Issued to : M/s. \_\_\_\_\_



# ENGINEERING PROJECTS (INDIA) LIMITED (A Govt. of India Enterprise)

**INDEX** 

## INDEX

### VOLUME - I

S.No.	DESCRIPTION	CLAUSE No.	PAGE No.
1	INSTRUCTIONS TO TENDERERS	-	1
2	LETTER OF UNDERTAKING	-	7
3	FORM OF TENDER	-	8
4	GENERAL CONDITIONS OF CONTRACT	-	12
4.1	General	1.0	12
4.2	Site Visit and Collecting Local Information	2.0	13
4.3	Scope of Work	3.0	16
4.4	Validity of Tender	4.0	16
4.5	Acceptance of Tender	5.0	16
4.6	Set of Tender Documents	6.0	17
4.7	Earnest Money Deposit	7.0	17
4.8	Mobilization Advance	8.0	18
4.9	Security Deposit cum Performance Guarantee	9.0	19
4.10	Retention Money	10.0	21
4.11	Mobilization of Men, Materials & Machinery	11.0	21
4.12	Income Tax Deduction	12.0	22
4.13	Taxes and Duties	13.0	23
4.14	Royalty on Materials	14.0	24
4.15	Rates to be firm	15.0	24
4.16	Escalation / Price Variation	16.0	25
4.17	Insurance of Works	17.0	25
4.18	Insurance under Workmen's Compensation Act	18.0	26
4.19	Third Party Insurance	19.0	26
4.20	Indemnity against Patent Rights	20.0	26
4.21	Labour Laws to be complied with by the Contractor	21.0	26

S.No.	DESCRIPTION	CLAUSE No.	PAGE No.
4.22	Labour Safety Provision	22.0	27
4.23	Observance of Labour Laws	23.0	27
4.24	Law Governing the Contract	24.0	27
4.25	Laws, Bye-Laws relating to the work	25.0	27
4.26	Employment of Personnel	26.0	28
4.27	Technical Staff for work	27.0	28
4.28	Land for Labour Huts / Site Office & Storage Accommodation	28.0	29
4.29	Watch & Ward and Lighting	29.0	30
4.30	Health and Sanitary Arrangements	30.0	30
4.31	Workmen's Compensation Act.	31.0	30
4.32	Minimum Wages Act.	32.0	30
4.33	Labour Records	33.0	30
4.34	Release of Security Deposit after Labour Clearance	34.0	31
4.35	Secured Advance against Non-Perishable Materials	35.0	31
4.36	Measurements of works	36.0	31
4.37	Payments	37.0	32
4.38	Work on Sunday, Holidays and During Night	38.0	33
4.39	No Idle Charges towards labour or P&M etc.	39.0	33
4.40	Work to be executed in accordance with Specifications, Drawings, Orders etc.	40.0	33
4.41	Direction for works	41.0	34
4.42	Order of Precedence of Documents	42.0	34
4.43	Time Schedule and Progress	43.0	35
4.44	Water and Electricity	44.0	36
4.45	Materials to be provided by the Contractor	45.0	36
4.46	Schedule of Quantities / Bill of Quantities	46.0	37
4.47 Anti-termite Treatment and Waterproof Treatment		47.0	38

S.No.	DESCRIPTION	CLAUSE No.	PAGE No.
4.48	India Standards	48.0	39
4.49	Centering and Shuttering	49.0	38
4.50	Proprietary Materials	50.0	39
4.51	Records of consumption of Cement and Steel	51.0	40
4.52	Materials and Samples	52.0	40
4.53	Tests and Inspection	53.0	42
4.54	Borrow Areas	54.0	42
4.55	Bitumen Work	55.0	43
4.56	Care of Works	56.0	43
4.57	Work in Monsoon and Dewatering	57.0	43
4.58	No Compensation for Cancellation / Reduction of Works	58.0	43
4.59	Restriction of Sub-letting	59.0	44
4.60	Prohibition of Un-authorized Construction & Occupation	60.0	44
4.61	Co-ordination with other Agencies	61.0	44
4.62	Setting out of the works	62.0	44
4.63	Notice Before Covering up the work	63.0	45
4.64	Site Clearance	64.0	45
4.65	Valuable Articles found at site	65.0	45
4.66	Materials obtained from Dismantlement to be Owners property	66.0	45
4.67	Set Off of Contractor's Liabilities	67.0	45
4.68	Materials procured with the Assistance of EPI	68.0	46
4.69	Alteration in Specification, Design and Drawing	69.0	46
4 /11	Action and Compensation payable in case of Bad work	70.0	49
4.71	Possession prior to Completion	71.0	50
4.72	Compensation for Delay and Remedies	72.0	50
4.73	Withholding and Lien of payments	73.0	56

S.No.	DESCRIPTION	CLAUSE No.	PAGE No.
4.74	Defect Liability Period	74.0	58
4.75	Force Majeure	75.0	58
4.76	Arbitration and Jurisdiction	76.0	58
4.77	Suspension of Works	77.0	60
4.78	Termination of Contract on Death of Contractor	78.0	60
4.79	Clarification after Tender Submission	79.0	61
4.80	Addenda / Corrigenda	80.0	61
4.81	Quality Assurance Programme	81.0	61
4.82	Approval of Temporary / Enabling Works	82.0	62
4.83	Contract Co-ordination Procedures, Coordination Meeting and Progress Reporting	83.0	62
4.84	Contract Agreement	84.0	62
4.85	Manner of Execution of Agreement	85.0	63
4.86	Purchase Preference to CPSEs	86.0	63
4.87	Change of Firms's constitution	87.0	63
4.88	Compliance with ISO Procedures	88.0	64
5	LABOUR SAFETY PROVISIONS	-	65
6	MODEL RULES FOR THE PROTECTION OF HEALTH AND SANITARY ARRANGEMENT FOR WORKERS.	-	70
7	CONTRACTOR'S LABOUR REGULATION	-	77
8	PRESCRIBED PROFORMAS	-	83
(a)	Application For Extension Of Time I, Ii, IiI	-	96
(b)	Earnest Money Deposit Bank Guarantee	-	100
(c)	Security Deposit Cum Performance Bank Guarantee	-	101
(d)	Advance Bank Guarantee	-	104
(e)	Performance Bank Guarantee	-	107
(f)	Proforma For Indemnity Bond For Secured Advance		110
(g)	Guarantee Bonds For Anti-Termite And Waterproofing Treatment	-	113

(h)	Agreement Form	-	116
9	QUALITY CONTROL FORMATS AND CHECKLISTS	-	119



# ENGINEERING PROJECTS (INDIA) LIMITED (A Govt. of India Enterprise)

# **INSTRUCTIONS TO TENDERERS**

### ENGINEERING PROJECTS (INDIA) LIMITED

(A Govt. of India Enterprise)

#### **INSTRUCTIONS TO TENDERERS**

#### 1.0 MODE OF SUBMISSION

The Tender is to be submitted in two separate sealed covers marked as under :

#### ENVELOPE-1 :-

This ENVELOPE shall contain the following :

- i) Earnest Money Deposit as per clause 2.0 of 'Instructions to Tenderers' (ITT).
- ii) Letter of Undertaking for un-conditional acceptance of the tender conditions as per proforma given in ITT.
- iii) Pre-Qualification Documents and Credentials as per clause 19.0 of ITT.
- iv) Volume-I (ITT, General Conditions of Contract),
  - Volume-II (Notice Inviting Tender, Additional Conditions of Contract, Specifications, Drawings) and Corrigendum/ Addendum, if any, duly filled in, signed and stamped on each page by tenderer. Cutting or over-writing, if any, shall be signed and stamped by the person signing the Tender. All pro-forma forming part of Tender Documents shall be filled in, signed and stamped by the tenderer.
- v) Copy of power of attorney / partnership deed, duly attested by Notary Public authorizing the person who signs the Tender.
- vi) Any other information as required to be submitted along-with the Tender.

This envelope shall be marked as :

**ENVELOPE-1** "**TECHNO-COMMERCIAL BID**" **FOR** (Name of work as mentioned in "Notice Inviting Tender")

NIT No. :	
DUE ON :	
FROM :	(Name of the Contractor)

#### ENVELOPE – 2 :-

This ENVELOPE shall contain only the Volume-III comprising of PRICE-BID.

This envelope shall be marked as :

**ENVELOPE-2** : '**PRICE-BID**' **FOR** (Name of Work as mentioned in "Notice Inviting Tender")

NIT No.	:	
DUE ON	:	
FROM	:	(Name of the Contractor)

Both the envelopes / packets shall be individually sealed and kept in an outer envelope marked as :

**TENDER FOR** (Name of Work as mentioned in "Notice Inviting Tender")

NIT No. :	

- DUE ON : \_\_\_\_\_
- **FROM** : (Name of the Contractor)

The outer envelope shall be duly sealed and shall be delivered at place of submission of Tender by the date and time fixed for receipt of Tender as mentioned in "Notice Inviting Tender". The Tenders received after the date and time of Tender receipt shall not be considered and shall be returned to the tenderer unopened. EPI shall not be responsible for any postal or other delays, whatsoever and tenderer should take care to ensure the submission of Tender at place of receipt of Tender by due date and time fixed for Tender receipt. **All the envelopes shall be addressed to the** authority who has invited the Tender as mentioned in "Notice Inviting Tender".

- 1.1 First the Envelope-1 of the tenderer shall be opened. Tenderers who unconditionally accept the tender conditions, deposit the required Earnest Money and whose Techno-Commercial Bid along with PQ Documents is found suitable shall be considered for the opening of their Price Bid and Envelope-2 of such tenderers shall only be opened. The Tenders not accompanied by requisite Earnest Money and / or not conveying un-conditional acceptance of tender conditions or whose Techno-Commercial Bid and PQ Documents are not found suitable, shall be rejected and such tenderer shall not be allowed to attend Price Bid opening i.e. opening of Envelope-2.
- 1.2 Once the tenderer has given an unconditional acceptance to the tender conditions in its entirety, he is not permitted to put any remark(s) / condition(s) (except unconditional rebate on price, if any) in / along with the 'Price-Bid' / Tender.
- 1.3 In case the condition 1.2 mentioned above is found violated at any time after opening of Tender, the Tender shall be summarily rejected and EPI shall, without prejudice to any other right or remedy, be at liberty to forfeit the full said Earnest Money absolutely.

#### 2.0 EARNEST MONEY DEPOSIT

Earnest Money Deposit of amount as mentioned in "NIT/ITT/Memorandum" to "Form of Tender" required to be submitted alongwith the Tender shall be in the form of Demand Draft payable at place as mentioned in "NIT/ITT" in favour of EPI Limited from any Nationalized / Scheduled Bank or in the form of Bank Guarantee from any Nationalized / Scheduled Bank in enclosed format. The EMD Bank Guarantee shall be valid for a minimum period of 150 (One Hundred Fifty) days from last day of submission of Tender. The EMD shall be governed by Clause 7.0 of General Conditions of Contract.

3.0 EPI reserves the right to reject any or all the Tenders in part or full without assigning any reason whatsoever thereof. EPI does not bind themselves to

accept the lowest Tender. EPI reserves the right to award the work to a single party or to split the work amongst two or more parties as deemed necessary without assigning any reason thereof. The Contractor is bound to accept the portion of work as offered by EPI after split up at the quoted / negotiated rates.

#### 4.1 FOR ITEM RATE TENDERS

- 4.1.1 The tenderers should quote the rates for items tendered by them in figures as well as in words and the amounts in figures only. The amount for each item should be worked out and the requisite totals and page totals given.
- 4.1.2 All corrections/cuttings should be signed by the tenderer. Each page of the Tender should be signed by the tenderer. In the event of discrepancy between rate in figures and words the rate quoted in words shall be treated as correct. In case there is discrepancy between rate and amount worked out, the rate quoted shall be taken as correct and not the amount.
- 4.1.3 Price shall be entered against each item in Bill of Quantities where quantities or LS (lump-sump) has been mentioned. The cost of item against which the Contractor has failed to enter a rate or price shall be deemed to be covered by rates and prices of other items in the Bill of Quantities and no payment shall be made for the quantities executed for items against which rate has not been quoted by Contractor. No rate is to be quoted against items for which no quantity is given. However, the Contractor has to quote rate against "LS" items.

#### 4.2 FOR PERCENTAGE RATE TENDERS

- 4.2.1. In case of Percentage Rate Tenders, tenderer shall fill up in the Schedule / Bill of Quantities, percentage Below/Above/Par (in figures as well as in words) to total estimated cost given in Schedule / Bill of Quantities, he will be willing to execute the work. The tenderer should quote a unique single percentage plus / minus over the total estimated amount given in Schedule / Bill of Quantities. In case more than one schedule is given, stipulating quoting of separate percentages (plus or minus) over the estimated amount of each schedule, the tenderer can quote separate percentages for each such schedule. Under no circumstances, tenderer is allowed to quote separate percentages for individual items, trades or group of items. In case tenderer quotes separate percentages for individual items, trades or group of items instead of to the total amount of schedule(s), the Tender shall be rejected and earnest money of the tenderer shall be forfeited in totality.
- 4.2.2 In case of Percentage Rate Tenders, the tenderer shall also work out the total amount of his offer after adding percentage (plus or minus) over the total schedule amount and the same should be written in figures as well as in words in such a way that no interpolation is possible.
- 4.2.3 In case of Percentage Rate Tenders, only percentage quoted shall be considered. Any tender containing item rates is liable to be rejected. Percentage quoted by the tenderer in Percentage Rate Tender shall be accurately filled in figures and words. All corrections/cuttings should be signed by the tenderer. Each page of the Tender should be signed by the tenderer. In the event of discrepancy between percentage rate in figures and words, the percentage rate

quoted in words shall be treated as correct. In case there is discrepancy between percentage rate and amount worked out the percentage rate quoted shall be taken as correct and not the amount. For any other discrepancy, the decision of Tender Scrutiny Committee of EPI shall be final & binding on the tenderer including rejection of Tender and forfeiture of EMD.

- 5.0 The Tenders shall be strictly as per the conditions of contract. Tenders with any additional condition(s)/modification(s) shall be rejected.
- 6.0 The witnesses to the Tender / Contract Agreement shall be other than the tenderer / tenderers competing for this work and must indicate full name, address, status/occupation with dated signatures.
- 7.0 The acceptance of Tender will rest with EPI. Tenders in which any of the prescribed conditions are not fulfilled or found incomplete in any respect are liable to be rejected.
- 8.0 Canvassing whether directly or indirectly in connection with Tenders is strictly prohibited and the Tenders submitted by the Contractors who resort to canvassing will be liable to rejection.
- 9.0 On acceptance of Tender, the name of the accredited representative(s) of the Contractor who would be responsible for taking instructions from Engineer-In-Charge or its authorised representative shall be intimated by the Contractor with in 07 days of issue date of telegram / letter / telex / fax of Intent by EPI.
- 10.0 The tenderer shall not be permitted to Tender for works if his near relative is posted as an Assistant Manager or any higher ranks in the concerned Regional Office of EPI. The Contractor shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any of the officers in EPI. Any breach of this condition by the tenderer would render him liable to the withdrawal of the work awarded to him and forfeiture of Earnest Money and Security Deposit. This may also debar the Contractor from tendering for future works under EPI.
- 11.0 No employee of EPI of the rank of Assistant Manager and above is allowed to work as a Contractor or as an employee of a Contractor having interest in EPI for a period of two years after his retirement/relief from the service of EPI, without the prior permission of EPI in writing. This contract is liable to be cancelled if either the Contractor or any of his employee is found at any time to be such a person who had not obtained the permission of EPI as aforesaid before submission of the Tender or engagement in the Contractor's service.
- 12.0 The time of completion of the entire work, as contained in contract shall be as mentioned in "Memorandum" to "Form of Tender", which shall be reckoned from the 10<sup>th</sup> day from issue of the Letter / Telex / Telegram / Fax of Intent by the EPI.
- 13.0 The Tender award, execution and completion of work shall be governed by Tender Documents consisting of (but not limited to) Letter of Intent / Letter of work Order, Bill of Quantities, Additional Conditions of Contract, General Conditions of Contract, Specifications, Drawings, etc. The tenderers shall be

deemed to have gone through the various conditions and clauses of the Tender and visited the Site and satisfied itself with Site conditions including sub-soil water conditions, topography of the land, drainage and accessibility etc. or any other condition which in the opinion of Contractor will affect his price / rates before quoting their rates. No claim whatsoever against the foregoing shall be entertained by EPI.

- 14.0 The Drawings given with the Tender Documents are TENDER DRAWINGS and are indicative only.
- 15.0 Transfer of bid documents purchased by one intending bidder to another is not permissible.
- 16.0 Tenders must be duly signed with date and sealed. An attested copy of power of attorney/affidavit/Board Resolution executed as under shall accompany the 'Tender Documents'.
  - a) In case of Sole Proprietorship, an affidavit of Sole Proprietorship and if the Tender is signed by any other person Power of Attorney by the Sole Proprietor in favour of signatory.
  - b) In case of Partnership firm, if Tender is not signed by all the partners, Power of Attorney in favour of the Partner/person signing the tender/documents by all the partners authorizing him to sign the tender/documents.
  - c) In case of Company, copy of the Board Resolution authorizing the signatory to sign on behalf of the Company.
- 17.0 Tenders with following discrepancies are liable for rejection:
  - a) Tenders with over-written or erased rates, percentages, amounts or rates, percentages not written in both figures and words.
  - b) Tender that is incomplete, ambiguous, and not accompanied by the documents asked for or submitted without EMD or with inadequate EMD.
  - c) Tender received after specified date/time whether due to postal or other delays.
  - d) Tender in respect of which canvassing in any form is resorted to by the tenderer whatsoever.
  - e) If the tenderer deliberately gives wrong information in his tender or resorts to unfair methods in creating circumstances for the acceptance of his tender, EPI reserves the right to reject such tender at any stage.
- 18.0 Submission of a tender by the tenderer implies that he has read the complete contract documents and has made himself aware of the scope, terms & conditions and specifications of the work to be done and of conditions at which stores, tools, plant, etc. will be issued to him by EPI (if any), local conditions and

political situations and other factors having bearing on the execution of the works. No claim of Contractor whatsoever, within the purview of this clause, shall be entertained at any stage of the project.

- 19.0 Tenderer shall submit the following documents along with their Tenders in the first envelope (Techno-Commercial Bid) :
  - a) List of works executed during the last 5 years indicating name of the Client, value, date of start and completion.
  - b) List of works under execution indicating name of the Client, Total Contract Value, Value of balance work in hand, date of start and completion.
  - c) Details of similar works executed.
  - d) Audited balance sheets and profit and loss accounts alongwith schedules for the last 3 years.
  - e) Copy of latest income-tax returns filed along with PAN.
  - f) Details of manpower available.
  - g) Details of equipments, tools and plant available.
  - h) Credentials and completion certificates.
  - i) Registration Certificate/Memorandum and Articles of Association/Partnership Deed/ Affidavit.
  - j) Copy of Provident Fund Number allotted by PF authorities.
  - k) Copy of letters of registration with various authorities like CPWD, State PWD, MES and Public Sector Undertakings, etc.
  - I) Latest Solvency certificate from Nationalised/Scheduled Bank.
  - m) Latest Sales Tax Registratin and Clearance Certificate.
  - n) Any other document as stipulated above and in "Tender Documents'
- 20. Purchase Preference may be granted to the Central Public Sector Enterprises as per the applicable guidelines in force in this regard issued by the Government of India.

### LETTER OF UNDERTAKING

### (TO BE ENCLOSED IN ENVELOPE-1 ALONGWITH EMD)

#### ENGINEERING PROJECTS (INDIA) LIMITED

(Address of submission as mentioned in "Notice Inviting Tender")

**REF. : TENDER FOR** (Name of Work as mentioned in "Notice Inviting Tender")

NIT No. : \_\_\_\_\_

Sir,

#### UNDERTAKING FOR ACCEPTANCE OF TENDER CONDITIONS

- The Tender Documents for the work as mentioned in "Memorandum" to "Form of Tender" have been issued to me / us by ENGINEERING PROJECTS (INDIA) LIMITED and I / We hereby unconditionally accept the tender conditions and Tender Documents in its entirety for the above work.
- 2. The contents of clause 1.2 and 1.3 of the Tender Documents (Instructions to Tenderers) have been noted wherein it is clarified that after unconditionally accepting the tender conditions in its entirety, it is not permissible to put any remark(s) / condition(s) (except unconditional rebate on price, if any) in the 'Price-Bid' enclosed in "Envelope-2" and the same has been followed in the present case. In case this provision of the Tender is found violated at any time after opening "Envelope-2", I / We agree that my/our tender shall be summarily rejected and EPI shall, without prejudice to any other right or remedy be at liberty to forfeit the full said Earnest Money absolutely.
- 3. The required Earnest Money for this work is enclosed herewith.

Yours faithfully,

(Signature of the Tenderer)

Seal of Tenderer

Dated :\_\_\_\_\_

### FORM OF TENDER

To,

Engineering Projects (India) Limited (Address of submission as mentioned in "Notice Inviting Tender")

**REF. : TENDER FOR** (Name of Work as mentioned in "Notice Inviting Tender")

#### NIT No. : \_\_\_\_\_

- 1. I/We hereby tender for execution of work as mentioned in "Memorandum" to this "Form of Tender" as per Tender Documents within the time schedule of completion of work as per separately signed and accepted rates in the Bill of Quantities quoted by me / us for the whole work in accordance with the Notice Inviting Tender, Conditions of Contract, Specifications of materials and workmanship, Bill of Quantities Drawings, Time Schedule for completion of jobs, and other documents and papers, all as detailed in Tender Documents.
- 2. It is agreed that the time stipulated for jobs and completion of works in all respects and in different stages mentioned in the "Time Schedule for completion of jobs" and signed and accepted by me/us is the essence of the contract. I/We agree that in case of failure on my/our part to strictly observe the time of completion mentioned for jobs and the final completion of works in all respects according to the schedule set out in the said "Time Schedule for completion of jobs" and stipulations contained in the contract, the recovery shall be made from me/us as specified therein. In exceptional circumstances extension of time which shall always be in writing may, however be granted by EPI at its entire discretion for some items, and I/We agree that such extension of time will not be counted for the final completion of work as stipulated in the said "Time schedule of completion of jobs".
- 3. I/We agree to pay the Earnest Money, Security Deposit cum Performance Guarantee, Retention Money and accept the terms and conditions as laid down in the "Memorandum" to this "Form of Tender".
- 4. Should this Tender be accepted, I/We agree to abide by and fulfill all terms and conditions referred to above and as contained in Tender Documents elsewhere and in default thereof, allow EPI to forfeit and pay EPI, or its successors or its authorized nominees such sums of money as are stipulated in the Tender Documents.
- 5. I/We hereby pay the earnest money amount as mentioned in the "Memorandum" to this "Form of Tender" in favour of Engineering Projects (India) Limited payable at place as mentioned in the "NIT/ITT".

- 6. If I/we fail to commence the work within 10 days of the date of issue of Letter of Intent and / or I/We fail to sign the agreement as per Clause 84 of General Conditions of Contract and/or I/We fail to submit Security Deposit cum Performance Guarantee as per Clause 9.0 & 9.1 of General Conditions of Contract, I/We agree that EPI shall, without prejudice to any other right or remedy, be at liberty to cancel the Letter of Intent and to forfeit the said earnest money as specified above.
- 7. I/We are also enclosing herewith the Letter of Undertaking on the prescribed proforma as referred to in condition of NIT.

Date the	day of
SIGNATURE OF TENDERER	
NAME (CAPITAL LETTERS) :	
OCCUPATION	
ADDRESS	

SEAL OF TENDERER

#### **MEMORANDUM**

(ENCLOSURE TO FORM OF TENDER)

**REF. : TENDER FOR** (Name of Work as mentioned in "Notice Inviting Tender")

NIT No. : \_\_\_\_\_

SI. No.	Description	CI. No.	Values / Description to be applicable for relevant clause(s)
i)	Name of work		
ii)	Owner/Client / Employer		
iii)	Type of Tender		
iv)	Earnest Money Deposit	NIT	Rs (Rupees only).
V)	Estimated Cost	NIT	Rs (Rupees only).
vi)	Time for completion of work	NIT	Total work to be completed in () in accordance with the time schedule of completion of work in the Tender Documents.
vii)	Mobilization Advance	8.0	% ( Percent) of Contract Value.
viii)	Interest Rate on Mobilization Advance	8.0	Simple Interest Rate of%( percent only) per annum.
ix)	Number of Instalments for recovery of Mobilisation	8.0	
x)	Advance Schedule of Rates applicable	69.0	Civil Works : Sanitary Works : Electrical Works :
xi)	Validity of Tender	4.0	90 (Ninety) Days
xii)	Security Deposit cum Performance Guarantee	9.0	5.00% (Five Percent only) of Contract Value within 10 days from the date of issue of telegram / letter / telex / FAX of Intent of acceptance of Tender.

xiii)	Retention Money	10.0	5.00% (Five percent only) of the contract amount, which shall be deducted in the manner set out in this contract.
xiv)	Time allowed for starting the work	43.0	The date of start of contract shall be reckoned 10 days from the date of issue of telegram / letter / telex / FAX of Intent of acceptance of Tender.
xv)	Defect Liability Period	74.0	12 (Twelve) Months from the date of taking over of works.
xvi)	Arbitration	76	Arbitration shall be as per provisions of Clause no.76 of GCC. The Venue of Arbitration shall be
xvii)	Jurisdiction	76.3	Courts in

#### SIGNATURE OF TENDERER

NAME (CAPITAL LETTERS) :

OCCUPATION

ADDRESS

SEAL OF TENDERER



# ENGINEERING PROJECTS (INDIA) LIMITED (A Govt. of India Enterprise)

## GENERAL CONDITIONS OF CONTRACT <u>AND</u> <u>LABOUR SAFETY PROVISIONS, MODEL RULES</u> <u>CONTRACTOR'S LABOUR REGULATIONS</u> <u>& PRESCRIBED PROFORMAS</u>

### **GENERAL CONDITIONS OF CONTRACT**

#### 1.0 GENERAL

The Contract means the documents forming the Tender and acceptance thereof and the formal agreement executed between the competent authority on behalf of EPI and the Contractor, together with the documents referred to therein including these conditions, the Specifications, Designs, Drawings and Instructions issued from time to time by the Engineer-In-Charge and all these documents taken together, shall be deemed to form one contract and shall be complementary to one another.

- 1.1 In the contract, the following expressions shall, unless the context otherwise requires, have the meanings, hereby respectively assigned to them.
- 1.2 Engineering Projects (India) Limited, hereinafter called 'EPI' proposes to get the works executed as mentioned in the Contract on behalf of Owner/ Client.
- 1.3 The work will be executed as per Drawings "GOOD FOR CONSTRUCTION" to be released by EPI unless otherwise specified elsewhere in the Tender Documents.

#### 1.4 OTHER DEFINITIONS

- a) ENGINEER-IN-CHARGE means the Regional Office In-Charge of EPI himself or an engineer of EPI nominated by the Regional Office In-Charge for supervision and/or project management of the project from time to time.
- b) WORKS OR WORK The expression works or work shall unless there be something either in the subject or context repugnant to such construction, be construed and taken to mean the works by or by virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.
- c) CONTRACTOR The Contractor shall mean the individual, firm or company, whether incorporated or not, undertaking the works and shall include the legal personal representative of such individual or the persons composing such firm or company, or the successors of such firm or company and the permitted assignees of such individual, firm or company.
- d) DRAWINGS mean the Drawings referred to in the Bill of Quantities, specifications and any modifications of such Drawings or such other Drawings as may from time to time be approved or furnished by EPI.
- e) SITE means the lands and other places on, under, in or through which the works are to be executed or carried out and any other lands or places provided by EPI or used for the purpose of the agreement.
- f) APPROVAL means approved in writing including subsequent written confirmation of previous verbal approval.

- g) WRITING means any manuscript typed, written or printed statement under or over signature and/or seal as the case may be.
- h) MONTH means English Calendar month. 'Day' means a Calendar day of 24 Hrs each.
- i) CONTRACT VALUE means the sum for which the Tender is accepted as per the Agreement/ Letter of Acceptance/ Letter of Intent.
- j) LANGUAGE: All documents and correspondence in respect of this contract shall be in English Language. In case of any discrepancy between the English version and the Hindi version of these documents, the provisions contained in the English version shall be applicable.
- k) BILL OF QUANTITIES or SCHEDULE OF QUANTITIES means the priced and completed Bill of Quantities or Schedule of Quantities forming part of the Tender.
- I) OWNER/ CLIENT / EMPLOYER means the Government, Organization, Authority, Company, Ministry, Department, Society, Cooperative etc. who has awarded the work/ project to EPI and/ or appointed EPI as Implementing / Executing Agency/ Project Manager and/ or for whom EPI is acting as an agent and on whose behalf EPI is entering into the contract and getting the work executed.
- m) IMPLEMENTING/ EXECUTING AGENCY means EPI
- n) TENDER means the Contractor's priced offer to EPI for the execution and completion of the work and the remedying of any defects therein in accordance with the provisions of the Contract, as accepted by the Letter of Intent or Award letter. The word TENDER is synonymous with Bid and the word TENDER DOCUMENTS with "Bidding Documents" or "offer documents".
- The headings in the clauses/ conditions of Tender Documents are for convenience only and shall not be used for interpretation of the clause/ condition.
- p) Words imparting the singular meaning only also include the plurals and vice versa where the context requires. Words imparting persons or parties shall include firms and corporations and organizations having legal capacities.
- q) APPROVED INSURANCE COMPANY means any Insurance Company registered with 'Insurance Regulatory & Development Authority' (IRDA) of India and meeting insurance needs of the projects of EPI.

#### 2.0 SITE VISIT AND COLLECTING LOCAL INFORMATION

Before tendering, the tenderer is advised to visit the Site, its surroundings to assess and satisfy themselves about the local conditions such as the working and other constraints at Site, approach roads to the Site, availability of water & power supply, applicability of taxes, duties and levies etc., nature of ground, soil and sub-soil condition, underground water table level, accommodations they may require etc., river regime, river water levels, other details of river, streams & any other relevant information required by them to execute the complete scope of work. The tenderer may obtain all necessary information as to risks, weather conditions, contingencies & other circumstances (insurgencies etc.) which may influence or affect their tender prices. Tenderer shall be deemed to have considered Site conditions whether he has inspected it or not and to have satisfied himself in all respects before quoting his rates and no claim or extra charges whatsoever in this regard shall be entertained / payable by EPI at a later date.

#### 2.1 ACCESS BY ROAD

Contractor, if necessary, shall build temporary access roads to the actual Site of construction for the works at his own cost to make the Site accessible. The Contractor shall maintain the same in motorable condition at all times as directed by Engineer-In-Charge at his own cost. The Contractor shall be required to permit the use of any roads so constructed by him for vehicles of EPI or any other agencies/ Contractors who may be engaged on the project Site, free of cost.

Non-availability of access roads or approach to Site, for the use of the Contractor shall in no case condone any delay in the execution of work nor be the cause for any claim for compensation.

#### 2.2 HANDING OVER & CLEARING OF SITE

- 2.2.1 The Contractor should note that area for construction may be made available in phases as per availability and in conjunction with pace of actual progress of work at Site. The work may be required to be carried out in constrained situations. The work is to be carried out in such a way that the traffic, people movement, if any, is kept operative and nothing extra shall be payable to the Contractor due to this phasing / sequencing of the work. The Contractor is required to arrange the resources to complete the entire project within total stipulated time. Traffic diversion, if required, is to be done and maintained as per specification by the Contractor at his own cost and the Contractor shall not be entitled for any extra payment, whatsoever, in this regard.
- 2.2.2 Efforts will be made by EPI to handover the Site to the Contractor free of encumbrances. However, in case of any delay in handing over of the Site to the Contractor, EPI shall only consider suitable extension of time for the execution of the work. It should be clearly understood that EPI shall not consider any revision in contract price or any other compensation whatsoever viz. towards idleness of Contractor's labour, equipment etc.
- 2.2.3 The Contractor shall be responsible for removal of all over-ground and underground structures (permanent, semi-permanent and temporary) and constructions from the Site. The cost to be incurred in this regard shall be deemed to be included in the quoted rates of Bill of Quantities items and Contractor shall not be entitled for any extra payment whatsoever, in this regard. Old structures on the proposed Site, if required, shall be demolished by the Contractor properly. The useful material obtained from demolition of structures &

services shall be the property of the Owner/EPI and these materials shall be stacked in workmanship like manner at the place specified by the Engineer- in-charge.

- 2.2.4 If required, the Contractor has to do site clearance, enabling work, barricading, diversion of Roads, shifting/ realignment of existing utility services, drains, nallahs etc. at his own cost as per direction of Engineer-In-Charge and the Contractor shall not be entitled for any extra payment whatsoever in this regard.
- 2.2.5 Necessary arrangements including its maintenance are to be made by the Contractor for temporary diversion of flow of existing drain and road, as the case may be. The existing drain, road would be demolished, wherever required, with the progress of work under the scope of proposed project. The existing Road and Drain, which are not in the alignment of the said project but are affected and/ or need to be demolished during execution for smooth progress of the project, shall be restored to its original status and condition (including black topping) by the Contractor at his own. The cost to be incurred by Contractor in these regards shall be deemed to be included in the quoted rates of the Bill of Quantities items and Contractor shall not be entitled for any extra payment whatsoever, in these regards.
- 2.2.6 The Contractor shall be responsible to co-ordinate with service provider/ concerned authorities for cutting of trees, shifting of utilities and removal of encroachments etc. and making the Site unhindered for completion of work. This shall include initial and frequent follow up meetings/ actions/ discussions with each involved service provider/ concerned authorities. The Contractor shall not be entitled for any additional compensation for delay in cutting of trees, shifting of utilities and removal of encroachments by the service provider/ concerned authorities.
- 2.2.7 The information about the public utilities (whether over ground or underground) like electrical/ telephone/ water supply lines, OFC Cables, sewer lines, open drains etc. is the responsibility of Contractor who has to ascertain the utilities that are to be affected by the works through the site investigation and collection of information from the concerned utility Owners.
- 2.2.8 The Contractor shall be responsible to obtain necessary approval from the respective authorities for shifting/ re-alignment of existing public utilities. EPI shall only provide necessary letters required for liaisoning by the Contractor in obtaining the approval from the concerned authorities.
- 2.2.9 Any services affected by the works must be temporarily supported by the Contractor who must also take all measures reasonably required by the various bodies to protect their services and property during the progress of works. It shall be deemed to be the part of the contract and no extra payment shall be made to the Contractor for the same. Shifting/ re-alignment of public utilities should be done without disturbing the existing one. New service lines should be laid and connected before dismantling the existing one.
- 2.2.10 Shifting/ re-alignment of existing public utilities shall be done by the Contractor as per technical requirement of respective bodies or as per direction of Engineer-In-Charge. Shifting/ re-alignment of public utilities includes all materials, labours,

tools and plants and any other expenses whatsoever for the same. The cost to be incurred in this regard shall be deemed to be included in his quoted rates of BOQ items and the Contractor shall not be entitled for any extra payment, whatsoever, in this regard. In case any of these services are shifted by the State Govt/ local authorities themselves for which deposit as per their estimates is to be made to them, the Contractor shall deposit the same and the Contractor shall be paid only at the rates quoted by him in BOQ for quantity specified in the BOQ, if such items are included in the BOQ irrespective of amount paid by him to the State Govt./ local authorities for execution of these works. In case such provision is not made in the BOQ or the quantity exceeds those specified in the BOQ, the same is deemed to be included in the rates quoted by him for other items in BOQ and nothing extra shall be payable to Contractor on this account.

#### 3.0 SCOPE OF WORK

- 3.1 The scope of work covered in this Tender shall be as per the Bill of Quantities, Specifications, Drawings, Instructions, Orders issued to the Contractor from time to time during the pendency of work. The Drawings for this work, which may be referred for tendering, provide general idea only about the work to be performed under the scope of this contract. These may not be the final drawings and may not indicate the full range of the work under the scope of this contract. The work will be executed according to the Drawings to be released as "GOOD FOR CONSTRUCTION" from time to time by the Engineer-In-Charge of EPI and according to any additions/ modifications/ alterations/deletions made from time to time, as required by any other drawings that would be issued to the Contractor progressively during execution of work. It shall be the responsibility of the Contractor to incorporate the changes that may be in the scope of work, envisaged at the time of tendering and as actually required to be executed.
- 3.2 The quantities of various items as entered in the "BILL OF QUANTITIES" are indicative only and may vary depending upon the actual requirement. The Contractor shall be bound to carry out and complete the stipulated work irrespective of the variation in individual items specified in the Bill of Quantities. The variation of quantities will be governed as per clause No.69 of GCC.

#### 4.0 VALIDITY OF TENDER

The Tender for the works shall remain open for acceptance for a period of ninety days from the date of opening of Price Bid of Tenders. The earnest money will be forfeited without any prejudice to any right or remedy, in case the Contractor withdraws his Tender during the validity period or in case he changes his offer to his benefits, which are not acceptable to EPI. The validity period may be extended on mutual consent.

#### 5.0 ACCEPTANCE OF TENDER

EPI reserves to itself the authority to reject any or all the Tenders received without assigning any reason. The acceptance of a Tender shall be effective w.e.f. the date on which the telegram/ letter of intent or acceptance of the Tender is put in the communication by EPI. EPI also reserves the right to split the work

among two or more parties at lowest negotiated rate without assigning any reason thereof. The Contractor is bound to accept the portion of work as offered by EPI after split up at the quoted/ negotiated rates.

#### 6.0 SET OF TENDER DOCUMENTS:

The following documents will complete a set of Tender Documents.

- A) VOLUME I :
  - a) Instructions to tenderers
  - b) General Conditions of Contract
- B) VOLUME II :
  - a) Notice Inviting Tenders
  - b) Additional Conditions of Contract
  - c) Technical Specifications (General, Additional & Technical specifications)
  - d) Tender Drawings
- C) VOLUME III :

a) Schedule of Rates/ Bills of quantities (Price-Bid)

#### 7.0 EARNEST MONEY DEPOSIT

Earnest Money Deposit (EMD) of amount as mentioned in "Memorandum" to "Form of Tender" required to be submitted along with the Tender shall be in the form of Demand Draft payable at place as mentioned in "Notice Inviting Tender"/ "Instructions to Tenderers" in favour of 'Engineering Projects (India) Limited' from any Nationalised bank / Scheduled Bank or in the form of Bank Guarantee from any Nationalised bank / Scheduled Bank as per the enclosed format. The EMD shall be valid for minimum period of 150 days (One hundred fifty Days) from last day of submission of Tender.

- 7.1 EMD shall accompany the offer and placed in the sealed envelope cover of the offer as detailed in Instructions to Tenderer. Any tender not accompanied with the requisite Earnest Money Deposit alongwith 'Letter of Undertaking' shall be rejected and such tenderer(s) will not be allowed to attend the opening of bids.
- 7.2 The EMD of all unsuccessful tenderers (i.e. except evaluated lowest tenderer) shall be returned within Seven (7) days of the opening of price bids by EPI. Subject to clause 7.6 herein below, EMD of successful tenderer shall be refunded after submission of Security Deposit cum Performance Guarantee by him.
- 7.3 Once the tenderer has given an unconditional acceptance to the tender conditions in its entirety, he is not permitted to put any remark(s)/conditions(s) (except unconditional rebate on price, if any) in/ along-with the Tender.
- 7.4 In case the condition 7.3 mentioned above is found violated at any time after opening of Tender, the Tender shall be summarily rejected and EPI shall, without

prejudice to any other right or remedy, be at liberty to forfeit the full said Earnest Money absolutely.

- 7.5 No interest will be payable by EPI on the said amount covered under EMD/Other security documents.
- 7.6 EMD of successful tenderer, if deposited in the form of Demand Draft, shall be treated as part of Retention Money.
- 7.7 At any time after the due date of the Tender, if any tenderer alters /modifies/withdraws his tender within the validity period (or the extended validity period) of his tender or fails to furnish the "Security Deposit cum Performance Guarantee" or the "Additional Performance Guarantee" or fails to execute the "Contract Agreement" within the prescribed time period after the placement of LOI on him, EPI without prejudice to any other rights or remedies shall be at liberty to forfeit the Earnest Money deposited by the tenderer. In the event of retender, such tenderer shall not be allowed to submit tender

#### 8.0 MOBILIZATION ADVANCE

- 8.1 Mobilization advance up to maximum of amount as mentioned in the "Memorandum" to the "Form of Tender" shall be paid to the Contractor on submission of non-revocable and unconditional Bank Guarantee of an equivalent amount in case of interest free Mobilization Advance or for an amount equal to 110% of the Mobilization Advance in case of interest bearing Mobilization Advance, from a Nationalized Bank / Scheduled Bank as per the enclosed Performa subject to conditions given hereunder. The Mobilization Advance shall be at the Interest Rate as mentioned in the "Memorandum" to the "Form of Tender". This advance shall be paid in three installments as follows:
  - i) First Installment of fifty percent of total mobilization advance shall be paid after fulfillment of the following conditions:
    - a) Signing of the agreement.
    - b) Submission of Security Deposit cum Performance Guarantee as per Clause No. 9.
  - ii) Second installment of twenty five percent of total mobilization advance will be paid after the setting up of site office and providing facilities to EPI as per contract, and completion of enabling works required for taking up the construction. These include construction of store, labour hutments, etc.
  - iii) The balance twenty five percent of total mobilization advance shall be paid on mobilization of manpower, plant & equipment etc. to the satisfaction of Engineer-In-Charge of EPI.
- 8.2 The Advance shall be recovered on monthly installment basis. The installments shall commence when 20% of the scheduled contract period has elapsed and fully recovered when 80% of the scheduled contract period is over, both from

date of start. (The month of start & completion of recovery of mobilization advance to be rounded off to nearest full month).

- 8.3 Part 'Bank Guarantees' (BGs) against mobilization advance shall be furnished in as many numbers as the number of recovery installments as given in "Memorandum" to the "Form of Tender" and should be equivalent to the amount of each recovery installment. At any point of time, if the Contractor's payable amount on account of work done is not available with EPI or the amount payable is less than the recovery installment, recovery of such advance shall be effected by encashing the BG of equivalent recovery amount. The decision of EPI in this regard shall be final and binding on the Contractor. The validity period for the part BGs shall be till three months after the end of the month in which instalment is due to be recovered with further three months claim period.
- 8.4 In case recovery of Mobilization Advance is delayed, interest shall be charged @12% (Twelve percent) per annum on delayed recoveries due to late submission of bills by the Contractor or due to delayed encashment of Bank Guarantee, as stated above or due to any other reasons whatsoever.
- 8.5 Contractor is required to furnish the Utilization Certificate for each installment of mobilization advance to the satisfaction of Engineer-In-Charge. Subsequent installments of mobilization advance shall be released only after getting satisfactory utilisation certificate from the Contractor for the earlier released installment.
- 8.6 Notwithstanding what is contained in aforesaid clauses, no mobilization advance whatsoever shall be payable, if payment of mobilization advance is not mentioned in the "Memorandum" to the "Form of Tender".

#### 9.0 SECURITY DEPOSIT CUM PERFORMANCE GUARANTEE

"Within 10 (ten) days from the date of issue of letter of Intent or within such extended time as may be granted by EPI in writing, the Contractor shall submit to EPI a Security Deposit cum Performance Bank Guarantee in the form appended, from any Nationalised bank / Scheduled Bank equivalent to 5% (five percent only) of the Contract Value for the due and proper execution of the contract. This bank guarantee shall remain valid up to 90 (ninety) days after the end of defects liability period.

In case the Contractor fails to submit the Security Deposit cum Performance Guarantee of the requisite amount within the stipulated period or extended period, letter of intent will stand withdrawn and EMD of Contractor shall be forfeited.

#### 9.1 ADDITIONAL PERFORMANCE GUARANTEE FOR EXISTING CONTRACTORS

In case bidder is a working Contractor of EPI at the time of issuance of Letter of Intent (LOI) for the work, the bidder has to furnish an additional Performance Guarantee of 1% (One Percent) of the Contract Value of the work, in case working capacity of the bidder is less than the aggregate of balance work-load of all the works of the bidder with EPI as on date of placement of LOI for this work. The balance workload shall also include the value of work awarded but not yet started and finally approved value of this work. This additional Performance Guarantee shall be in addition to the Security Deposit cum Performance Guarantee of the works to be furnished by the bidder as specified in the clause no. 9 of General Conditions of Contract. Further, no relaxation in Security Deposit cum Performance Guarantee as in clause no. 9 of General Conditions of Contract shall be made in case working capacity works-out to be more than the balance value of works as mentioned above. The working capacity of the Contractor shall be calculated as under:

WORKING CAPACITY = 2.5 X (Average Turnover of the party as per latest three audited Balance Sheets).

NOTE: The decision of amount of additional Performance Guarantee as above shall be taken by EPI and shall be final & binding to the Contractor.

In case the Contractor fails to submit the additional performance guarantee of the requisite amount within 10 days from the date of issue of letter of Intent or within such extended time as may be granted by EPI in writing, the letter of intent will stand withdrawn and EMD of the Contractor shall be forfeited.

#### 9.2 ABNORMALLY HIGH AND LOW RATED ITEMS

For item rate tenders if, the rates quoted by the lowest bidder for certain items of the Bill of Quantities of the Tender are found to be abnormally high or low in comparison to the Market Rate analysis of the item done by EPI and/or in comparison to EPI's method of working out market rate justification for the items, the same shall be governed as under: -

For Abnormally High Rated items (AHR), the progressive payment shall be 80% (Eighty percent) of the payment due to the Contractor against execution of the AHR items. The balance withheld 20% (twenty percent) payment shall be released after 80% of total value of the original contract is completed in financial terms in order to ensure that the Abnormally Low Rated (ALR) items identified at the time of Award of work have been executed as per requirement of project and as per terms of Contract. Further, deviation limit for AHR items shall be nil on plus side and 100% on minus side. The provision of deviation limit of clause 69.1(v) shall not apply to AHR items. In case of deviation of quantities given in schedule of quantities for AHR items on plus side, the same shall be governed by clause 69.2. The decision of Engineer-In-Charge of EPI in this regard shall be final and binding on the Contractor.

The provision of para 9.2 shall not be applicable on tenders invited on Percentage Rate/lump Sum basis.

The decision of EPI on identification/marking of AHR and ALR items is final and binding on the Contractor. In case the Contractor does not agree to the identified AHR and ALR items, at the time of award of works, the EMD/Security Deposit cum Performance Guarantee of the Contractor shall be forfeited and decision of EPI in this regard shall be final & binding on the Contractor.

#### 10.0 RETENTION MONEY

The Retention Money shall be deducted from each running bill of the Contractor at 5% (five percent only) of the gross value of the Running Account bill. The Earnest Money Deposited by the tenderer in the form of Demand Draft will be treated as part of the Retention Money. The Retention Money shall be refunded to the Contractor after expiry of defects liability period (referred to in Clause No. 74) or on payment of the amount of the final bill whichever is later. If the amount of Retention Money deduction in cash is more than Rs.10.00 lakhs (Rupees Ten lakhs only), the excess amount can be refunded to Contractor against submission of Bank Guarantee of equivalent amount from a Nationalised bank / Scheduled Bank in the prescribed proforma of Performance Guarantee of EPI.

#### 11.0 MOBILIZATION OF MEN, MATERIALS AND MACHINERY:

- 11.1 All expenses towards mobilization at Site and de-mobilization including bringing in equipment, work force, materials, dismantling the equipments, clearing the Site etc. shall be deemed to be included in prices quoted and no separate payment on account of such expenses shall be entertained.
- 11.2 It shall be entirely the Contractor's responsibility to provide, operate and maintain all necessary construction equipments, scaffoldings and safety gadget, lifting tackles, tools and appliances to perform the work in a workman like and efficient manner and complete all jobs as per the specifications and within the schedule time of completion of work. Further, Contractor shall also be responsible for obtaining temporary electric and water connection for all purposes. The Contractor shall also make standby arrangement for water & electricity to ensure un-interrupted supply.
- 11.3 It shall be the responsibility of the Contractor to obtain the approval for any revision and/ or modification desired by him from EPI before implementation. Also such revisions and/or modifications if accepted / approved by EPI shall be carried at no extra cost to EPI.
- 11.4 The procurement and supply in sequence and at the appropriate time of all materials and consumable shall be entirely the Contractor's responsibility and his rates for execution of work shall be inclusive of supply of all these items.

- 11.5 It is mandatory for the Contractor to provide safety equipments and gadgets to its all workers, supervisory and Technical staff engaged in the execution of the work while working. The minimum requirement (but not limited to) shall be gumboots, safety helmets, Rubber hand gloves, facemasks, safety nets, belts, goggles etc. as per work requirements. Sufficient nos. of these equipments and gadgets shall also be provided to EPI by the Contractor at his own cost for use of EPI Officials and/ or workforce while working/ supervision at Site. No staff/ worker shall be allowed to enter the Site without these equipments/ gadgets. The cost of the above equipments/ gadgets are deemed to be included in the rates quoted by the Contractor for the items & works as per Bill of Quantities and Contractor shall not be entitled for any extra cost in these regard. The above norm is to be strictly complied with at Site. In case the Contractor is found to be deficient in providing Safety Equipments/ Gadgets in the opinion of Engineer-In-Charge, the Engineer-In-Charge at his option can procure the same at the risk & cost of Contractor and provide the same for the use of worksite and shall make the recoveries from the bills of the Contractor for the same. The decision of the Engineer-In-Charge shall be final and binding on Contractor in this regard.
- 11.6 All Designs, Drawings, Bill of Quantities, etc. (except Bar Bending Schedule, Shop & Fabrication Drawings) for all works shall be supplied to the Contractor for all buildings services and development works by EPI in phased manner as the works progress. However it shall be the duty and responsibility of the Contractor to bring to the notice of EPI in writing as to any variation, discrepancy or any other changes required and to obtain revised drawings and designs and / or approval of EPI in writing for the same.
- 11.7 One copy of contract documents including Drawings furnished to the Contractor shall be kept at the Site and the same shall at all reasonable times be available for inspection.
- 11.8 All materials, construction plants and equipments etc. once brought by the Contractor within the project area, will not be allowed to be removed from the premises without the written permission of EPI. Similarly all enabling works built by the Contractor for the main construction undertaken by him, shall not be dismantled and removed without the written authority of EPI.
- 11.9 Contractor shall have to prepare the Bar Bending Schedule, Shop and Fabrication Drawings free of cost, if required for any of the items of work. Five copies of these Drawings each including for revision will be submitted to EPI for approval. Before executing the item, Bar Bending Schedule, Shop & Fabrication Drawings should be got approved from EPI.

# 12.0 INCOME TAX DEDUCTION

Income tax deductions shall be made from all payments made to the Contractor including advances against work done, in accordance with the Income Tax act prevailing from time to time.

## 13.0 TAXES AND DUTIES

- 13.1 The Contractor shall be responsible for the payment, wherever payable, at his own cost of all taxes such as excise duty, custom duty, sales tax, including the purchase tax, consignment tax, work contract tax, service tax, VAT or any other similar tax in the state concerned, turnover tax, toll tax, octroi charges, royalty, cess, levy and other tax (es) or duty (ies) which may be specified by local/ state/ central government from time to time on all materials, articles which may be used for this work. The rates quoted by him in the Tender in Bill of Quantities shall be inclusive of all such taxes, duties, etc. The imposition of any new and/ or increase in the aforesaid taxes, duties, levies (including fresh imposition of Work Contract Tax, Turnover Tax, Sales Tax on Work Contract, VAT or any other similar Tax) etc. during the currency of the contract shall be borne by Contractor and shall not be paid or reimbursed to the Contractor by EPI. In the event of nonpayment/default in payment of any octroi, royalty, cess, turnover tax, sales tax, including the purchase tax, consignment tax, work contract tax, VAT, Service Tax or any other similar tax in the state concerned, customs, excise or any other levy/tax including labour dues etc. by Contractor, EPI reserves the right to withhold the dues/ payments of Contractor and make payment to local/state/ Central Government authorities or to labourers as may be applicable. The Contractor should submit along with the Tender Registration Certificates with Sales Tax on works contract authority etc. other wise appropriate recovery shall be made from his bills.
- 13.2 The rate quoted by the Contractor shall be deemed to be inclusive of all Taxes and duties as mentioned in clause no.13.1 given above or any other tax as applicable and the same shall not be reimbursed by EPI. Tax deductions at source shall be made as per laws prevalent in the State.
- 13.3 The stamp duty and registration charges, if any, on the contract agreement levied by the Government or any other statutory body, shall be paid by the Contractor.
- 13.4 It will be incumbent upon the Contractor to obtain a registration certificate as a dealer under the Local Sales Tax Act and the Central Sales Tax Act, Service Tax, etc. and necessary evidence to this effect shall be furnished by the Contractor to EPI. Sales Tax on the transactions between the Contractor and his Sub-Contractor/Vendors etc. shall be borne by the Contractor. The Contractor shall be responsible for any taxes that may be levied hereunder on the transaction between Contractor and EPI.
- 13.5 The bidder shall quote his rates inclusive of Turnover Tax/ Sales Tax on Works Contract payable to State Govt. along-with other taxes, duties, levies etc. in conjunction with other terms and conditions. In case, the Turnover Tax/ Sales Tax on Works Contract on execution of works is waived off by the State Govt. at later stage for this project, the equivalent amount from the date of waiver of such tax (as per prevailing rate as on the date of waiver of Turnover Tax/ Sales Tax on Works Contract) shall be deducted from the amount payable to the Contractor from subsequent RA Bills.

# 13.6 VALUE ADDED TAX (VAT)

The consideration agreed for the execution of said contract shall include the taxes, duties, cess, etc. such as excise duty, service tax, VAT, which is leviable or may be levied in future under any State Law or the Central Law on execution of said contract, such taxes shall be borne by the Contractor and shall not be reimbursed by EPI. Further, if due to any variance in such tax, duties, cess etc. there is any increase in the taxes, the same shall also be borne by the Contractor. Where under any of the State or the Central Law, there is requirement of deduction of tax at source, the same shall be deducted from the amount paid or payable to the Contractor pursuant to this contract and shall be deposited to the Government authorities by EPI. EPI shall issue the documents/forms/ certificate as prescribed under the relevant law, in respect of the amount so deducted from the amount paid or payable to the Contractor. EPI shall have full rights to withhold the amount payable to the Contractor in pursuant to this contract, if Contractor does not fulfill his obligation under any State or Central Law relating to execution of said contract, in case the amount has already been paid by EPI, EPI has the right to recover such payments from the Contractor.

# 14.0 ROYALTY ON MATERIALS:

The Contractor shall deposit royalty and obtain necessary permit for supply of bajri, stone, kankar, sand, etc. from the local authorities and quoted rates shall be inclusive of royalty.

## 15.0 RATES TO BE FIRM

- 15.1 The rates quoted by the tenderer shall be firm and fixed for the entire period of completion and till handing over of the work. No revision to rates or any escalation shall be allowed on account of any increase in prices of materials, labour, POL and Overheads etc or any other statutory increase during the entire contract period or extended contract period.
- 15.2 The Contractor shall be deemed to have inspected the Site, its surrounding and acquainted itself with the nature of the ground, accessibility of the Site and full extent and nature of all operations necessary for the full and proper execution of the contract, space for storage of materials, construction plant, temporary works, restrictions of working time, restrictions on the plying of heavy vehicles in area, supply and use of labour, materials, plant, equipment and laws, rules and regulations, if any, imposed by the local authorities.
- 15.3 The rates and prices to be tendered in the Bill of Quantities are for completed and finished items of works complete in all respects. It will be deemed to include all construction plant, labour, supervision, materials, transport, all temporary works, erection, maintenance, Contractor's profit and establishment/ overheads, together with preparation of designs & drawings pertaining to casting yard, shop drawing, fabrication drawing (if required), staging form work, stacking yard, etc. all general risk, taxes, royalty, duties, cess, octroi and other levies, insurance,

liabilities and obligations set out or implied in the Tender Documents and contract.

- 15.4 Unless otherwise specified in the Bill of Quantities (BOQ), the Contractor has to make his own arrangement for dewatering/ bailing out of water, effluent including strutting, shoring etc at every stage of work wherever required (including Tunnel work) including working under foul condition as per direction of Engineer-In-Charge at his own cost and the Contractor shall not be entitled for any extra payment, whatsoever, in this regard.
- 15.5 If required to make work site suitable for execution, Contractor shall have to clear jungle including of rank vegetation, grass, trees etc., clear & clean existing drains/ canals (including strutting, shoring and packing cavities) and dispose them out of the Site up-to any lead and lift as per direction of Engineer-In-Charge. The Contractor should inspect the Site of work from this point of view. Unless otherwise specified in the Bill of Quantities, the cost to be incurred in this regard shall be deemed to be included in his quoted rates of BOQ items and the Contractor shall not be entitled for any extra payment in this regard.
- 15.6 If any temporary/ permanent structure is encountered or safety of such structure in the vicinity is endangered due to execution of the project, the Contractor has to protect the structures by any means as per direction of Engineer - in – Charge. If any damage caused to any temporary or permanent structure(s) in the vicinity is caused due to execution of the project, the Contractor has to make good the same by any means as per direction of Engineer - in – Charge. The Contractor should inspect the Site of work from this point of view. The cost to be incurred in this regard shall be deemed to be included in his quoted rates of BOQ items and the Contractor shall not be entitled for any extra payment in this regard.

# 16.0 ESCALATION / PRICE VARIATION

No claim on account of any Price Variation / Escalation on whatsoever ground shall be entertained at any stage of works. All rates as per Bill of Quantities (BOQ)/Price-Bid quoted by Contractor shall be firm and fixed for entire contract period as well as extended period for completion of the works. No escalation/price variation clause shall be applicable on this contract.

## 17.0 INSURANCE OF WORKS ETC.

Contractor is required to take Contractor's All Risk Policy or Erection All Risk Policy (as the case may be) including Marine Insurance from an Approved Insurance Company in the joint name with EPI and bear all costs towards the same for the full period of execution of works including the defect liability period for the full amount of contract against all loss or damage from whatever cause arising for which he is responsible under the terms of the contract and in such manner that EPI and the Contractor are covered during the period of construction of works and/or also covered during the period of defect liability for the loss or damage as under:

a. The work and the temporary works to the full value of such works.

b. The materials, construction plant, centering, shuttering and scaffolding materials and other things brought to the Site for their full value. Whenever required by EPI, the Contractor shall produce the policy or the policies of insurance and the receipts for payment of the current premiums.

## 18.0 INSURANCE UNDER WORKMEN'S COMPENSATION ACT

Contractor is required to take insurance cover as per requirement of the Workmen's Compensation Act, 1923 amended from time to time from an Approved Insurance Company and pay premium charges thereof. Wherever required by EPI the Contractor shall produce the policy or the policies of Insurance and the receipt of payment of the current premiums.

## 19.0 THIRD PARTY INSURANCE

Contractor is required to take third party insurance cover for an amount of 5% (five percent) of Contract Value from an Approved Insurance Company for insurance against any damage, injury or loss which may occur to any person or property including that of EPI, arising out of the execution of the works or temporary works. Wherever required by EPI the Contractor shall produce the policy or the policies of Insurance and the receipt of payment of the current premiums.

In case of failure of the Contractor to obtain insurance for works, insurance under Workman Compensation Act and Third Party insurance as described above within one month from the date of commencement of work, running account payments of the Contractor shall be withheld till such time the aforesaid insurance covers are obtained by the Contractor.

# 20.0 INDEMNITY AGAINST PATENT RIGHTS

The Contractor shall fully indemnify EPI from and against all claims and proceedings for or on account of any infringement of any patent rights, design, trademark or name or other protected rights in respect of any construction plant, machine, work or material used for in connection with the works or temporary works.

# 21.0 LABOUR LAWS TO BE COMPLIED WITH BY THE CONTRACTOR

The Contractor shall obtain a valid licence under the contract labour (Regulation & Abolition) Act 1970 and the Contract Labour Act (R&A) Central Rules 1971 and amended from time to time, and continue to have a valid licence until the completion of the work including defect liability period. The Contractor shall also abide by the provision of the child labour (Prohibition and Regulation) Act. 1986 and as amended from time to time. Any failure to fulfill this requirement shall attract the penal provisions of this contract arising out of the resultant non-execution of the work.

The Contractor shall comply with the provisions of the payment of Wages Act, 1936, Minimum Wages Act, 1948, Employer's Liability Act, 1938, Workmen's Compensation Act, 1923, Maternity Benefit Act, 1961 and Mines Act -1932, Industrial Disputes Act, 1947 or any modifications thereof or any other law relating thereto and rules made there under from, time to time.

21.1 No labour below the age of 18 years shall be employed on the work.

#### 22.0 LABOUR SAFETY PROVISION

The Contractor shall be fully responsible to observe the labour safety provisions.

#### 23.0 OBSERVANCE OF LABOUR LAWS

- 23.1 The Contractor shall be fully responsible for observance of all labour laws applicable including local laws and other laws applicable in this matter and shall Indemnify and keep indemnified EPI against effect of non observance of any such laws. The Contractor shall be liable to make payment to all its employees, workers and sub-Contractors and make compliance with labour laws. If EPI or the Client/ Owner/ Employer is held liable as "Principal Employer" to pay any amount or contributions etc. under legislation of Govt. or Court decision in respect of the employees of the Contractor, then the Contractor would reimburse the amount of such payments, contribution etc. to EPI and/ or same shall be deducted from the payments, Retention Money etc. of the Contractor.
- 23.2 The Contractor shall submit proof of having valid EPF registration certificate. In absence of the said certificate payment to the extent of 4.70% (four point seven percent) of the value of all the Running Account bills may be withheld by EPI and shall be released only after the production of the EPF registration certificate from the concerned authorities. If it is incumbent upon EPI to deposit withheld amount with EPF authorities, the withheld amount shall be deposited by EPI with EPF authorities. In such a case EPI shall not refund this withheld amount to the Contractor even after the production of EPF registration certificate.
- 23.3 The Contractor shall be liable to pay cess levied under the Building and other Construction Workers Welfare Cess Act, 1996, at such rates as may be notified by the Government from time to time. EPI shall deduct at source from every Running Account Bill of the Contractor, the said cess, at such rates for the time being prevailing, which shall not exceed 2% (two percent) but not be less than 1% (one percent) of the cost of construction incurred by EPI.

## 24.0 LAWS GOVERNING THE CONTRACT

This contract shall be governed by the Indian Laws for the time being in force and amended from time to time.

## 25.0 LAWS, BYE LAWS RELATING TO THE WORK

The Contractor shall strictly abide by the provisions, for the time being in force, of law relating to works or any regulations and bye laws made by any local authority or any water & lighting agencies or any undertakings within the limits of the jurisdiction of which the work is proposed to be executed. The Contractor shall be bound to give to the authorities concerned such notices and take all approvals as may be provided in the law, regulations or bye laws as aforesaid, and to pay all fees and taxes payable to such authorities in respect thereof.

# 26.0 EMPLOYMENT OF PERSONNEL

- 26.1 The Contractor shall employ only Indian Nationals as his representatives, servants and workmen after verifying their antecedents and loyalty. He shall ensure that no personnel of doubtful antecedents & integrity and any other nationality in any way are associated with the works.
- 26.2 EPI shall have full power to get removed immediately any representative, agent, servant and workmen or employees of the Contractor on account of misconduct, negligence or incompetence or whose continued employment may in the opinion of the Engineer-In-Charge be undesirable without assigning any reason for the removal. The Contractor shall not be allowed any compensation on this account whatsoever.

# 27.0 TECHNICAL STAFF FOR WORK

- 27.1 The Contractor shall employ at his cost the adequate number of technical staff during the execution of this work depending upon the requirement of work. For this purpose the numbers to be deployed, their qualification, experience as decided by EPI shall be final and binding on Contractor. The Contractor shall not be entitled for any extra payment in this regard. The technical staff should be available at Site, whenever required by EPI to take instructions.
- 27.2 Within 15 days from the date of letter of intent, the Contractor shall submit a site organizational chart and Resume including details of experience of the Project-in-Charge and other staff proposed by him and shall depute them on the Project after getting approval from Engineer-In-Charge. If desired by the Contractor at later date, the Project-in-Charge and other staff whose resume is approved by EPI can be replaced with prior written approval of EPI and replacement shall be with equivalent or superior candidate only. Decision of Engineer-In-Charge shall be final and binding on the Contractor.

Even after approving the site organizational chart, the Engineer-In-Charge due to nature and exigency of work can direct the Contractor to depute such additional staff as in view of Engineer-In-Charge is necessary and having qualification and experience as approved by the Engineer-In-Charge. The removal of such additional staff from the Site shall only be with the prior written approval of Engineer-In-Charge. The Contractor shall not be paid anything extra whatsoever on account of deployment of additional staff and decision of the Engineer-In-Charge shall be final and binding on the Contractor.

27.3 In case the Contractor fails to employ the staff as aforesaid, he shall be liable to pay a reasonable amount not exceeding a sum of Rs. 25,000 (Rupees Twenty Five Thousand only) for each month of default in the case of each person. The

decision of the Engineer-In-Charge as to number of Technical Staff to be adequate for the project and the period for which the required technical staff was not employed by the Contractor and as to the reasonableness of the amount to be deducted on this account shall be final and binding on the Contractor.

#### 28.0 LAND FOR LABOUR HUTS/ SITE OFFICE AND STORAGE ACCOMMODATION

- 28.1 The Contractor shall arrange the land for temporary office, storage accommodation and labour huts at his own cost and get the clearance of local authorities for setting up of labour camp and cost of same is deemed to be included in the rates quoted by the Contractor for the works. The Contractor shall ensure that the area of labour huts is kept clean and sanitary conditions are maintained as laid down by the local authorities controlling the area. The labour huts shall be so placed that it does not hinder the progress of work or access to the worksite. The vacant possession of the land used, for the purpose shall be given back by Contractor after completion of the work. The Retention Money of the Contractor shall be released only after Contractor demolishes all structures including foundations and gives back clear vacant possession of this land.
- 28.2 In the event the Contractor has to shift his labour camp at any time during execution of the work on the Instructions of local authorities or as per the requirement of the work progress or as may be required by EPI, he shall comply with such instructions at his cost and no claim whatsoever shall be entertained on this account.

#### 28.3 FURNISHED OFFICE ACCOMMODATION & MOBILITY AND COMMUNICATION TO BE PROVIDED BY CONTRACTOR TO EPI

On acceptance of Tender, the Contractor at his own cost will construct a suitable furnished office at Site equipped with basic facilities such as telephone(s), fax, internet, photocopier, computer(s) & printer(s) alongwith operator(s), regular electricity & drinking water supply and vehicles for staff etc. as per the requirement of the project. The Contractor shall provide consumable as required and maintain the aforesaid facilities intact/operational during the currency of the contract including the defects liability period. The Contractor shall also make sufficient arrangement for photography/ videography preferably by maintaining a camera/video camera at Site so that photographs video can be taken of any specific activity at any point of time. The Contractor shall also provide software like MS Project etc. for the purpose of preparing progress report, etc.

28.4 The Contractor shall make all arrangements for ground breaking ceremony/ inaugural function etc for the project as required and the cost towards it is deemed to be included in his rates/offer. Any expenditure already incurred/to be incurred by EPI, shall be recovered from the Contractor.

## 28.5 **PROTECTION OF TREES**

Trees designated by the Engineer-In-Charge shall be protected from damage during the course of the works and earth level within one meter of each such tree shall not

be changed. Where necessary, such trees shall be protected by providing temporary fencing.

# 29.0 WATCH & WARD AND LIGHTING

The Contractor shall at his own cost take all precautions to ensure safety of life and property by providing necessary barriers, lights, watchmen etc. during the progress of work as directed by Engineer-In-Charge.

## 30.0 HEALTH & SANITARY ARRANGEMENTS

In case of all labour directly or indirectly employed in work for the performance on the Contractor's part of this contract, the Contractor shall comply with all rules and regulations framed by Govt. from time to time for the protection of health and sanitary arrangements for workers.

## 31.0 WORKMEN'S COMPENSATION ACT

The Contractor shall at all times indemnify EPI and Owner against all claims for compensation under the provision of Workmen's Compensation Act,1923 or any other law in force, for any workmen employed by the Contractor or his sub-Contractor in carrying out the contract and against all costs and expenses incurred by EPI therewith.

# 32.0 MINIMUM WAGES ACT

The Contractor shall comply with all the provisions of the Minimum Wages Act, 1948, Contract Labour Act (R&A) 1970, and rules framed thereunder and other labour laws/local laws affecting contract labour that may be brought into force from time to time.

## 33.0 LABOUR RECORDS

The Contractor shall submit by the 4th & 19th of every month to the Engineer-In-Charge of EPI a true statement, showing in respect of the second half of the preceding month and the first half of the current month, respectively, of the following data :-

- a) The number of the labour employed by him (category-wise).
- b) Their working hours.
- c) The wages paid to them.
- d) The accidents that occurred during the said fortnight showing the circumstances under which they happened and the extent of damage and injury caused.

- e) The number of female workers who have been allowed Maternity Benefits under the Maternity Benefit Act,1962 and the amount paid to them.
- f) Any other information required by Engineer-In-Charge.

## 34.0 RELEASE OF RETENTION MONEY AFTER LABOUR CLEARANCE

Retention Money of the work shall not be refunded till the Contractor produces a clearance certificate from the concerned Labour Officer. As soon as the work is virtually complete, the Contractor shall apply for the clearance certificate to the concerned Labour Officer under intimation to the Engineer-In-Charge. The Engineer-In-Charge, on receipt of the said communication, shall write to the Labour Officer to intimate if any complaint is pending against the Contractor in respect of the work. If no complaint is pending, on received from the Labour Officer to this effect till six months after the date of completion, it will be deemed to have received the clearance certificate and the Retention Money will be released if otherwise due.

#### 35.0 SECURED ADVANCE AGAINST NON-PERISHABLE MATERIALS

Interest free secured advance up-to a maximum of 75 % (seventy five percent) of the Market Value of the materials or the cost of materials as derived from the tendered item rate of the Contractor, whichever is less, required for incorporation in the permanent works and brought to Site and duly certified by EPI Site Engineer shall be paid to the Contractor for all non-perishable items as per CPWD/ MORTH (as the case may be) norms. The advance will be paid only on submission of Indemnity Bond in the prescribed pro-forma. The advance shall be recovered in full from next Running Account bill and fresh advance paid for the balance quantities of materials. The Contractor shall construct suitable godown at the Site of work for safe storage of the materials against any possible damages due to sun, rain, dampness, fire, theft etc. at his own cost. He shall also employ necessary watch & ward establishment for the purpose at his costs and risks Such secured advance shall be payable on other items of perishable nature, fragile and combustible with the approval of the Engineer-In-Charge provided the Contractor provides a comprehensive insurance cover for the full cost of such materials. The decision of the Engineer-In-Charge shall be final and binding on the Contractor in this matter. No secured advance shall however, be paid on high-risk materials such as ordinary glass, sand, petrol, diesel etc.

#### 36.0 MEASUREMENTS OF WORKS

36.1 Unless otherwise mentioned in the Bill of Quantities the measurements of works shall be done as per CPWD/MORTH specifications (as specified in Technical Specification of the Tender) and if the same is not given in the CPWD/MORTH Specifications, the same shall be measured as per latest relevant BIS codes in force. The quantity of steel reinforcement and the structural steel sections incorporated in the work shall be measured & paid on the basis of standard coefficients of sections as per BIS Codes of practice.

- 36.2 The Engineer-In-Charge shall except as otherwise stated ascertain and determine by measurement the value of work done in accordance with the contract.
- 36.3 All items having financial value shall be entered in Measurement Book, level book, etc. prescribed by EPI so that a complete record is obtained of all work performed under the contract. Items of non-financial value (which are not payable) may also be entered in Measurement Book at the sole discretion of the Engineer-In-Charge.
- 36.4 Measurements shall be taken jointly by the Engineer-In-Charge or his authorized representative and by the Contractor or his authorized representative.
- 36.5 Before taking measurements of any work the Engineer-In-Charge or the authorized person deputed by him for the purpose shall give a reasonable notice to the Contractor. If the Contractor fails to attend or send an authorized representative for measurement after such a notice or fails to countersign or to record the objection within a week from the date of measurement, then in any such event measurement taken by the Engineer-In-Charge or by the person deputed by him shall be taken to be correct measurements of the work.
- 36.6 The Contractor shall, without extra charge provide assistance with every appliance, labour and other things necessary for measurement.

Measurements shall be signed and dated by both parties each day on the Site on completion of measurement.

# 37.0 PAYMENTS

- 37.1 The bill shall be submitted by Contractor each month on or before the date fixed by the ENGINEER-IN-CHARGE for all works executed in previous months. The Contractor shall prepare computerized bills using the program as approved by Engineer-In-Charge as per prescribed format/ pro-forma. The Contractor shall submit five numbers of hard copies and one soft copy of floppy/ CD for all bills. Subject to clause 37.3 herein below, the payment due to the Contractor shall be made within fifteen days of getting the measurements verified from the Engineer-In-Charge or his subordinate/ representative and certification of bill by the Engineer-In-Charge.
- 37.2 All running payments shall be regarded as 'on account' payments against the final payment only and not as payments for work actually done and completed and / or accepted by EPI and shall not preclude the recovery for bad, unsound and imperfect or unskilled work to be removed and taken away and reconstructed or re-erected or be considered as an admission of the due performance of the Contract, or any part thereof, in this respect, or the accruing of any claim, nor shall it conclude, determine or affect in any way the powers of EPI under these conditions or any of them as to the final settlement and adjustments of the accounts or otherwise, or in any other way vary/ affect the contract. The final bill shall be submitted by the Contractor within three months of

the completion of work, otherwise EPI's certificate of the measurement and of the total amount payable for the work accordingly shall be final and binding on Contractor. Each Running Bill should be accompanied by two sets of at-least 20 (twenty) photographs as per direction of Engineer-In-Charge taken from various points depicting status of work as on Report/ Bill date along with Monthly Progress Report for the concerned month in the pro-forma to be given/ approved by Engineer-In-Charge. Intermittent progress photographs as and when required shall also be provided by the Contractor at his own cost as per direction of Engineer-In-Charge. No payment of running account bill shall be released unless it is accompanied by progress photographs and Monthly Progress Report as above.

- 37.3 It is clearly agreed and understood by the Contractor that notwithstanding anything to the contrary that may be stated in the agreement between EPI and the Contractor, the Contractor shall become entitled to payment only after EPI has received the corresponding payment(s) from the Client/ Owner for the work done by the Contractor. Any delay in the release of payment by the Client/ Owner to EPI leading to delay in the release of the corresponding payment by EPI to the Contractor shall not entitle the Contractor to any compensation/ interest from EPI.
- 37.4 All payments shall be released by EPI by Account Payee Cheque from any of its offices in India directly at the address notified by the Contractor (Postage charges shall be charged to the Contractor's account). In case of Payments is made by Demand Draft at the request of the Contractor, Bank Commission charges shall be debited to the account of Contractor.

## 38.0 WORK ON SUNDAYS, HOLIDAYS AND DURING NIGHT

For carrying out work on Sunday and Holidays or during night, the Contractor will approach the Engineer-In-Charge or his representative at least two days in advance and obtain his permission. The Engineer-In-Charge at his discretion can refuse such permission. The Contractor shall have no claim on this account whatsoever. If work demand, the Contractor shall make arrangements to carry out the work on Sundays, Holidays and in two, three shifts with the approval of Engineer-in-Charge at no extra cost to EPI.

## **39.0 NO IDLE CHARGES TOWARDS LABOUR OR PLANT & MACHINERY ETC.**

No idle charges or compensation shall be paid for idling of the Contractor's labour, staff or Plant & Machinery etc. on any ground or due to any reason whatsoever. EPI will not entertain any claim in this respect.

# 40.0 WORK TO BE EXECUTED IN ACCORDANCE WITH SPECIFICATIONS, DRAWINGS, ORDERS, ETC.

The Contractor shall execute the whole and every part of the work in the most substantial and workman like manner both as regards materials and otherwise in every respect in strict accordance with the specifications. The Contractor shall also conform exactly, fully and faithfully to the Design, Drawings and Instructions in writing in respect of the work assigned by the Engineer-In-Charge and the Contractor shall be furnished free of charge one copy of the Contract Documents together with Specifications, Designs, Drawings.

The Contractor shall comply with the provisions of the contract and execute the works with care and diligence and maintain the works and provide all labour and materials, tools and plants including for measurements and supervision of all works, structural plans and other things of temporary or permanent nature required for such execution and maintenance in so far as the necessity for providing these is specified or is reasonably inferred from the contract. The Contractor shall take full responsibility for adequacy, suitability and safety of all the works and methods of construction.

# 41.0 DIRECTION FOR WORKS

- 41.1 All works to be executed under the contract shall be executed under the direction and subject to approval in all respect of the Engineer-In-Charge of EPI who shall be entitled to direct at what point or points and in what manner works are to be commenced and executed.
- 41.2 The Engineer-In-Charge and his representative shall communicate or confirm their instructions to the Contractor in respect of the execution of work during their Site inspection in a 'Works Site Order Book' maintained at the site office of Engineer-In-Charge. The Contractor or his authorized representative shall confirm receipt of such instructions by signing against the relevant orders in the book. The Contractor shall be bound to sign the site order book as and when required by Engineer-In-Charge and carry out compliance of instructions promptly to the satisfaction of Engineer-In-Charge.

# 42.0 ORDER OF PRECEDENCE OF DOCUMENTS

- 42.1 In case of difference, contradiction, discrepancy, dispute with regard to Conditions of Contract, Specifications, Drawings, Bill of Quantities and Rates quoted by the Contractor and other documents forming part of the contract, the following shall prevail in order of precedence.
  - i) Contract Agreement
  - ii) Fax, Telegram or Letter of Intent, detailed letter of Work Order along with statement of agreed variations and its enclosures.
  - iii) Description in Bill of Quantity / Schedule of Quantities
  - iv) Additional Conditions of Contract.
  - v) Technical specifications (General / Special Technical Specification) as given in the Tender Documents.
  - vi) General Conditions of Contract.
  - vii) Drawings
  - viii) CPWD/ MORTH specifications (as specified in Technical Specification of the Tender) update with correction slips issued up to last date of receipt of Tenders.

- ix) Relevant B.I.S. Codes.
- 42.2 If there are varying or conflicting provisions made in any one document forming part of the contract, the Engineer-In-Charge shall be the deciding authority with regard to the intention of the document which shall be final and binding on the Contractor.
- 42.3 Any error in description, quantity or rate in the Schedule of Quantities/items or Bill of Quantities or any omission there from shall not vitiate the contract or release the Contractor from the execution of the whole or any part of the works comprised therein according to the Drawings and Specifications or from any of his obligations under the contract.

# 43.0 TIME SCHEDULE & PROGRESS

- 43.1 Time allowed for carrying out all the works as entered in the Tender shall be as mentioned in the "Memorandum" to the "Form of Tender" which shall be reckoned from the 10th day from the date on which the letter/ telegram of Intent is issued to the Contractor. Time shall be the essence of the contract and Contractor shall ensure the completion of the entire work within the stipulated time of completion.
- 43.2 The Contractor shall also furnish within 10 days from the date of letter/ telegram of Intent, a CPM network/ PERT chart/ Bar Chart for completion of work within stipulated time. This will be duly got approved from EPI. This approved Network/ PERT Chart shall form a part of the agreement. Achievement of milestones as well as total completion has to be within the time period allowed.
- 43.3 Contractor shall mobilize and employ sufficient resources for completion of all the works as indicated in the agreed BAR CHART/Network. No additional payment will be made to the Contractor for any multiple shift work or other incentive methods contemplated by him in his work schedule even though the time schedule is approved by the Engineer-In-Charge.
- 43.4 During the currency of the work the Contractor is expected to adhere to the time schedule on miles stone and total completion and this adherence will be a part of Contractor's performance under the contract. During the execution of the work Contractor is expected to participate in the review and updating of the Network/ BAR CHART undertaken by EPI. These reviews may be undertaken at the discretion of EPI either as a periodical appraisal measure or when the quantum of work order on the Contractor is substantially changed through deviation orders or amendments. The review shall be held at Site or any of the offices of EPI/ Owner or Consultant of EPI/ Owner at the sole discretion of EPI.
- 43.5 If at any time, it appears to the Engineer-In-Charge that the actual progress of work does not conform to the approved programme referred above, the Contractor shall produce a revised programme showing the modifications to the approved programme by additional inputs to ensure completion of the work within the stipulated time. The Contractor will adhere to the revised schedule thereafter. The approval to the revised schedule resulting in a completion date beyond the

stipulated date of completion shall not automatically amount to a grant of extension of time to the Contractor.

- 43.6 Contractor shall submit fortnightly/ Monthly (as directed by Engineer-In-Charge) progress reports (5 copies) on a computer based program (program and software to be approved by Engineer-In-Charge) highlighting status of various activities and physical completion of work.
- 43.7 The Contractor shall send completion report along with as built drawings and maintenance schedule to the office of Engineer-In-Charge, of EPI in writing within a period of 30 days of completion of work.

# 44.0 WATER AND ELECTRICITY

The Contractor shall make his own arrangement for Water & Electrical power for construction and other purposes at his own cost and pay requisite electricity and water charges. The Contractor shall also make standby arrangement for water & electricity to ensure un-interrupted supply.

## 45.0 MATERIALS TO BE PROVIDED BY THE CONTRACTOR

The Contractor shall, at his own expense, provide all materials, required including Cement & Steel for the works.

The Contractor shall at his own expense and without delay, supply to the Engineer-in- Charge samples of materials to be used on the work and shall get the same approved in advance. All such materials to be provided by the Contractor shall be in conformity with the specifications laid down or referred to in the contract. The Contractor shall, if requested by the Engineer-in- Charge furnish proof, to the satisfaction of the Engineer-In-Charge that the materials so comply.

The Contractor shall at his risk and cost submit the samples of materials to be tested or analyzed and bear all charges and cost of testing unless specifically provided for otherwise elsewhere in the contract or specifications. The Engineer-In-Charge or his authorized representative shall at all times have access to the works and to all workshops and places where work is being prepared or from where materials, manufactured articles or machinery are being obtained for the works and the Contractor shall afford every facility and every assistance and cost in obtaining the right and visit to such access.

The Engineer-In-Charge shall have full powers to require the removal from the premises of all materials which in his opinion are not in accordance with the specifications and in case of default, the Engineer-In-Charge shall be at liberty to employ at the expense of the Contractor, other persons to remove the same without being answerable or accountable for any loss or damage that may happen or arise to such materials. The Engineer-In-Charge shall also have full power to require other proper materials to be substituted thereof and in case of default, the Engineer-In-Charge may cause the same to the supplies and all

costs which may require such removal and substitution shall be borne by the Contractor.

## 45.1 CEMENT AND CEMENT GODOWN

Cement shall be procured by Contractor of 43 Grade conforming to BIS : 8112 Specification latest edition or higher Grade as directed by the Engineer-In-Charge. The cement shall be procured directly from the reputed manufacturers/ stockist, which will have to be got approved from EPI in advance. Relevant vouchers and test certificates will be produced as and when required. The cement shall be stored by the Contractor in such suitable covered and lockable stores, well protected from climate and atmospheric effect. The cement godown shall be constructed by the Contractor as per CPWD specifications at his own cost. The cement will remain under double lock, one from EPI and other from Contractor. The cement in bags shall be stored in godowns in easy countable position. Cement bags shall be used on first in first out basis. Cement stored for beyond 90 days will be required to be tested at Contractors cost, before use in works.

## 45.2 STEEL & STEEL STOCKYARD

Steel conforming to BIS specifications (latest edition) shall be procured by the Contractor directly from reputed manufacturers/producers as approved by EPI. The manufacturer has to give a certificate that the material supplied is not a rerolled product. Relevant vouchers & test certificates will be produced by the Contractor. Re-rolled sections will not be allowed.

Reinforcement steel, structural steel shall be stored and stacked in such manner so as to facilitate easy identification, removal etc. The Contractor shall take proper care to prevent direct contact between the steel and the ground/ water for which he shall provide necessary arrangement at his own cost including ensuring proper drainage of area to prevent water logging as per directions of the Engineer-In-Charge. If required, the reinforcement steel shall also be protected, by applying a coat of neat cement slurry over the bars for which no extra payment shall be made.

Test certificates for each consignment of steel shall be furnished and tests to be got carried out by the Contractor at his own cost from the authorized laboratory as per the directions of Engineer-In-Charge, before incorporating the materials in the work.

## 46.0 SCHEDULE OF QUANTITIES / BILL OF QUANTITIES

- 46.1 The quantities shown against the various items of work are only approximate quantities, which may vary as per the actual requirement at Site.
- 46.2 All items of work in the Bill of Quantities/ schedule of quantities shall be carried out as per the CPWD/ MORTH (as the case may be) specifications, drawings and instructions of the ENGINEER-IN-CHARGE of EPI and the rates shall include for supply of required materials including proper storage, consumables, skilled & unskilled labour, supervision, tools, tackles, plant & machinery complete

as called for in the detailed specifications and conditions of the contract. No item, which is not covered in the Bill of Quantities, shall be executed by the Contractor without the approval of EPI. In case any Extra/Substituted item is carried out without specific-approval, the same will not be paid.

# 47.0 ANTI-TERMITE TREATMENT & WATER PROOF TREATMENT

- 47.1 Pre-construction treatment shall be carried out in co-ordination with the building work and shall be executed in such a manner that the civil works are not hampered or delayed by the anti-termite treatment. The treatment shall be carried out as detailed in BIS: 6313 (Part-II) latest revision. The waterproof treatment shall be of type and specifications as given in the schedule of quantities.
- 47.2 The treatment against water-proofing of basement, roofs, water retaining areas and termite infestation shall be and remain fully effective for a period of not less than 10(Ten) years to be reckoned from the date of expiry of the Defect Liability period, prescribed in the contract. At any time during the said guarantee period if EPI finds any defects in the said treatment or any evidence of re-infestation, dampness, leakage in any part of buildings or structure and notifies the Contractor of the same, the Contractor shall be liable to rectify the defect or give re-treatment at his own cost and shall commence the work or such rectification or re-treatment within seven days from the date of issue of such letter to him. If the Contractor fails to commence such work within the stipulated period, EPI may get the same done by another agency at the Contractor's cost and risk and the decision of the Engineer-In-Charge of EPI for the cost payable by the Contractor shall be final and binding upon him.
- 47.3 Re-treatment if required shall be attended to and carried out by the Contractor within seven days of the notice from Engineer-In-Charge of EPI.
- 47.4 EPI reserves the right to get the quality of treatment checked in accordance with recognized test methods and in case it is found that the chemicals with the required concentration and rate of application have not been applied, or the water proof treatment is not done as per specifications, the Contractor will be required to do the re-treatment in accordance with the required concentration & specifications at no extra cost failing which no payment for such work will be made. The extent of work thus rejected shall be determined by EPI.
- 47.5 Water proofing and anti-termite treatment shall be got done through approved / specialized agencies only with prior approval of Engineer-In-Charge.
- 47.6 The Contractor shall make such arrangement as may be necessary to safeguard the workers and residents of the building against any poisonous effect of the chemicals used during the execution of the work.
- 47.7 During the execution of work, if any damage shall occur to the treatment already done, either due to rain or any other circumstances, the same shall be rectified and made good to the entire satisfaction of Engineer-In-Charge by the Contractor at his cost.

- 47.8 The Contractor shall make his own arrangement for all equipments required for the execution of the job.
- 47.9 The Contractor shall execute Guarantee Bond in the prescribed form as appended for guaranteeing the anti-termite treatment and waterproof treatment.

#### 48.0 INDIAN STANDARDS

Wherever any reference is made to any IS in any particular specifications, Drawings or Bill of Quantities, it means the Indian Standards editions with the amendments current at the last date of receipt of Tender Documents.

#### 49.0 CENTERING & SHUTTERING

Marine plywood only or steel plates of minimum thickness as approved by Engineer-In-Charge shall be used for formwork. The shuttering plates shall be cleaned and oiled after every repetition and shall be used only after obtaining approval of EPI's Engineers at Site. The number of repetitions allowed for plywood and steel shuttering shall be at the discretion of Engineer-In-Charge of EPI depending upon the condition of shuttering surface after each use and the decision of ENGINEER-IN-CHARGE in this regard shall be final and binding on the Contractor. No claim whatsoever on this account shall be admissible.

## 50.0 CONTROLLED MATERIALS

- 50.1 The following Controlled materials shall be brought to Site after the approval of EPI.
  - a) Water proofing compound.
  - b) Cement
  - c) Steel
  - d) Primer/ Paints/ Varnish etc.
  - e) Bitumen
  - f) Chemical for anti termite treatment
  - g) Any other materials as per discretion of EPI.
- 50.2 The quantity of Controlled materials shall be measured and recorded in the Measurement books and signed by the Contractor and the Engineer-In-Charge as a check to ensure that the required quantities as required for execution of works as per specifications have been brought to Site for incorporation in the work.
- 50.3 Controlled materials brought at Site shall be stored as directed by EPI and those already recorded in Measurement book, shall be suitably marked for identification.
- 50.4 The Contractor shall ensure that the Controlled materials are brought to Site in original sealed containers or packing bearing manufacturer's markings and

brands (except where the quantity required is a fraction of the smallest packing). Materials not complying with this requirement shall be rejected. The empty containers of such Controlled materials shall not be destroyed/ disposed-off without the written permission of EPI.

- 50.5 The Contractor shall produce receipted vouchers showing quantities of the materials to satisfy Engineer-In-Charge that the materials comply with the specifications. These vouchers shall be endorsed, dated and initialed by Engineer-In-Charge giving the contract number and name of work and a certified copy of each such voucher signed both by EPI and the Contractor shall be kept on record.
- 50.6 When the cost of each category of materials is less than Rs.5000/- production of vouchers may not be insisted upon if EPI is otherwise satisfied with the quality and quantity of materials.

# 51.0 RECORDS OF CONSUMPTION OF CEMENT & STEEL

- 51.1 For the purpose of keeping a record of cement and steel received at Site and consumption in works, the Contractor shall maintain a properly bound register in the form approved by EPI, showing columns like quantity received and used in work and balance in hand etc. This register shall be signed daily by the Contractor's representative and EPI's representative.
- 51.2 The register of cement & steel shall be kept at Site in the safe custody of EPI's Engineer during progress of the work. This provision will not, however, absolve the Contractor from the quality of the final product.
- 51.3 In case cement or steel quantity consumed is lesser as compared to the theoretical requirement of the same as per CPWD/MORTH (as the case may be) specifications/ norms, the work will be devalued and/ or a penal rate (i.e. double the rate at which cement/ steel purchased last) recovery for lesser consumption of cement/ steel shall be made in the item rates of the work done subject to the condition that the tests results fall within the acceptable criteria as per CPWD/MORTH (as the case may be) specifications otherwise the work shall have to be dismantled and redone by the Contractor at no extra cost.

In case of cement, if actual consumption is less than 98% of the theoretical consumption, a recovery shall be effected from the Contractor's dues at the penal rate for the actual quantity that is lower than 98% of theoretical consumption.

# 52.0 MATERIALS AND SAMPLES

52.1 The materials/ products used on the works shall be one of the approved make/ brands out of list of manufacturers/ brands/ makes given in the Tender Documents. The Contractor shall submit samples/ specimens out of approved makes of materials/ products to the Engineer-In-Charge for prior approval. In exceptional circumstances Engineer-In-Charge may allow alternate equivalent makes/ brands of products/ materials at his sole discretion. The final choice of brand/ make shall remain with the Engineer-In-Charge, whose decision in this matter shall be final and binding and nothing extra on this account shall be payable to the Contractor.

In case single brand/ make is mentioned, other equivalent makes/ brands may be considered by the Engineer-In-Charge with prior approval. In case of variance in CPWD/ IS/BIS Specifications from approved products/ makes specification, the specification of approved product/ make shall prevail for which nothing shall be paid extra to the Contractor.

In case no make or brand of any materials, articles, fittings and accessories etc. is specified, the same shall comply with the relevant Indian Standard Specifications and shall bear the ISI/BIS mark. The Engineer of EPI and the Owner shall have the discretion to check quality of materials and equipments to be incorporated in the work, at source of supply or site of work and even after incorporation in the work. They shall also have the discretion to check the workmanship of various items of work to be executed in this work. The Contractor shall provide the necessary facilities and assistance for this purpose.

- 52.2 The above provisions shall not absolve the Contractor from the quality of final product and in getting the material and workmanship quality checked and approved from the Engineer-In-Charge of EPI.
- 52.3 The Contractor shall well in advance, produce samples of all materials, articles, fittings, accessories etc. that he proposes to use and get them approved in writing by EPI. The materials articles etc. as approved shall be labelled as such and shall be signed by EPI and the Contractor's representative.
- 52.4 The approved samples shall be kept in the custody of the Engineer- in-Charge of EPI till completion of the work. Thereafter the samples except those destroyed during testing shall be returned to the Contractor. No payment will be made to the Contractor for the samples or samples destroyed in testing.
- 52.5 The brands of all materials, articles fittings etc. approved together with the names of the manufacturers and firms from which supplies have been arranged shall be recorded in the Site Order Book.
- 52.6 The Contractor shall set up and maintain at his cost, a field testing laboratory for all day-to-day tests at his own cost to the satisfaction of the Engineer-In-Charge. This field testing laboratory shall be provided with equipment and facilities to carry out all mandatory field tests as per CPWD/MORTH (as the case may be) specifications. The laboratory building shall be constructed and installed with the appropriate facilities; Temperature and humidity controls shall be available wherever necessary during testing of samples.

All equipments shall be provided by the Contractor so as to be compatible with the testing requirements specified. The Contractor shall maintain all the equipments in good working condition for the duration of the contract. The Contractor shall provide approved qualified personnel to run the laboratory for the duration of the Contract. The number of staff and equipment available must at all times be sufficient to keep pace with the sampling and testing programme as required by the Engineer-In-Charge.

The Contractor shall fully service the site laboratory and shall supply everything necessary for its proper functioning, including all transport needed to move equipment and samples to and from sampling points on the Site, etc.

The Contractor shall re-calibrate all measuring devices whenever so required by the Engineer-In-Charge and shall submit the results of such measurements without delay.

All field tests shall be carried out in the presence of EPI's representative. All costs towards samples, materials, collection, transport, manpower, testing, including concrete mix-design etc. shall be borne by the Contractor and are deemed to be included in the rates quoted by him in the Bill of Quantities.

# 53.0 TESTS AND INSPECTION

**53.1** The Contractor shall carry out the various mandatory tests as per specifications and the technical documents that will be furnished to him during the performance of the work. All the tests on materials, as recommended by CPWD, MORTH (as the case may be) and relevant Indian Standard Codes or other standard specifications (including all amendments current at the last date of submission of Tender Documents) shall be got carried out by the Contractor at the field testing laboratory or any other recognized institution/ laboratory, at the direction of EPI. All testing charges, expenses etc. shall be borne by the Contractor. All the tests, either on the field or outside laboratories concerning the execution of the work and supply of materials shall be got carried out by the Contractor or EPI at the cost of the Contractor.

# 53.2 WORKS TO BE OPEN TO INSPECTION

All works executed or under the course of execution in pursuance of this contract shall at all times be open to inspection and supervision of EPI. The work during its progress or after its completion may also be inspected, by Chief Technical Examiner of Government of India (CTE) and/ or an inspecting authority of State Government of State in which work is executed and/or by third party checks by Owner/ Clients. The compliance of observations/ improvements as suggested by the inspecting officers of EPI/CTE/ State authorities/ Owners shall be obligatory on the part of the Contractor at the cost of Contractor.

# 54.0 BORROW AREAS

The Contractor shall make his own arrangements for borrow pits and borrow disposal areas including their approaches and space for movement of men, machinery, other equipments as required for carrying out the works. The Contractor shall be responsible for taking all safety measures, getting approval,

making payment of royalties, charges etc. and nothing extra shall be paid to the Contractor on this account and unit rates quoted by the Contractor for various items of Bill of Quantities shall be deemed to include the same.

## 55.0 BITUMEN WORK

The Contractor shall be responsible for arranging Bitumen/Tar of required grade from source to be approved by the Engineer-In-Charge. No Bitumen work shall be carried out on wet surface or in rainy conditions.

## 56.0 CARE OF WORKS

From the commencement to the completion of works and handing over, the Contractor shall take full responsibility for care of all the works and in case of any damage/loss to the works or to any part thereof or to any temporary works due to lack of precautions or due to negligence on part of Contractor, the same shall be made good by the Contractor at his own cost.

## 57.0 WORK IN MONSOON AND DEWATERING

The execution of the work may entail working in the monsoon also. The Contractor must maintain labour force as may be required for the job and plan and execute the construction and erection according to the prescribed schedule. No special/ extra rate will be considered for such work in monsoon. The Contractor's rate shall be considered inclusive of cost of dewatering required, if any and no extra rate shall be payable on this account.

#### 58.0 NO COMPENSATION FOR FORECLOSURE/CANCELLATION/ REDUCTION OF WORKS

If at any time after the commencement of the work EPI shall for any reason whatsoever is required to abandon the work or does not require the whole work thereof as specified in the Tender to be carried out, the Engineer-In-Charge shall give notice in writing of the fact to the Contractor, who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out or on foreclosure, neither shall he have any claim for compensation by reason of any alterations having been made in the original Specifications, Drawings, Designs and Instructions which shall involve any curtailment of the work as originally contemplated.

Provided that the Contractor shall be paid the charges on the cartage only of materials actually and bonafide brought to the Site of the work by the Contractor and rendered surplus as a result of the abandonment or curtailment of the work or any portion thereof and then taken back by the Contractor, provided however, that the Engineer-In-Charge shall have in all such cases the option of taking over all or any such materials at their purchase price or at local current rates whichever may be less. In the case of such stores having been issued by EPI

and returned by the Contractor to EPI, credit will be given to him by the Engineer-In-Charge at rates not exceeding those at which they were originally issued to him after taking into consideration any deduction for claims on account of any deterioration or damage while in the custody of the Contractor and in this respect the decision of the Engineer-In-Charge shall be final.

## 59.0 RESTRICTION ON SUBLETTING

- 59.1 The Contractor shall not sublet or assign the whole or part of the works except where otherwise provided, by the contract and even then only with the prior written consent of EPI and such consent if given shall not relieve the Contractor from any liability or obligation under the contract and he shall be responsible for the acts, defaults or neglects of any sub-Contractor, his agents, servants or workmen as full as if they were the acts, defaults or neglects of the Contractor, his agent, servants or workmen provided always that the provision of labour on piece work basis shall not be deemed to be a subletting under this clause.
- 59.2 The Contractor may entrust specialist items of works to the agencies specialized in the specific trade. The Contractor shall give the names and details of such firm whom he is going to employ for approval of EPI. These details shall include the expertise, financial status, technical manpower, equipment, resources and list of works executed and on hand of the specialist agency. Specialist agency shall be engaged only after obtaining written approval of the Engineer-In-Charge.

# 60.0 PROHIBITION OF UNAUTHORISED CONSTRUCTION & OCCUPATION

No unauthorized buildings, structures should be put up by the Contractor anywhere on the project Site, neither any building built by him shall be unauthorizedly occupied by him or his staff.

# 61.0 CO-ORDINATION WITH OTHER AGENCIES

Work shall be carried out in such a manner that the work of other Agencies operating at the Site is not hampered due to any action of the Contractor. Proper Co-ordination with other Agencies will be Contractor's responsibility. In case of any dispute the decision of EPI shall be final and binding on the Contractor. No claim whatsoever shall be admissible on this account.

# 62.0 SETTING OUT OF THE WORKS

62.1 The Contractor shall be responsible for the true and proper setting out of the works and for the correctness of the position, levels, dimensions and alignment of all parts of the works. If at any time during the progress of works, shall any error appear or arise in the position, levels, dimensions or alignment of any part of the works, the Contractor shall at his own expenses rectify such error to the satisfaction of Engineer-in- charge. The checking of any setting out or of any line or level by the engineers of EPI shall not in any way relieve the Contractor of his responsibility for the correctness.

62.2 Contractor shall provide permanent bench marks, flag tops and other reference points for the proper execution of work and these shall be preserved till the end of work. All such reference points shall be in relation to the levels and locations, given in the Architectural, Plumbing and other services Drawings.

## 63.0 NOTICE BEFORE COVERING UP THE WORK

The Contractor shall give not less than seven days notice before covering up or otherwise placing beyond the reach of measurement any work, to the Engineer-In-Charge in order that the same may be inspected and measured. If any work is covered up or placed beyond the reach of Inspection/ measurement without such notice to the Engineer-In-Charge or his consent being obtained, the same shall be uncovered at the Contractors expenses and he shall have to make it good at his own expenses.

#### 64.0 SITE CLEARANCE

- 64.1 The Contractor shall ensure that the working Site is kept clean and free of obstructions for easy access to job Site and also from safety point of view. Before handing over the work to EPI the Contractor shall remove all temporary structures like the site offices, cement godown, stores, labour hutments etc., scaffolding rubbish, left over materials tools and plants, equipments etc., clean and grade the Site to the entire satisfaction of the Engineer-In-Charge. If this is not done the same will be got done by EPI at his risk and cost.
- 64.2 The Contractor shall clean all floors, remove cement/ lime/ paint drops and deposits, clean joinery, glass panes etc., touching all painter's works and carry out all other necessary items of works to make the premises clean and tidy before handing over the building, and the rates quoted by the Contractor shall be deemed to have included the same.

## 65.0 VALUABLE ARTICLES FOUND AT SITE

All gold, silver and other minerals of any description and all precious stones, coins, treasure, relics, antiques and all other similar things which shall be found in, under or upon the Site, shall be the property of the Owner/ Government and the Contractor shall duly preserve the same to the satisfaction of Engineer-In-Charge and shall from time to time deliver the same to such person or persons indicated by EPI.

#### 66.0 MATERIALS OBTAINED FROM DISMANTLEMENT TO BE OWNER'S PROPERTY

All materials like stone, boulders and other materials obtained in the work of dismantling, excavation etc. will be considered Owner/ government property and may be issued to the Contractor by the Owner/ EPI, if required for use in this work at rates approved by EPI or the Contractor may be asked to dispose off these items at his cost.

## 67.0 SET-OFF OF CONTRACTOR'S LIABILITIES

EPI shall have the right to deduct or set off the expenses incurred or likely to be incurred by it in rectifying the defects and/or any claim under this agreement

against the Contractor from any or against any amount payable to the Contractor under this agreement including Retention Money and proceeds of Security Deposit cum Performance Guarantee and from any other contract being executed by the Contractor for EPI.

# 68.0 MATERIALS PROCURED WITH THE ASSISTANCE OF EPI

If any material for the execution of this contract is procured with the assistance of EPI either by issue from its stores or purchase made under orders or permits or licences obtained by EPI, the Contractor shall hold and use the said materials economically and solely for the purpose of this contract and shall not dispose them without the written permission of Engineer-In-Charge. The Contractor, if required by EPI, shall return all such surplus or unserviceable materials that may be left with him after the completion of the contract or at its termination on whatsoever reason, on being paid or credited such price as EPI shall determine having due regard to the conditions of materials.

# 69.0 ALTERATION IN SPECIFICATION, DESIGN & DRAWING

69.1 The Engineer-In-Charge shall have power to make any alterations in, omissions from, additions to or substitutions for, the original Specifications, Drawings, Designs and Instructions that may appear to him to be necessary during the progress of the work, and the Contractor shall carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-In-Charge and such alterations, omissions, additions, or substitutions shall not invalidate the contract and any altered, additional or substituted work which the Contractor may be directed to do in the manner above specified as part of the work shall be carried out by the Contractor on the same conditions in all respects on which he agreed to do the main work.

The time for the completion of the work shall be extended in the proportion that the altered, additional or substituted work price bears to the original contract work price, and the certificate of the Engineer-In-Charge shall be conclusive as to such proportion. Over and above this, a further period to the extent of 25 percent of such extension shall be allowed to the Contractor.

The rates for such additional, altered or substituted work under this clause shall be worked out in accordance with the following provisions in their respective order :

- i) If the rates for the additional, altered or substituted work are specified in the contract for the work, the Contractor is bound to carry out the additional, altered or substituted work at the same rates as are specified in the contract for the work.
- ii) If the rates for the additional, altered or substituted work are not specifically provided in the contract for the work, the rates will be derived from the rates for a nearest similar item of work as are specified in the contract for the work. In case of composite tenders where two or more

schedule of quantities/ Bill of Quantities form part of the contract, the rates shall be derived from the nearest similar item in the schedule of quantities/Bill of Quantities of the particular part of work in which the deviation is involved failing that from the lowest of the nearest similar item in other schedule of quantity. The opinion of the Engineer-In-Charge as to whether or not the rate can be reasonably so derived from the item in this contract will be final and binding on the Contractor.

- iii) If the altered, additional or substituted work includes any work for which no rate is specified in the contract for the work and which cannot be derived in the manner specified in sub para (i) and (ii) above from the similar class of work in the contract then such work shall be carried out at the rates entered in the Schedule of Rates (as mentioned in "Memorandum" to the "Form of Tender" for Civil/ Sanitary Works) minus/plus the percentage which the tendered amount of scheduled items bears with the estimated amount of schedule items based on the Schedule of Rates ( as mentioned in "Memorandum" to the "Form of Tender" for Civil/ Sanitary Works ). The scheduled items mean the items appearing in the Schedule of Rates (as mentioned in "Memorandum" to the "Form of Tender" for Civil/ Sanitary Works), which shall be applicable in this clause. This clause will apply mutatis mutandis to electrical work except that Electrical Schedule of Rates as mentioned in "Memorandum" to the "Form of Tender" will be considered in place of Civil/ Sanitary works Schedule of rates as mentioned in "Memorandum" to the "Form of Tender".
- iv) If the rates for the altered, additional or substituted work cannot be determined in the manner specified in sub-clauses (i) to (iii) above, then the Contractor shall, within 7 days of the date of receipt of order to carry out the work, inform the Engineer-In-Charge the rates which he intends to charge for such class of work, supported by analysis of the rate or rates claimed, and the Engineer-In-Charge shall determine the rate or rates on the basis of prevailing market rates of the material, Labour, T&P etc. plus 10% (Ten percent) to cover the Contractors supervision, overheads and profit and pay the Contractor accordingly. The opinion of the Engineer-In-Charge as to the current market rates of materials and quantum of labour involved per unit of measurements will be final and binding on the Contractor.

However, the Engineer-In-Charge, by notice in writing, will be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner, as he may consider advisable. But under no circumstances, the Contractor shall suspend the work on the plea of non-settlement of rates of items falling under the clause.

- v) Except in case of items relating to foundations, provisions contained in sub clauses (i) to (iv) above shall not apply to contract, altered or substituted items as individually exceed the 'deviation limit' of plus/minus 25% (Twenty Five Percent) subject to the following:-
  - (a) Deviation limit shall apply to individual items.

(b) The value of additions of items, of any individual trade not already included in the contract, shall not exceed 20% of the Tendered value of work, subject to overall deviation limit as given above.

Provided further that in case where the original item is substituted, the Substituted Item shall be deemed to have replaced the original item in the contract itself to that extent and above provisions pertaining to the deviations shall apply with respect to such Substituted Item and not the original item.

NOTE: Individual trade means the trade section to which Bill of Quantities annexed to the agreement has been divided or in the absence of any such division the individual section of the MORTH/C.P.W.D. (as the case may be) Scheduled of rates specified above, such as excavation and earthwork, Concrete, wood work and joinery, etc.

The rate of any such work except the items relating to foundations which is in excess of the deviation limit and deviation in quantities of AHR items on plus side as contained in Clause 9.2(i) shall be determined in accordance with the provisions contained in Clause 69.2.

- 69.2 In the case of contract items, substituted items, Contract cum substituted items or additional items which exceed the limits laid down in sub para (v) of condition 69.1 above (except the items relating to foundation work, which the Contractor is required to do under Clause 69.1 above and deviation in guantities of AHR items on plus side as contained in clause 9.2 (i) ), the Contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis, for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities or those derived in accordance with the provisions of sub para (i) to (iii) of conditions 69.1 by more than five percent, the Engineer-In-Charge shall within three months of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the Contractor, determine the rates on the basis of the market rates and if the rates so determined exceed the rates specified in the schedule of quantities or those derived in accordance with the provisions of sub paras (i) to (iii) of condition 69.1 by more than five percent, the contract shall be paid in accordance with the rates determined. In the event of the Contractor failing to claim revision of rates within the stipulated period, or if the rates determined by the Engineer-In-Charge within the period of three months of receipt of the claims supported by analysis are within five percent of the rates specified in the schedule of quantities or of those determined in accordance with the provisions of sub-para (i) to (iii) of condition 69.1, the Engineer-In-Charge shall make payment at the rates as specified in the schedule of quantities or those already determined under sub para (i) to (iii) of condition 69.1 for the quantities in excess of the limits laid down in sub para (v) of condition 69.1.
- **69.3** The provisions of the proceeding paragraph shall apply to the decrease in the rates of items for the work in excess of the limits laid down in sub para (v) of

condition 69.1 provided that such decrease is more than five percent of rates specified in the schedule of quantities or those derived in accordance with the provisions of sub para (i) to (iii) of condition 69.1 and the Engineer-In-Charge may after giving notice to the Contractor within two months of receipt of order by the Contractor or occurrence of the excess and after taking into consideration any reply received from him within fifteen days of receipt of the notice revise the rates for the work in question within two months of expiry of the said period of fifteen days having regard to the market rates.

- **69.4** The Contractor shall send to the Engineer-In-Charge once every three months an up to date account giving complete details of all claims for additional payments to which the Contractor may consider himself entitled and of all additional work ordered by the Engineer-In-Charge which he has executed during the preceding quarter failing which the Contractor shall be deemed to have waived his right.
- **69.5** For the purpose of operation of clause 69.1 (v) the following works shall be treated as works relating to foundation:
  - i) For buildings, compound walls plinth level or 1.2 meters (4 feet) above ground level whichever is lower excluding items of flooring and D.P.C. but including base concrete below the floors.
  - ii) For abutments, piers, retaining walls of culverts and bridges, walls of water reservoirs the bed of floor level.
  - iii) For retaining walls where floor level is not determinate 1.2 meters above the average ground level or bed level.
  - iv) For Roads all items of excavation and filling including treatment of sub base and soiling work.
  - v) For water supply lines, sewer lines, under-ground storm water drains and similar works. All items of work below ground level except items of pipe work, masonry work.
  - vi) For open storm water drains, all items of work except lining of drains.

# 70.0 ACTION AND COMPENSATION PAYABLE IN CASE OF BAD WORK

If it shall appear to the Engineer-In-Charge or his authorized subordinate in charge of the work or to the Chief Technical Examiner or to any other inspecting agency of Government/ State Government/ Owner where the work is being executed, that any work has been executed with unsound, imperfect, or unskillful workmanship or with materials of any inferior description, or that any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for or otherwise not in accordance with the contract, the Contractor shall on demand in writing which shall be made within six months of the completion of the work from the ENGINEER-IN-CHARGE specifying the work, materials or articles complained of notwithstanding that the same may have been passed, Certified and paid for forthwith rectify, or remove and

reconstruct the work so specified in whole or in part as the case may require or as the case may be, remove the materials or articles so specified and provide other proper and suitable materials or articles at his own proper charge and cost, and in the event of his failing to do so within a period to be specified by the Engineer-In-Charge in his demand aforesaid, then the Contractor shall be liable to pay compensation at the rate of one percent of the estimated amount put to tender for every day not exceeding ten days, while his failure to do so shall continue and in the case of any such failure, the Engineer-In-Charge may rectify or remove and re-execute the work or remove and replace with others, the material or articles complained of as the case may be at the risk and expense in all respects of the Contractor.

# 71.0 POSSESSION PRIOR TO COMPLETION

- 71.1 EPI shall have the right to take possession of or use any completed or partially completed work or part of the work. Such possession or use shall not be deemed to be any acceptance of any work not completed in accordance with the contract agreement. If such prior possession or use by EPI delays the progress of work an equitable adjustment in the time of completion will be made and the contract agreement shall be deemed to be modified accordingly. The decision of EPI in this case shall be final binding and conclusive.
- 71.2 When the whole of the works or the items or the groups of items of work for which separate periods of completion have been specified have been completed the Contractor will give a notice to that effect to the Engineer in writing. The Engineer shall within 15 days of the date of receipt of such notice inspect the works and either the Engineer-In-Charge issues to the Contractor a completion certificate stating the date on which in his opinion the works were completed in accordance with the contract or gives instructions in writing to the Contractor specifying the balance items of work which are required to be done by the Contractor before completion certificate could be issued. The Engineer-In-Charge shall also notify the Contractor of any defect in the works affecting completion.
- 71.3 The Contractor shall during the course of execution prepare and keep updated a complete set of 'as built' drawings to show each and every change from the Contract Drawings, changes recorded shall be countersigned by the Engineer-In-Charge and the Contractor. Four copies of 'as built' drawings shall be supplied to EPI by the Contractor within 30 days of the completion. All costs incurred in this respect shall be borne by the Contractor only.

# 72.0 COMPENSATION FOR DELAY AND REMEDIES

72.1 If the Contractor fails to maintain the required progress in terms of clause 72.4 or relevant clause of Additional Conditions of Contract, to complete the work and clear the Site on or before the completion date or extended date of completion, he shall, without prejudice to any other right or remedy available under the law to EPI on account of such breach, pay as agreed compensation the amount calculated at the rates stipulated below or such smaller amount as the Engineer in charge (whose decision in writing shall be final and binding) may decide on the amount of tendered value of the work for every completed day / week (as

applicable) that the progress remains below that specified in Clause 72.4.1 or the relevant clause in Additional Conditions of Contract or that the work remains incomplete. This will also apply to items or group of items for which a separate period of completion has been specified.

i)	For works with completion period not exceeding 3 month (as originally stipulated)	@ 1% per day
ii)	For works with completion period exceeding 3 months (as originally stipulated)	@ 1% per week or part thereof

Provided always that the total amount of compensation for delay to be paid under this Condition shall not exceed 10% of the Tendered Value of work or of the Tendered Value of the item or group of items of work for which a separate period of completion is originally given.

The amount of compensation may be adjusted or set-off against any sum payable to the Contractor under this or any other contract with EPI even after completion of the work.

## 72.2 CANCELLATION / DETERMINATION OF CONTRACT IN FULL OR PART

Subject to other provisions contained in this clause, the Engineer-In-Charge may, without prejudice to his any other rights or remedy against the Contract in respect of any delay, inferior workmanship, any claims for damages and / or any other provisions of this contract or otherwise, and whether the date of completion has or has not elapsed, by notice in writing absolutely determine the contract in full or in part in any of the following cases:

- If the Contractor having been given by the Engineer-In-Charge a notice in writing to rectify, reconstruct or replace any defective work or that the work is being performed in an inefficient or otherwise improper or unworkmanlike manner shall omit to comply with the requirement of such notice for a period of seven days thereafter; or
- ii) If the Contractor has, without reasonable cause, suspended the progress of the work or has failed to proceed with the work with due diligence so that in the opinion of the ENGINEER-IN-CHARGE (which shall be final and binding) he will be unable to secure completion of the work by the date for completion and continues to do so after a notice in writing of seven days from the Engineer-In-Charge; or
- iii) If the Contractor fails to complete the work within the stipulated date or items of work with individual date of completion, if any stipulated, on or before such date(s) of completion and does not complete them within the period specified in a notice given in writing in that respect by the Engineer-In-Charge; or
- iv) If the Contractor persistently neglects to carry out his obligations under the contract and / or commits default in complying with any of the terms

and conditions of the contract and does not remedy it or take effective steps to remedy it within 7 days after a notice in writing is given to him in that respect by the Engineer-In-Charge; or

- v) If the Contractor shall offer or give or agree to give to any person in EPI service or to any other person on his behalf any gift or consideration of any kind as an inducement or reward for doing or forbearing to do or for having done or forborne to do any action in relation to the obtaining or execution of this or any other contract for EPI; or
- vi) If the Contractor shall enter into a contract with EPI in connection with which commission has been paid or agreed to be paid by him or to his knowledge, unless the particulars of any such commission and the terms of payment thereof have been previously disclosed in writing to the Engineer-In-Charge; or
- vii) If the Contractor shall obtain a contract with EPI as a result of wrong tendering or other non-bona-fide methods of competitive tendering; or
- viii) If the Contractor being an individual, or if a firm, any partner thereof shall at any time be adjudged insolvent or have a receiving order or order for administration of his estate made against him or shall take any proceedings for liquidation or composition (other than a voluntary liquidation for the purpose of amalgamation or reconstruction) under any Insolvency Act for the time being in force or make any conveyance or assignment of his effects or composition or arrangement for the benefit of his creditors or purport so to do, or if any application be made under any Insolvency Act for the time being in force for the sequestration of his estate or if a trust deed be executed by him for benefit of his creditors; or
- ix) If the Contractor being a company, shall pass a resolution or the Court shall make an order for the winding up of the company, or a receiver or manager on behalf of the debenture holders or otherwise shall be appointed or circumstances shall arise which entitle the Court or debenture holders to appoint a receiver or manager; or
- x) If the Contractor shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days; or
- xi) If the Contractor assigns, transfers, sublets (engagement of labour on a piece-work basis or of the labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without and prior written approval of the Engineer-In-Charge.

When the Contractor has made himself liable for action under any of the clauses aforesaid, the Engineer-In-Charge may without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to EPI, by a notice in writing to cancel the contract as a whole or only such items of work in default from the Contract.

The Engineer-In-Charge shall on such cancellation by EPI have powers to:

- a) Take possession of Site and any materials, Construction Plant & machinery, implements, stores, etc. thereon; and/ or
- b) Carry out the incomplete work by any means at the risk and cost of the Contractor; and/ or
- c) To determine or rescind the contract as aforesaid (of which termination or rescission notice in writing to the Contractor under the hand of the Engineer-In-Charge shall be conclusive evidence). Upon such determination or rescission the full Retention Money recovered by EPI under the contract and Security Deposit cum Performance Guarantee shall be liable to be forfeited and un-used materials, construction plant & machinery, implements, temporary buildings, etc. shall be taken over and shall be absolutely at the disposal of EPI. If any portion of the Retention Money has not been received or recovered by EPI from RA Bills, it would be called for and forfeited; and/ or
- d) To employ labour and to supply materials, equipment to carry out the work or any part of the work debiting the Contractor with the cost of the labour and the price of the materials, equipment rentals (of the amount of which cost and price certified by the Engineer-In-Charge shall be final and conclusive) against the Contractor and crediting him with the value of the work done in all respects in the same manner and at the same rates as if it had been carried out by the Contractor under the terms of his contract. The certificate of the Engineer-In-Charge as to the value of the work done shall be final and conclusive against the Contractor provided always that action under the sub-clause shall only be taken after giving notice in writing to the Contractor. Provided also that if the expenses incurred by the EPI are less than the amount payable to the Contractor; and/ or
- e) After giving notice to the Contractor to measure up the work of the Contractor and to take such whole, or the balance or part thereof as shall be unexecuted or delayed with reference to the General Conditions of Contract clause no. 72.4.1 and/ or relevant clause of Additional Conditions of Contract, out of his hands and to give it to another Contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original Contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Engineer-In-Charge shall be final and conclusive) shall be borne and paid by the original Contractor and may be deducted from any money due to him by EPI under his contract or on any other account whatsoever or from his Retention Money, Security Deposit cum Performance Guarantee or the proceeds of sales of unused materials, construction plants & machinery, implements temporary buildings etc. thereof or a sufficient part thereof as

the case may be. If the expenses incurred by EPI are less than the amount payable to the Contractor at his agreement rates, the difference shall not be paid to the Contractor; and/ or

f) By a notice in writing to withdraw from the Contractor any items or items of work as the Engineer-In-Charge may determine in his absolute discretion and get the same executed at the risk and cost of the Contractor.

Any excess expenditure incurred or to be incurred by EPI in completing the works or part of the works or the excess loss or damages suffered or may be suffered by EPI as aforesaid after allowing such credit shall without prejudice to any other right or remedy available to EPI in law be recovered from any moneys due to the Contractor on any account, and if such moneys are not sufficient the Contractor shall be called upon in writing and shall be liable to pay the same within 30 days.

If the Contractor shall fail to pay the required sum within the aforesaid period of 30 days, the Engineer-In-Charge shall have the right to sell any or all of the Contractors unused materials, Construction Plant, machinery, implements, temporary buildings, etc. and apply the proceeds of sale thereof towards the satisfaction of any sums due from the Contractor under the contract and if thereafter there be any balance outstanding from the Contractor, it shall be recovered in accordance with the provisions of the contract and law.

Any sums in excess of the amounts due to EPI and unsold materials, Construction Plant etc. shall be returned to the Contractor, provided always that if cost or anticipated cost of completion by EPI of the works or part of the works is less than the amount which the Contractor would have been paid had he completed the works or part of the works, such benefit shall not accrue to the Contractor.

In the event of anyone or more of the above courses being adopted by the Engineer-In-Charge the Contractor shall have no claim to compensation whatsoever for any loss sustained by him by reasons of his having purchased or procured any materials or entered into any engagements or made any advances on account or with a view to the execution of the work or the performance of the contract. And in case action is taken under any of the provision aforesaid the Contractor shall not be entitled to recover or be paid any sum for any work thereof or actually performed under this contract unless and until the Engineer-In-Charge has certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the value so certified. Provided further that if any of the recoveries to be made, while taking action as per (d) and/or (e) above, are in excess of the Retention Money & Security Deposit cum Performance Guarantee forfeited, these shall be limited to the amount by which the excess cost incurred by the EPI exceeds the Retention Money & Security Deposit cum Performance Guarantee so forfeited.

# 72.3 CONTRACTOR LIABLE TO PAY COMPENSATION EVEN IF ACTION NOT TAKEN

In any case in which any of the powers conferred upon the Engineer-In-Charge by relevant clause thereof, shall have become exercisable and the same are not exercised, the non-exercise thereof shall not constitute a waiver of any of the conditions hereof and such powers shall notwithstanding be exercisable in the event of any future case of default by the Contractor and the liability of the Contractor for compensation shall remain unaffected. In the event of the Engineer-In-Charge putting in force all or any of the powers vested in him under the preceding clause he may, if he so desires after giving a notice in writing to the Contractor, take possession of (or at the sole discretion of the Engineer-In-Charge which shall be final and binding on the Contractor) use as on hire (the amount of the hire money being also in the final determination of the Engineer-In-Charge) all or any tools, plant, machinery, materials and stores, in or upon the works, or the site thereof belonging to the Contractor, or procured by the Contractor and intended to be used for the execution of the work / or any part thereof, paying or allowing for the same in account at the contract rates, or in the case of these not being applicable, at current market rates to be certified by the Engineer-In-Charge, whose certificate thereof shall be final, and binding on the Contractor and/or direct the Contractor, clerk of the works, foreman or other authorized agent to remove such tools, machinery, plant, materials, or stores from the premises (within a time to be specified in such notice) in the event of the Contractor failing to comply with any such requisition, the Engineer-In-Charge may remove them at the Contractor's expense or sell them by auction or private sale on account of the Contractor and his risk in all respects and the certificate of the Engineer-In-Charge as to the expenses of any such removal and the amount of the proceeds and expenses of any such sale shall be final and conclusive against the Contractor.

# 72.4 TIME ESSENCE OF CONTRACT & EXTENSION FOR DELAY

The time allowed for execution of the Works as specified in the terms of contract or the extended time in accordance with these conditions shall be the essence of the contract. The execution of the works shall commence from the 10th Day or such time period as mentioned in letter of Intent after the date on which the Engineer-In-Charge issues written orders to commence the work. If the Contractor commits default in commencing the execution of the work as aforesaid, the Executing Agency shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the earnest money absolutely.

72.4.1 Within 10 (Ten) days of Letter of Intent, the Contractor shall submit a Time and Progress Chart (CPM/ PERT/ Quantified Bar Chart) and get it approved by the Engineer-In-Charge. The Chart shall be prepared in direct relation to the time stated in the contract documents for completion of items of the works. It shall indicate the forecast (mile-stones) of the dates of commencement and completion of various items, trades, sections of the work and may be amended as necessary by agreement between the Engineer-In-Charge and the Contractor within the limitations of time stipulated in the Contract documents, and further to ensure good progress during the execution of the work, the Contractor shall in all cases in which the time allowed for any work exceeds one month (save for

special jobs for which a separate program has been agreed upon) complete 1/8<sup>th</sup> of the whole of work before 1/4th of the whole time allowed in the contract has elapsed, 3/8th of the work before one half of such time has elapsed and 3/4th of the work before 3/4th of such time has elapsed. The physical report including photographs shall be submitted by the Contractor on the prescribed format & the intervals (not exceeding a month) as decided by the Engineer in Charge. The compensation for delay as per clause 72.1 shall be leviable at intermediate stages also, in case the required progress is not achieved to meet the above time deadlines of the completion period and/ or milestones of time and progress chart, provided always that the total amount of Compensation for delay to be paid under this condition shall not exceed 10% (Ten Percent) of the tendered value of work".

- 72.4.2 If the work(s) be delayed by:
  - i) force-majeure or
  - ii) abnormally bad weather, or
  - iii) serious loss or damage by fire, or
  - iv) civil commotion of workmen, strike or lockout, affecting any or the trades employed on the work, or
  - v) delay on the part of other Contractors or tradesmen engaged by Engineer-In-Charge in executing work not forming part of the Contract, or
     vi) non-availability of stores, which are responsibility of EPI or,
  - vii) non-availability or break down of tools and plant to be supplied or supplied by EPI or,
  - viii) any other cause which, in the absolute discretion of EPI, is beyond the Contractor's control,

then, upon the happening of any such event causing delay, the Contractor shall immediately give notice thereof in writing to the Engineer-In-Charge but shall nevertheless use constantly his best endeavors to prevent or make good the delay and shall do all that may be reasonably required to the satisfaction of the Engineer-In-Charge to proceed with the works.

72.4.3 Request for extension of time, to be eligible for consideration, shall be made by the Contractor in writing within fourteen days of the happening of the event causing delay on the prescribed form. The Contractor may also, if practicable, indicate in such a request the period for which extension is desired. In any such case EPI may give a fair and reasonable extension of time for completion of work. Such extension shall be communicated to the Contractor by the Engineer-In-Charge in writing, within 3 months of the date of receipt of such request. Non-application by the Contractor for extension of time shall not be a bar for giving a fair and reasonable extension by the Engineer-In-Charge and the extension of time so given by the Engineer-In-Charge shall be binding on the Contractor.

# 73.0 WITHHOLDING AND LIEN IN RESPECT OF SUMS DUE FROM CONTRACTOR

73.1 Whenever any claim or claims for payment of a sum of money arises out of or under the contract or against the Contractor, EPI shall be entitled to withhold and also have a lien to retain such sum or sums in whole or in part from the security,

if any, deposited by the Contractor and for the purpose aforesaid, EPI shall be entitled to withhold the Retention Money, if any, furnished as the case may be and also have a lien over the same pending finalization or adjudication of any such claim. In the event of the security being insufficient to cover the claimed amount or amounts or if no security has been taken from the Contractor, EPI shall be entitled to withhold and have a lien to retain to the extent of such claimed amount or amounts referred to above, from any sum or sums found payable or which may at any time thereafter become payable to the Contractor under the same contract or any other contracts pending finalization or adjudication of any such claim.

73.2 It is an agreed term of the contract that the sum of money or moneys so withheld or retained under the lien referred to above by the Engineer-In-Charge or EPI will be kept withheld or retained as such by the Engineer-In-Charge or EPI till the claim arising out of or under the contract is determined by the Arbitrator / Competent Court and that the Contractor will have no claim for interest or damages whatsoever on any account in respect of such withholding or retention under the lien referred to above and duly notified as such to the Contractor. For the purpose of this clause, where the Contractor is a sole proprietor or a partnership firm or a limited company, etc. the Engineer-In-Charge or EPI shall be entitled to withhold and also have a lien to retain towards such claimed amount or amounts in whole or in part from any sum found payable to proprietor /partnership firm/limited company, as the case may be whether in his individual capacity or otherwise.

EPI shall have the right to cause an audit and technical examination of the works and the final bills of the Contractor including all supporting vouchers, abstract, etc, to be made after payment of the final bill and if as a result of such audit and technical examination any sum is found to have been overpaid in respect of any work done by the Contractor under the contract or any work claimed to have been done by him under the contract and found not to have been executed, the Contractor shall be liable to refund the amount of over-payment and it shall be lawful for EPI to recover the same from him in the manner prescribed in sub-clause (I) of this clause or in any other manner legally permissible; and if it is found that the Contractor was paid less than what was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be duly paid by EPI to the Contractor, without any interest thereon whatsoever.

# 73.3 LIEN IN RESPECT OF CLAIMS IN OTHER CONTRACTS

Any sum of money due and payable to the Contractor (including the Retention Money & Security deposit returnable to him) under the contract may be withheld or retained by way of lien by the Engineer-In-Charge or by EPI against any claim of the Engineer-In-Charge or EPI in respect of payment of a sum of money arising out of or under any other contract made by the Contractor with the Engineer-In-Charge or EPI.

It is an agreed term of the contract that the sum of money so withheld or retained under this clause by the Engineer-In-Charge or EPI will be kept withheld or retained as such by the Engineer-In-Charge or EPI or till his claim arising out of the same contract or any other contract is either mutually settled or determined by the Arbitrator or Competent court as the case may be, and that the Contractor shall have no claim for interest or damages whatsoever on this account or on any other ground in respect of any sum of money withheld or retained under this clause and duly notified as such to the Contractor.

#### 74.0 DEFECTS LIABILITY PERIOD

The Contractor shall be responsible for the rectification of defects in the works for a period of twelve months from the date of taking over of the works by the Owner/ Client. Any defects discovered and brought to the notice of the Contractor forthwith shall be attended to and rectified by him at his own cost and expense. In case the Contractor fails to carry out these rectifications, the same may without prejudice to any other right or remedy available, be got rectified by EPI at the cost and expense of the Contractor.

#### 75.0 FORCE MAJEURE

Any delay or failure of the performance of either party hereto shall not constitute default hereunder to give rise to any claims for damages, if any to the Extent such delay or failure of performance is caused by occurrences such as Acts of God or the public enemy, expropriation, compliance with any order or request of Government authorities/ Courts, acts of war, rebellions, sabotage fire, floods, illegal strikes, or riots (other than Contractor's employees). Only extension of time shall be considered for Force Majeure conditions as accepted by EPI. No adjustment in contract price shall be allowed for reasons of force majeure.

#### 76.0 ARBITRATION

- 76.1 Before resorting to arbitration as per the clause given below, the parties if they so agree may explore the possibility of conciliation as per the provisions of Part-III of the Arbitration and Conciliation Act. 1996. When such conciliation has failed, the parties shall adopt the following procedure for arbitration :
- i) Except where otherwise provided for in the contract, any disputes and differences relating to the meaning of the Specifications, Design, Drawings and Instructions herein before mentioned and as to the quality of workmanship or materials used in the work or as to any other question, claim, right, matter or thing whatsoever in any way arising out of or relating to the Contract, Designs, Drawings, Specifications, Estimates, Instructions, or these conditions, or otherwise concerning the works or the execution or failure to execute the same whether arising during the progress of the work or after the completion or abandonment thereof shall be referred to the Sole Arbitration of the Chairman and Managing Director (CMD) of Engineering Projects (India) Limited (EPI), or any other person discharging the functions of CMD of EPI and if CMD or such person discharging the functions of CMD of EPI is unable to act, to the sole Arbitration of some other person appointed by CMD of EPI or such other person discharging the functions of CMD of EPI. There will be no objection if the arbitrator so appointed is an employee of Engineering Projects (I) Ltd. However, such an employee shall not have directly dealt with the said Contract or the works there under on behalf of EPI. Such Arbitrator shall be appointed within 30 days of the receipt of letter of invocation of arbitration duly satisfying the requirements of this clause.

- ii) If the arbitrator so appointed resigns or is unable or unwilling to act due to any reason whatsoever, or dies, the Chairman & Managing Director aforesaid or in his absence the person discharging the duties of the CMD of EPI may appoint a new arbitrator in accordance with these terms and conditions of the contract, to act in his place and the new arbitrator so appointed may proceed from the stage at which it was left by his predecessor.
- iii) It is a term of the contract that the party invoking the arbitration shall specify the dispute / differences or questions to be referred to the Arbitrator under this clause together with the amounts claimed in respect of each dispute.
- iv) The Arbitrator may proceed with the arbitration ex-parte, if either party, in spite of a notice from the arbitrator, fails to take part in the proceedings.
- v) The work under the contract shall continue as directed by the Engineer-In-Charge, during the arbitration proceedings.
- vi) Unless otherwise agreed, the venue of arbitration proceedings shall be at the venue given in the 'Memorandum' to the 'Form of Tender'.
- vii) The award of the Arbitrator shall be final, conclusive and binding on both the parties.
- viii) Subject to the aforesaid, the provisions of the Arbitration and Conciliation Act, 1996 or any statutory modifications or re-enactment thereof and the Rules made there under and for the time being in force shall apply to the arbitration proceedings and Arbitrator shall publish his Award accordingly.

#### NOTE

NOTWITHSTANDING ANYTHING CONTAINED HEREINABOVE, THIS CLAUSE SHALL NOT BE APPLICABLE WHERE THE DISPUTE IS BETWEEN EPI AND ANOTHER CENTRAL PUBLIC SECTOR ENTERPRISE OR GOVT. OF INDIA DEPARTMENT, FOR WHICH A SEPARATE ARBITRATION CLAUSE IS PROVIDED VIDE CLAUSE NO. 76.2 GIVEN BELOW :

#### 76.2 ARBITRATION BETWEEN CENTRAL PUBLIC SECTOR ENTERPRISES INTER SE / GOVERNMENT OF INDIA DEPARTMENTS/ MINISTRIES

- i) In the event of any dispute or difference relating to the interpretation and application of the provisions of the contract, such dispute or difference shall be referred by either party to the arbitration as per the instructions (Office Memorandums / Circulars) issued by Govt. of India from time to time with regard to arbitration between one Government Department and another, one Government Department and a Public Sector Enterprise and Public Sector Enterprise inter se.
- ii). Subject to any amendment that may be carried out by the Government of India from to time, the procedure to be followed in the arbitration shall be as is

contained in D.O. No. DPE/4(10)/2001-PMA-GL-I dated 22.01.2004 of Department of Public Enterprises, Ministry of Heavy Industries and Public Enterprises, Government of India or any modification issued in this regard.

#### 76.3 JURISDICTION

The courts mentioned in the 'Memorandum' to the 'Form of Tender' alone will have jurisdiction to deal with matters arising from the contract, to the exclusion of all other courts.

#### 77.0 SUSPENSION OF WORKS

- (a) The Contractor shall, on receipt of the order in writing of the Engineer-In-Charge, suspend the progress of the works or any part thereof for such time and in such manner, as the Engineer-In-Charge may consider necessary for any of the following reasons:
- i) On account of any default on part of the Contractor, or
- ii) For proper execution of the works or part thereof for reason other than the default of the Contractor, or
- iii) For safety of the works or part thereof.

The Contractor shall, during such suspension, properly protect and secure the works to the extent necessary and carry out the instructions given in that behalf by the Engineer-In-Charge.

- (b) If the suspension is ordered for reasons (ii) and (iii) in sub-para (a) above, the Contractor shall be entitled to an extension of the time equal to the period of every such suspension plus 25%. No adjustment of contract price will be allowed for reasons of such suspension.
- (c) In the event of the Contractor treating the suspension as an abandonment of the contract by EPI, he shall have no claim to payment of any compensation on account of any profit or advantage which he may have derived from the execution of the work in full but which he could not derive in consequence of the abandonment.
- (d) The Contractor shall resume work in all earnestness after suspension has been lifted by EPI.

#### 78.0 TERMINATION OF CONTRACT ON DEATH OF CONTRACTOR

If the Contractor is an individual or a proprietorship concern and the individual or the proprietor dies then unless the Engineer-In-Charge is satisfied that the legal representatives of the individual Contractor or of the proprietor of the proprietary concern and in the case of partnership firm, the surviving partners, are capable of carrying out and completing the contract, the Engineer-In-Charge shall be entitled to cancel the contract as to its incompleted part without EPI being in any way liable to payment of any compensation to the estate of the deceased Contractor and/or to surviving partners of the Contractor's firm on account of cancellation of the contract. Such cancellation of Contract shall be with out prejudice to any of the rights & remedies available to the Engineer-In-Charge under the contract. The decision of the Engineer-In-Charge that the legal representatives of the deceased Contractor or the surviving partners of the Contractor's firm cannot carry out and complete the contract shall be final and binding on the parties.

#### 79.0 CLARIFICATION AFTER TENDER SUBMISSION

Tenderer's attention is drawn to the fact that during the period, the bids are under consideration, the bidders are advised to refrain from contacting by any means, EPI and/or his employees/ representatives on matters related to the bid under consideration and that if necessary, EPI will obtain clarifications in writing or as may be necessary. The Tender evaluation and process of award of works is done by duly authorized Tender Scrutiny Committee and this committee is authorized to discuss and get clarification from the tenderers.

#### 80.0 ADDENDA/ CORRIGENDA

Addenda/Corrigenda to the Tender Documents may be issued prior to the date of opening of the Tender to clarify or effect modification in specification and/or contract terms included in various Tender Documents. The tenderer shall suitably take into consideration such Addenda/Corrigenda while submitting his tender. The tenderer shall return such Addenda/ Corrigenda duly signed and stamped as confirmation of its receipt and submit alongwith the Tender Document. All Addenda/ Corrigenda shall be signed and stamped on each page by the tenderer and shall become part of the Tender and contract documents.

#### 81.0 QUALITY ASSURANCE PROGRAMME

To ensure that the works/services under the scope of this contract are in accordance with the specifications, the Contractor shall adopt Quality Assurance Programme to control such activities at the necessary points. The Contractor shall prepare and finalize such Quality Assurance Programme within 15 days from letter of intent. EPI shall also carryout quality audit and quality surveillance of systems and procedures of Contractor's quality control activities. A Quality Assurance Programme of Contractor shall generally cover the following:

- a) His organization structure for the management and implementation of the proposed Quality Assurance Program.
- b) Documentation control system.
- c) The procedure for procurement of materials and source inspection.
- d) System for site controls including process controls.
- e) Control of non-conforming items and systems for corrective actions.
- f) Inspection and test procedure for site activities.
- g) System for indication and appraisal of inspection status.
- h) System for maintenance of records.
- i) System for handling, storage and delivery.

 A quality plan detailing out quality practices and procedures, relevant standards and acceptance levels for all types of work under the scope of this contract.

All the quality reports shall be submitted by the Contractors in the formats appended hereto. Checklist enclosed here in this document shall be followed while carrying out Construction activities (items). If any item is not covered by the Checklist/ Formats appended hereto, the Format for the same may be developed and submitted to Engineer-In-Charge for approval and the same shall be adopted. These filled in formats shall be prepared in two copies and duly signed by representatives of Contractor and EPI. All the costs associated with printing of Formats and testing of materials required as per technical specifications or by Engineer-In-Charge shall deemed to be included in the Contractor's quoted rates of various items of work in the Schedule/ Bill of Quantities.

#### 82.0 APPROVAL OF TEMPORARY / ENABLING WORKS

The setting and nature of all offices, huts, access road to the work areas, and all other temporary works as may be required for the proper execution of the works shall be subject to the approval of the Engineer-In-Charge.

All the equipments, labour, material including cement, reinforcement and the structural steel required for the enabling/ temporary works associated with the entire Contract-shall have to be arranged by the Contractor only. Nothing extra shall be paid to the Contractor on this account and the unit rates quoted by the Contractor for various items in the Bill of Quantities shall be deemed to include the cost of enabling works.

# 83.0 CONTRACT COORDINATION PROCEDURES, COORDINATION MEETINGS AND PROGRESS REPORTING

The Contractor shall prepare and finalize in consultation with EPI, a detailed contract coordination procedure within 15 days from the date of issue of Letter of Intent for the purpose of execution of the Contract.

The Contractor shall have to attend all the meetings at any place in India at his own cost with EPI, Owners/ Clients or Consultants of EPI/ Owner/ Client during the currency of the Contract, as and when required and fully cooperate with such persons and agencies involved during these discussions. The Contractor shall not deal in any way directly with the Clients/ Owners or Consultants of EPI/ Owner/ Clients and any dealing/ correspondence if required at any time with Clients/ Owners/ Consultants shall be through EPI only.

During the execution of the work, Contractor shall submit at his own cost detailed Monthly progress report to the Engineer-In-Charge of EPI by 5th of every month. The format of monthly progress report shall be as approved by Engineer-In-Charge of EPI.

#### 84.0 CONTRACT AGREEMENT

The Contractor shall enter into a Contract Agreement with EPI within 10 days of the date of Letter of Intent or within such extended time, as may be granted by EPI. The cost of stamp papers, stamp duty, registration, if applicable on the contract, shall be borne by the Contractor. In case, the Contractor does not sign the agreement as above or does not start the work within 10 days of the issue of letter/telegram of intent, his earnest money is liable to be forfeited and letter of intent consequently will stand withdrawn.

#### 85.0 MANNER OF EXECUTION OF AGREEMENT

- i. The agreement as per prescribed Performa as enclosed to the Additional Conditions of Contract shall be signed at the office of EPI within 10 days from the date of issue of Letter of Intent. The Contractor shall provide for signing of the Contract, appropriate Power of Attorney in favour of the authorised representative duly attested by notary Public and the requisite documents/materials. Till a formal contract is prepared and executed, the Letter of Intent read in conjunction with the Bidding Documents will constitute a binding contract.
- ii. The agreement will be signed in two originals and three more copies, EPI shall retain the 'Original', the Contractor shall be provided with the other signed original and the remaining three copies will be retained by EPI. In case of a dispute of any kind whatsoever, the 'Original' retained by EPI alone shall be treated as the 'Original Agreement'.
- iii. The Contractor shall provide free of cost to EPI all the Engineering data, drawings and descriptive materials submitted along with the bid, in at least five (5) copies to form an integral part of the Agreement within seven 7 days after issuing of Letter of Intent.
- iv. Subsequent to signing of the Agreement, the Contractor at his own cost shall provide to EPI with at least five (5) true hard bound copies of Agreement alongwith all the enclosures viz. letter of intent, Tender Documents etc. within thirty (30) days of its signing.

#### 86.0 PURCHASE PREFERENCE TO PUBLIC SECTOR ENTERPRISES

EPI reserves its right to extend Purchase Preference to Central Public Sector Enterprises (CPSEs) as per policy of Government of India, if any, as applicable on this work. The tenderers are requested to go through latest instructions of Government of India on its Purchase Preference Policy for CPSEs before quoting for the Tender.

#### 87.0 CHANGE IN FIRM'S CONSTITUTION TO BE INTIMATED

Where the Contractor is a partnership firm, prior approval in writing of EPI shall be obtained before any change is made in the constitution of the firm. Where the Contractor is an individual or a Hindu undivided family business concern such approval as aforesaid shall likewise be obtained before the Contractor enters into any partnership agreement whereunder the partnership firm would have the right to carry out the works hereby undertaken by the Contractor. If prior approval as aforesaid is not obtained, the contract shall be deemed to have been assigned in contravention of Clause 59.1 hereof and EPI shall be entitled to take action under Clause 72.2 (xi).

#### 88.0 COMPLIANCE WITH ISO PROCEDURES

EPI is an ISO-9001 and ISO-14001 Company. The conditions of the ISO as applicable shall be followed by the Contractor for implementation & maintaining the established procedures of EPI.

## LABOUR SAFETY PROVISIONS

- 1.0 Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construction except such short period work as can be done safely from ladders. When a ladder is used an extra mazdoor shall be engaged for holding the ladder and if the ladder is used for carrying materials as well, suitable footholds and handholds shall be provided on the ladder and the ladder shall be given an inclination not steeper than 1/4 to 1 (1/4 horizontal and 1 vertical).
- 2.0 Scaffolding or staging more than 3.6m (12 feet) above the ground or floor, swung or suspended from an overhead support or erected with stationery support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm. (3 feet) high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends thereof with only such opening as may be necessary for the delivery of materials. Such scaffolding or staging shall be so fastened as to prevent it from swaying from the building or structure.
- 3.0 Working platforms, gangways, and stairways should be so constructed that they should not sag unduly or unequally, and if the height of the platform or the gangway or the stairway is more than 3.6m (12 feet) above ground level or floor level, they should be closely boarded, should have adequate width & should be suitable fastened as described in (2.0) above.
- 4.0 Every opening in the floor of a building or in a working platform shall be provided with suitable means to prevent the fall of persons or materials by providing suitable fencing or railing whose minimum height shall be 90 cm (3 feet).
- 5.0 Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be securely fixed. No portable single ladder shall be over 9m. (30 feet) in length while the width between side rails in rung ladder shall in no case be less than 29 cm. for ladder up to and including 3m (10 feet) in length. For longer ladders this width should be increased at least 1/4" for each additional 30 cm (1 ft.) of length. Uniform step spacing shall not exceed 30 cm (12"). Adequate precautions shall be taken to prevent danger from electrical equipment. No materials on any of the sites of the work shall be so stacked or placed as to cause danger or inconvenience to any person or the public. The Contractor shall provide all necessary fencing and lights to protect the public from accident, and shall be bound to bear the expenses of defence of every suit, action or other proceeding at law that may be brought by an person for injury sustained owing to neglect of the above precautions and to pay any damages and cost which may be awarded in any such suit, action or proceedings to any such person or which may, with the consent of the Contractor, be paid to compensate any claim by any such person.

#### 6.0 EXCAVATION AND TRENCHING

All trenches, 1.2mts.(four feet) or more in depth, shall at all times be supplied with at least one ladder for each 30m. (100 feet) in length or fraction thereof, Ladder shall be extended from bottom of the trench to at least 90 cm (3feet) above the surface of the ground. The sides of the trenches, which are 1.5m. (5feet) or more in depth shall be stepped back to give suitable slope or securely held by timber bracing, so as to avoid the danger or sides to collapsing. The excavated materials shall not be placed within 1.5m (5 feet) of the edges of the

trench or half of the depth of the trench whichever is more. Cutting shall be done from top to bottom. Under no circumstances undermining or undercutting shall be done.

- 7.0 Demolition Before any demolition work is commenced and also during the progress of the work:
- 7.1 All roads and open areas adjacent to the work Site shall either be closed or suitably protected.
- 7.2 No electric cable or apparatus which is likely to be a source of danger or a cable or apparatus used by the operator shall remain electrically charged.
- 7.3 All practical steps shall be taken to prevent danger to persons employed from risk or fire or explosion or flooding. No floor, roof or other part of the building shall be overloaded with debris or materials as to render it unsafe.
- 8.0 All necessary personal safety equipments as considered adequate by the Engineer-In-Charge should be kept available for the use of persons employed on the Site and maintained in a condition suitable for immediate use, and the Contractor should take adequate step to ensure proper use of equipment by those concerned- The following safety equipment shall be invariably provided.
- 8.1 Workers employed on mixing asphaltic materials, cement and lime mortars shall be provided with protective footwear and protective goggles.
- 8.2 Those engaged in white washing and mixing or stacking of cement bags or any materials which are injurious to the eye shall be provided with protective goggles.
- 8.3 Those engaged in welding works shall be provided with welder's protective eye shields.
- 8.4 Stone breakers shall be provided with protective goggles and protective clothing and seated at sufficiently safe interval.
- 8.5 When workers are employed in sewers and manholes, which are in active use, the Contractors shall ensure that the manhole covers are opened and ventilated at-least for an hour before the workers are allowed to get into the manholes, and the manholes so opened shall be cordoned off with suitable railing and provided with warning signals or boards to prevent accident the public. In addition, the Contractor shall ensure that the following safety measures are adhered to:
  - a. Entry for workers into the line shall not be allowed except under supervision of the JE or any other higher officer.
  - b. At least 5 to 6 manholes upstream and down stream should be kept open for at least 2 to 3 hours before any man is allowed to enter into the manholes for working inside.
  - c. Before entry, presence of Toxic gases should be tested by inserting wet lead acetate paper which changes colour in the presence of such gases and gives indication of their presence.
  - d. Presence of Oxygen should be verified by lowering a detector lamp into the manhole. In case, no Oxygen is found inside the sewer line, workers should be sent only with Oxygen kit.

- e. Safety belt with rope should be provided to the workers. While working inside the manholes such rope should be handled by two men standing outside to enable him to be pulled out during emergency.
- f. The area should be barricaded or cordoned of by suitable means to avoid mishaps of any kind. Proper warning signs should be displayed for the safety of the public whenever cleaning works are undertaken during night or day.
- g. No smoking or open flames shall be allowed near the blocked manhole being cleaned.
- h. The malba obtained on account of cleaning of blocked manholes and sewer lines should be immediately removed to avoid accidents on account of slippery nature of the malba.
- i. Workers should not be allowed to work inside the manhole continuously. He should be given rest intermittently. The Engineer In-charge may decide the time up to which a worker may be allowed to work continuously inside the manhole.
- j. Gas masks with Oxygen Cylinder should be kept at Site for use in emergency.
- k. Air-blowers should be used for flow of fresh air through the manholes. Whenever called for, portable air-blowers are recommended for ventilating the manholes. The Motors for these shall be vapour proof and of totally enclosed type. Non-sparking gas engines also could be used but they should be placed at-least 2 meters away from the opening and on the leeward side protected from wind so that they will not be a source of friction on any inflammable gas that might be present.
- I. The workers engaged for cleaning the manholes/ sewers should be properly trained before allowing them to work in the manhole. m. The workers shall be provided with Gumboots or non-sparking shoes, bump helmets and gloves non-sparking tools, safety lights and gas masks and portable air blowers (when necessary). They must be supplied with barrier cream for anointing the limbs before working inside the sewer lines.
- n. Workmen descending a manhole shall try each ladder step or rung carefully before putting his full weight on it to guard against insecure fastening due to corrosion of the rung fixed to manhole well.
- o. If a man has received a physical injury, he should be brought out of the sewer immediately and adequate medical aid should be provided to him.
- p. The extent to which these precautions are to be taken depend on individual situation but the decision of the Engineer-In-Charge regarding the steps to be taken in this regard in an individual case will be final.
- 8.6 The Contractor shall not employ men and women below the age of 18 years on the work of painting with products containing lead in any form Wherever men above the age of 18 are employed on the work of lead painting the following precautions should be taken.
- 8.6.1 No paint containing lead or lead products shall be used except in the form of paste or readymade paint.
- 8.6.2 Suitable facemasks should be supplied for use by the workers when paint is applied in the form of spray or a surface having lead paint is dry rubbed and scrapped.

- 8.6.3 Overalls shall be supplied by the Contractor to the workmen and adequate facilities shall be provided to enable the working painters to wash during the cessation of work.
- 8.6.4.1 a. White lead, sulphate or lead work products containing those pigments shall not be used in painting operation except in the form of paste or of paints ready for use.
  - b. Measures shall be taken whenever required in order to prevent danger arising from the application of paint in the form of spray.
  - c. Measures shall be taken, whenever practicable to prevent danger arising out of dust caused by dry rubbing down and scrapping.
- 8.6.4.2 a. Adequate facilities shall be provided to enable working painter to wash during and on cessation of work.
  - b. Suitable arrangements shall be made to prevent clothing put off during working hours being spoiled by painting materials.
- 8.6.4.3 a) Cases of lead poisoning and of suspected lead poisoning shall be notified and shall be subsequently verified by a medical man appointed by the competent authorities of the Consultant.
  - b) EPI may require when necessary a medical examination of workers.
  - c) Instructions with regard to the special hygienic precautions to be taken in the painting trade shall be distributed to working painters.
- 9.0 When the work is done near any place where there is risk of drowning, all necessary equipments should be provided and kept ready for use and all necessary steps taken for prompt rescue of any person in danger and adequate provisions should be made for prompt first aid treatment of all injuries likely to be obtained during the course of the work.
- 10.0 Use of hoisting machines and tackle including their attachment encourage and supports shall conform to the following standard of conditions.
- 10.1 a. These shall be of good mechanical construction, sound material and adequate strength and free from patent, defects and shall be kept required in good working order.
  - b) Every rope used in hoisting or lowering materials or as a means of suspension shall be of durable quality and adequate strength, and free from patent defects.
- 10.2 Every crane driver or hoisting appliance operator shall be properly qualified and no person under the age of 21 years should be in-charge of any hoisting machine including any scaffolding, winch or giving signals to operator.

- 10.3 In case of every hoisting machine and of every chain ring hook, shackle swivel and pulley block used in hoisting or as means of suspension the safe working load shall be ascertained by adequate means. Every hoisting machine and all gear referred to above shall be plainly marked with the safe working load. In case of a hoisting machine having a variable safe working load, each safe working load and the conditions under which it is applicable shall be clearly indicated. No part of any machine or any gear referred to above in this paragraph shall be loaded beyond the safe working load except for the purpose of testing.
- 10.4 In case of EPI machines, the safe working load shall be notified by the Engineer-In-Charge. As regards Contractor's machines the Contractor shall notify the safe working load of the machine to the Engineer-In-Charge whenever he brings any machinery to Site of work and get verified by the Engineer-In-Charge.
- 11.0 Motors gearing, transmission electric wiring and other dangerous parts of hoisting appliances should be provided with efficient safeguard, hosting appliances should be provided with such means as will reduce to the minimum the risk of accidental descent of the load. Adequate precautions should be taken to reduce the minimum the risk of any part of a suspended load becoming accidentally displaced. When workers are employed on electrical installations, which are already energized, insulating mats, wearing apparel, such as gloves sleeves and boots as may be necessary, be provided. The worker should not wear any rings, watches and carry keys or other materials, which are good conductors of electricity.
- 12.0 All scaffold, ladders, and other safety devices mentioned or described herein shall be maintained in safe condition and no scaffold ladder or equipment shall be altered or removed while it is in use. Adequate washing facilities should be provided at or near places of work.
- 13.0 These safety provisions should be brought to the notice of all concerned by display on a notice board at a prominent place of work spot. The person responsible for compliance of the safety codes shall be named therein by the Contractor.
- 14.0 To ensure effective enforcement of the rules and regulations relating to safety precautions the arrangements made by the Contractor shall be open to inspection by the or their representatives.
- 15.0 Notwithstanding the above Clauses from (i) to (xiv) there is nothing in these to exempt the Contractor from the operations of any other Act or Rule in force in the Republic of India.

## MODEL RULES FOR THE PROTECTION OF HEALTH AND SANITARY ARRANGEMENTS FOR WORKERS

#### 1.0 APPLICATION

These rules shall apply to all building and construction works in which 20 (twenty) or more workers are ordinarily employed or are proposed to be employed in any day during the period during which the Contractor work is in progress.

#### 2.0 DEFINITION

Work place means a place where twenty or more workers are ordinarily employed or are proposed to be employed in connection with construction work on any day during the period during which the Contractor work is in progress.

#### 3.0 FIRST-AID FACILITIES

- 3.1 At every work place first aid facilities shall be provided and maintained, so as to be easily accessible during working hours, First-Aid boxes at the rate of not less than one box per 150 contract labour or part thereof ordinarily employed.
- 3.2 The First-Aid box shall be distinctly marked with a red cross on white ground and shall contain the following equipments:-
- 3.2.1 a) For work places in which number of contract labour employed does not exceed 50, Each First-Aid box shall contain the following equipments:
  - i) 6 small sterilized dressings.
  - ii) 3 medium size sterilized dressings.
  - iii) large size sterilized dressings.
  - iv) 3 large sterilized burn dressings.
  - v) 1 (30 ml) bottle containing a two percent alcoholic solution of iodine.
  - vi) 1(30 ml) bottle containing salvolatile having the dose and mode of administration indicated on the label.
  - vii) 1 snake-bite lancet.
  - viii) 1 (30 gms) bottle of potassium permanganate crystals.
  - ix) 1 pair of scissors.
  - x) 1 copy of the First-Aid leaf-let issued by the Director General, Factory Advise Service & Labour Institutes, Government of India.
  - xi) 1 bottle containing 100 tablets (each of 5 grams) of aspirin.
  - xii) Ointment for burns.
  - xiii) A bottle of suitable surgical antiseptic solution.

- 3.2.2 For work places in which the number of contract labour exceed 50. Each First-Aid box shall contain the following equipments:
  - i) 12 small sterilized dressings.
  - ii) 6 medium size sterilized dressings.
  - iii) 6 large size sterilized dressings.
  - iv) 6 large size sterilized burn dressings.
  - v) 6 (15 gms) packet sterilized cotton wool.
  - vi) 1 (60 ml.) bottle containing a two percent iodine alcoholic solution.
  - vii) 1 (60 ml.) bottle containing salvolatile having the dose and mode of administration indicated on the label.
  - viii) 1 roll of adhesive plaster.
  - ix) 1 snake bite lancet.
  - x) 1 (30 gms.) bottle of potassium permanganate crystals.
  - xi) 1 pair of scissors.
  - xii) 1 copy of the First-Aid leaf-let issued by the Director General, Factory Advice Service and Labour Institutes, Government of India.
  - xiii) A bottle containing 100 tablets (each of 5 grams) of aspirin.
  - xiv) Ointment for burns.
  - xv) A bottle of suitable surgical antiseptic solution.
- 3.3 Adequate arrangements shall be made for immediate recoupment of the equipment when necessary.
- 3.4 Nothing except the prescribed contents shall be kept in the First Aid box.
- 3.5 The First Aid box shall be kept in charge of a responsible person who shall always be readily available during the working hours of the work place.
- 3.6 A person in charge of the First-Aid box shall be a person trained in First-Aid treatment, in work places where the number of labour employed is 150 or more.
- 3.7 In work places where the number of labour employed is 500 or more and hospital facilities are not available within easy distance of the works, first-Aid Posts shall be established and run by a trained Compounder. The Compounder shall be on duty and shall be available at all hours when the workers are at work.
- 3.8 Where work places are situated in places, which are not towns of cities, a suitable motor transport shall be kept readily available to carry injured person or persons suddenly taken ill to the nearest hospital.

#### 4.0 DRINKING WATER

- 4.1 In every work place, there shall be provided and maintained at suitable places, easily accessible to labour, a sufficient supply of cold water fit for drinking.
- 4.2 Where drinking water is obtained from an intermittent public water supply, each work place shall be provided with storage where such drinking water shall be stored.
- 4.3 Every water supply of storage shall be at a distance of not less than 50 feet from any latrines drain or other source of pollution, Where water has to be drawn from

an existing well which is within such proximity of latrine, drain or any other source of pollution, the well shall be properly chlorinated before water is drawn from it for drinking. All such wells shall be entirely closed in and be provided with a trapdoor which shall be dust and waterproof.

4.4 A reliable pump shall be fitted to each covered well, trap-door shall be kept locked and opened only for cleaning or inspection which shall be done at least once a month.

#### 5.0 WASHING FACILITIES

- 5.1 In every work place adequate and suitable facilities for washing shall be provided and maintained for the use of labour employed herein.
- 5.2 Separate and adequate screening facilities shall be provided for the use of male and female workers.
- 5.3 Such facilities shall be conveniently accessible and shall be kept clean and hygienic condition.

#### 6.0 LATRINES AND URINALS

- 6.1 Latrines shall be provided in every work place on the following scale, namely:
  - a) Where females are employed there shall be at least one latrine for every 25 females.
  - b) Where males are employed, there shall be at least one latrine for every 25 males.

Provided that where the number of males or females exceeds 100, it shall be sufficient if there is one latrine for 25 males or females, as the case may be, up to the first 100, and one for every 50 thereafter.

- 6.2 Every latrine shall be under cover and so partitioned off as to secure privacy, and shall has a proper door and fastenings.
- 6.3 Construction of Latrines: The inside walls shall be constructed of masonry or some suitable heat resisting non-absorbent materials and shall be cement washed inside and outside at least once a year. Latrine shall not be a standard lower than borehole system.
- 6.4 (a) Where workers of both sexes are employed, there shall be displayed outside each block of latrine and urinal, a notice in the language understood by the majority of the workers "For Men only" or "For Women only" as the case may be.
  - (b) The notice shall also bear the figure of man or of a women, as the case may be.

- 6.5 There shall be at least one urinal for male workers up to 50 and one for female workers up to 50 employed at a time. Provided that where the number of male or female workmen, as the case may be, exceeds 500, it shall be sufficient if there is one urinal for every 50 males or females up to the first 500 and one for every 100 or part thereof, thereafter.
- 6.6 a) The latrines and urinals shall be adequately lighted and shall be maintained in a clean and sanitary condition at all times.
  - b) Latrines and urinals other than those connected with a flush sewerage system shall comply with the requirements of the Public Health Authorities.
- 6.7 Water shall be provided by means of a tap or otherwise so as to be conveniently accessible in or near the latrines and urinals.

#### 6.8 DISPOSAL OF EXCRETA

Unless otherwise arranged for by the local sanitary authority arrangements for proper disposal of excreta by incineration at the work place shall be made by means of a suitable incinerator. Alternatively excreta may be disposed off by putting a layer of night soil at the bottom of a pucca tank prepared for the purpose and covering it with a 15 cm layer of waste or for refuse and then covering it with a layer of earth for fortnight (when it will turn into manure).

6.9 The Contractor shall, at his own expense, carry out all instruction issued to him by the Engineer-In-Charge to effect proper disposal of night soil and other conservancy work in respect of the Contractor's workmen or employees on the Site. The Contractor shall be responsible for payment of any charges, which may be levied by Municipal or Cantonment Authority for execution of such work on his behalf.

#### 7.0 PROVISION OF SHELTER DURING REST

At every place there shall be provided, free of cost four suitable sheds, two for males and the other two for rest separately for the use of man and women labour. The height of each shelter shall not be less than 3 meters from the floor level to the lowest part of the roof. These shall be kept clean and the space provided shall be on the basis of 0.6 sqm. Per head.

Provided that the Engineer-In-Charges may permit, subject to his satisfaction, a portion of the building under construction or other alternative accommodation to be used for the purpose.

#### 8.0 CRECHES

8.1 A every work place, at which 20 or more women workers are ordinarily employed, there shall be provided two rooms of reasonable dimensions for the use of their children under the age of six years. One room shall be used as a playroom for the children and the other as their bedrooms.

The rooms shall be constructed on standard not lower than the following:

- i) thatched roof
- ii) mud floor and walls.
- iii) planks spread over the mud floor and covered with matting
- 8.2 The rooms shall be provided with suitable and sufficient openings for light and ventilation. There shall be adequate provision of sweepers to keep the places clean.
- 8.3 The Contractor shall supply adequate number of toys and games in the playroom and sufficient number of cots and beddings in the bedroom.
- 8.4 The Contractor shall provide one Ayaa to look after the children in the creche when the number of women workers does not exceed 50 and two when the number of women workers exceed 50.
- 8.5 The use of the rooms/earmarked as ealize shall be restricted to children, their attendant and mother of the children.

#### 9.0 CANTEENS

- 9.1 In every work place where the work regarding the employment of contract labour is likely to continue for six months and wherein contract labour numbering one hundred or more are ordinarily employed, an adequate canteen shall be provided by the Contractor for the use of such labour.
- 9.2 The canteen shall be maintained by the Contractor in an efficient manner.
- 9.3 The canteen shall consist of at least a dining hall, kitchen, storeroom, pantry and washing places separately for workers and utensils.
- 9.4 The canteen shall be sufficiently lighted at all times when any person has access to it.
- 9.5 The floor shall be made of smooth and impervious material and inside walls shall be lime washed or colour washed at least once in each year.

Provided that the inside walls of the kitchen shall be lime-washed every four months.

- 9.6 The premises of the canteen shall be maintained in a clean and sanitary condition.
- 9.7 Waste Water shall be carried away in suitable covered drains and shall not be allowed to accumulate so as to cause a nuisance.
- 9.8 Suitable arrangements shall be made for the collection and disposal of garbage.
- 9.9 The dinning hall shall accommodate at a time 30 persons of the labour working at time.

- 9.10 The floor area of the dinning hall, excluding the area occupied by the service counter and any furniture except tables and chair shall not be less than one square meter per dinner to be accommodated.
- 9.11 a) A portion of the dinning hall, and service counter shall be partitioned off and reserved for women workers in proportion to their number.
  - b) Washing places for women shall be separate and screened to secure privacy.
- 9.12 Sufficient tables, stool, chairs or benches shall be available for the number of dinners to be accommodated.
- 9.13.1 a) There shall be provided and maintained sufficient utensils, crockery, furniture and any other equipment necessary for the efficient running of the canteen.
  - b) The furniture, utensils and other equipment shall be maintained in a clean and hygienic condition.
- 9.13.2 a) Suitable clean clothes for the employees serving in the canteen shall be provided and maintained.
  - b) A service counter, if provided, shall have top of smooth and impervious material.
  - c) Suitable facilities including an adequate supply of hot water shall be provided for the cleaning of utensils and equipment.
- 9.14 The foodstuffs and other items to be served in the canteen shall be in conformity with the normal habits of the labour.
- 9.15 The charge for food stuffs, beverages and any other items served in the canteen shall be based on 'No profit No loss' and shall be conspicuously displayed in the canteen.
- 9.16 In arriving at price of foodstuffs, and other articles served in the canteen, the following items shall not be taken into consideration as expenditure, namely:
  - a) The rent of land building.
  - b) The depreciation and maintenance charges for the building and equipment provided for the canteen.
  - c) The cost of purchase, repair and replacement of equipment including furniture, crockery, cutlery and utensils:
  - d) The water charges and other charges incurred for lighting and ventilation:
  - e) The interest and amounts spent on the provision and maintenance and equipment provided for in the canteen.

9.17 The accounts pertaining to the canteen shall be audited once every 12 months by registered accountants and auditors.

#### 10.0 ANTI MALARIAL PRECAUTIONS

The Contractor shall at his own expense, conform to all anti-malarial instructions given to him by the Engineer-In-Charge including the filling up of any borrows pits which may have been dug by him.

#### 11.0 AMENDMENTS

EPI may from time to time, add to or amend these rules and issue such directions as it may consider necessary for the purpose of removing any difficulty which may arise in the administration hereof.

## CONTRACTOR'S LABOUR REGULATIONS

#### 1.0 SHORT TITLE

These regulations may be called the Contractor "Labour Regulations".

#### 2.0 DEFINITIONS

- 2.1 "Workman" means any person employed by EPI or its Contractor directly or indirectly through a sub-Contractor, with or without the knowledge, of EPI to do any skilled, semi-skilled, unskilled, manual, supervisory, technical or clerical work for hire or reward, whether, the terms of employment are expressed or implied but does not include any person
  - a) Who is employed mainly in a managerial or administrative capacity; or
  - b) Who being employed in a supervisory capacity draws wages exceeding Rupees Two thousand Five hundred per person or exercises either by the nature of the duties attached to the office or by reason of powers vested to him, functions mainly of managerial nature.
  - c) Who is an out worker, that is to say, a person to whom any articles or materials are given out by or on behalf of the principal Employer to be made up cleaned, washed, altered, ornamental finished, repaired, adopted or otherwise processed for sale for the purpose of the trade or business of the principal Employer and the process is to be carried out either in the home of the out worker or in some other premises, not being premises under the control and management of the principal Employer.
- 2.2 "Fair Wages" means wages whether for time or piecework fixed and notified under the provisions of the minimum Wages Act from time to time.
- 2.3 "Contractor" shall include every person who undertake to produce a given result other than a mere supply of goods or articles of manufacture through labour or who supplies labour for any work and includes a sub-Contractor.
- 2.4 "Wages" shall have the same meaning as defined in the Payment of Wages Act.
- 2.4.1 Normally working hours of an adult employee should not exceed 9 hours a day. The working day shall be so arranged that inclusive of interval for rest, if any, it shall not spread over more than 12 hours on any day.
- 2.4.2 When an adult worker is made to work for more than 9 hours on any day or for more than 48 hours in any week he shall be paid overtime for the extra hours put in by him at double the ordinary rate of wages.

- 2.4.3.1 Every worker shall be given a weekly holiday on a Sunday, in accordance with the provisions of the Minimum Wages (Central) Rules 1960 as amended from time to time, irrespective of whether such worker is governed by the Minimum Wages Act or not.
- 2.4.3.2 Whether the Minimum Wages prescribed by the Government under the Minimum Wages Act are not inclusive of the wages for the weekly day of rest, the worker shall be entitled to rest day wages at the rate applicable to the next preceding day, provided he has worked under the same Contractor for a continuous period of not less than 6 days.
- 2.4.3.3 here a Contractor is permitted by the Engineer-In-Charge to allow a worker to work on a normal weekly holiday, he shall grant a substitute holiday to him for the whole day on one of the five days immediately before or after the normal weekly holidays and pay wages to such worker for the work performed on the normal weekly holiday at overtime rate.

#### 3.0 DISPLAY OF NOTICE REGARDING-WAGES, ETC.

The Contractor shall before he commences his work on contract, display and correctly maintain and continue to display and correctly maintain in a clean and legible condition in conspicuous places on the work, notices in English and in the local Indian languages spoken by the majority of the workers, giving the minimum rates of wages fixed under the Minimum Wages Act, the actual wages being paid, the hours of work for which such wages are earned, wage period, dates of payment of wages and other relevant information as per Appendix 'A'.

#### 4.0 PAYMENT OF WAGES

4.1 The Contractor shall fix wage periods in respect of which wages shall be payable.

- 4.2 No wage period shall exceed one month.
- 4.3 The wages of every person employed as labour in an establishment or by a Contractor where less than one thousand, such persons are employed shall be paid before the expiry of the seventh day and in other cases before the expiry of tenth day after the last day of the wage period in respect of which the wages are payable.
- 4.4 Where the employment of any worker is terminated by or on behalf of the Contractor the wages earned by him shall be paid before the expiry of the second working day from the date on which his employment is terminated.
- 4.5 All payments of wages shall be made on a working day at the work premises and during the working time and on a date notified in advance and in case the work is completed before the expiry of the wage period, final payment shall be made within 48 hours of the last working day.

- 4.6 Wages due to every worker shall be paid to him direct or to other person authorized by him in this behalf.
- 4.7 All wages shall be paid in current coin or currency or in both.
- 4.8 Wages shall be paid without any deductions of any kind except those specified by the Central Government by general or special order in this behalf or permissible under the Payment of Wages Act 1956.
- 4.9 A notice showing the wage period and the place and time of disbursement of wages shall be displayed at the place of work and a copy sent by the Contractor to the Engineer-In-Charge under acknowledgment.
- 4.10 It shall be the duty of the Contractor to ensure the disbursement of wages in the presence of the Engineer or any other authorized representatives of the Engineer-In-Charge who will be required to be present at the place and time of disbursement of wages by the Contractor to workmen.
- 4.11 The Contractor shall obtain from the Engineer or any other authorized representative of the Engineer-In-Charge as the case may be, a certificate under his signature at the end of the entries in the "Register of Wages" or the "Wage-cum-Muster Roll" as the case may be in the following form :

#### 5.0 FINES AND DEDUCTIONS, WHICH MAY BE MADE FROM WAGES

- 5.1 The wages of a worker shall be paid to him without any deduction of any kind except the following :
  - a) Fines
  - b) Deductions for absence from duty i.e. from the place or the places where by the terms of his employment he is required to work. The amount of deduction shall be in proportion to the period for which he was absent.
  - c) Deduction for damage to or loss of goods expressly entrusted to the employed persons for custody, or from loss of money or any other deduction which he is required to account where such damage or loss is directly attributable to his neglect or default.
  - d) Deduction for recovery of advances or for adjustment of over payment of wages, advances granted shall be entered in a register.
  - e) Any other deduction, which the Central Government may from time to time allow.
- 5.2 No fines should be imposed on any worker save in respect of such acts and omissions on his part as have been approved by the Chief Labour Commissioner.

NOTE: An approved list of Acts and Omissions for which fines can be imposed is enclosed at Appendix-I.

- 5.3 No fine shall be imposed on a worker and no deduction for damage or loss shall be made from his wages until the worker has been given an opportunity of showing cause against such fines or deductions.
- 5.4 The total amount of fine which may be imposed in any one-wage period on a worker shall not exceed an amount equal to three paise in a Rupee of the total wages, payable to him in respect of that wage period.
- 5.5 No fine imposed on any worker shall be recovered from him in installment, or after the expiry of sixty days from the date on which it was imposed.
- 5.6 Every fine shall be deemed to have been imposed on the day of the act or omission in respect of which it was imposed.

#### 6.0 LABOUR RECORDS

- 6.1 The Contractor shall maintain a "Register of persons employed" on work on contract in form XIII of the CL (R&A) Central Rules 1971 (Appendix-B).
- 6.2 The Contractor shall maintain a "Muster Roll" register in respect of all workmen employed by him on the work under contract in from XVI of the CL (R&A) Rules 1971 (Appendix-C).
- 6.3 The Contractor shall maintain a "Wage Register" in respect of all workmen employed by him on the work in form (Appendix-D).
- 6.4 Register of accidents The Contractor shall maintain a register of accidents in such form as may be convenient at the work place but the same shall include the following particulars:
  - a) Full particulars of the labourers who met with accident.
  - b) Rate of wages
  - c) Sex
  - d) Age
  - e) Nature of accident and cause of accident.
  - f) Time and date of accident.
  - g) Date and time when he/she admitted in Hospital
  - h) Date of discharge from the Hospital
  - i) Period of treatment and result of treatment
  - j) Percentage of loss of earning capacity and disability as assessed by Medical Officer.
  - k) Claim required to be paid under Workmen's Compensation Act.
  - I) Date of payment of compensation.
  - m) Amount paid with details of the person to whom the same was paid.
  - n) Authority by whom the compensation was assessed.
  - o) Remarks.

6.5 Register of Fines – The Contractor shall maintain a "Register of Fines" in the form

(Appendix-H).

The Contractor shall display in a good condition and in a conspicuous place of work the approved list of Acts and Omission for which fines can be imposed (Appendix-I).

- 6.6 Register of Deductions-The Contractor shall maintain a "Register of Deductions" for damage or loss in form (Appendix-J).
- 6.7 Register of Advances-The Contractor shall maintain a "Register of Advances" in form (Appendix-K).
- 6.8 Register of Overtime-The Contractor shall maintain a "Register of Overtime" in form (Appendix-L).

#### 7.0 ATTENDANCE CARD-CUM WAGE SLIP:

- 7.1 The Contractor shall issue an attendance card-cum-wage slip to each workman employed by him in the specimen form at (Appendix-E).
- 7.2 The card shall be valid for each wage period.
- 7.3 The Contractor shall mark the attendance of each workman on the card twice each day, once at the commencement of the day and again after the rest interval, before he actually starts work.
- 7.4 The card shall remain in possession of the worker during the wage period under reference.
- 7.5 The Contractor shall complete the wage slip portion on the reverse of the card at least a day prior to the disbursement of wages in respect of the wage period under reference.
- 7.6 The Contractor shall obtain the signature or thump impression of the worker on the wage slip at the time of disbursement of wages and retain the card with himself.

#### 8.0 EMPLOYMENT CARD

The Contractor shall issue an Employment Card in form to each worker within three days of the employment of the worker (Appendix-F).

#### 9.0 SERVICE CERTIFICATE

On termination of employment for any reason whatsoever the Contractor shall issue to the workman whose services have been terminated, a service certificate in from Appendix-G.

#### 10.0 PRESERVATION OF LABOUR RECORDS

All records required to be maintained under Regulations Nos. 6 and 7 shall be preserved in original for a period of three years from the date of last entries made in them and shall be made available for inspection by the Engineer-In-Charge, Labour Officer.

#### 11.0 POWER OF LABOUR OFFICERS TO MAKE INVESTIGATIONS INQUIRY

The Labour Officer or any other person authorized by EPI on its behalf shall have power to make inquires with a view to ascertaining and enforcing due and proper observance of the Fair Wage Clauses and the Provisions of Regulations. He shall investigate into any complaint regarding the default made by the Contractor or sub-Contractor in regard to such provision.

#### 12.0 INSPECTION OF BOOK AND SLIPS

The Contractor shall allow inspection of all the prescribed labour records to any of his workers or to his agent at a convenient time and place after due notice is received or to the Labour officer or any other person, authorized by the Central Government on his behalf.

#### 13.0 SUBMISSION OF RETURNS

The Contractor shall submit periodical returns as may be specified from time to time.

#### 14.0 AMENDMENTS

EPI may from to time, add or amend the regulations and on any question as to the application, interpretation or effect of these regulations the decision of the Zonal Chief concerned shall be final.

Appendix – 'A'

## LABOUR BOARD

Name of work

Name of Contractor

Address of Contractor

Name and Address of Unit

Name of Labour Enforcement Officer

Address of Labour Enforcement Officer

Date:

S. No.	Category	Minimum wage fixed	Actual wages paid	Number present	Remarks

Weekly Holiday

Wage Period

Date of Payment of wages

Working hours

Rest interval

Appendix – 'B'

## FORM 13

### SEE RULE 75

#### **REGISTER OF WORKMEN EMPLOYED BY CONTRACTOR**

Name and Address of Contractor

Name and Address of Establishment in/ under which contract is carried on

Nature and location of work

Name & Address of Principal Employer

lo.	surname of workman	sex	Husbands Name	employment / designation	address of the workman (villag and Tehsil Talul and District)	k
1	2	3	4	5	6	7
	Date of mencement employment	impres	re or thumb sion of the orkman	Date of termination of employment	Reasons for termination	Remarks
	mencement	impres	sion of the	termination of		Remarks
	nmencement employment	impres	sion of the orkman	termination of employment	termination	

Appendix – 'C'

## FORM XVI

(See Rule 78(2) (193)

## MUSTER ROLL

Name and address of Contractor

Name and address of establishment in/under which contract is carried on

Nature and location of work

Name and Address of Principal Employer

For the month / fortnight

S.No.	Name of the workman	Sex	Father's / Husband's Name	Dates	Remarks
1.	2	3	4	5.	
				1 2 3 4 5	

Appendix – 'D'

### FORM XVII

[SEE RULE 78(2) (03)]

#### **REGISTER OF WAGES**

Name and address of Contractor

Name and address of establishment in/under which contract is carried on

Nature and location of work

Name and Address of Principal Employer

Wage period: per month/ fortnightly

S. No.	Name of Workman	Serial No. in the register of workman	Designation nature of work done	Nos. of days worked	Units of work done	Daily rate of wages/ piece rate	Basic Wages
1	2	3	4	5	6	7	8

Dearness allowance	Overtime	Other cash payments (Nature of payments to be indicated)	Total	Duration if any (indicate)	Net Amt paid	Signature thumb impression of the workman	Initial Contractor or his representative
9	10	11	12	13	14	15	16

#### Appendix – 'E'

## FORM XIX

#### [SEE RULE 78 (2) (B)]

#### WAGESLIP

Name and address of Contractor

Name and Father's/Husband's Name of workman

Nature and location of work

For the Week/Fortnight/Month ending

- 1. No. of days worked
- 2. No. of Units worked in case of piece rate workers
- 3. Rate of daily wages/piece rate
- 4. Amount of overtime wages
- 5. Gross wages payable
- 6. Deductions if any
- 7. Net amount of wages paid

Sign of the Contractor

Appendix – 'E'

## WAGE CARD

### WAGE CARD NO.

NAME AND ADDRESS OF CONTR	ACTOR	DATE OF ISSUE		
NATURE OF WORK WITH LOCATI	ON	DESIGNATION		
NAME OF WORKMAN		MONTH/FORTNIGHT		
RATE OF WAGES				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 26 27 28 29 30 31	16 17 18 19 20 21 22 23 24 2	5		
MORNING		RATE		
EVENING		AMOUNT		
INITIAL				
RECEIVED FROM	THE SUM OF RS.	ON ACCOUNT OF MY WAGON.		

SIGNATURE

THE WAGE CARD IS VALID FOR ONE MONTH FROM THE DATE OF ISSUE.

Appendix - 'F'

## FORM XIV

#### (SEE RULE 76)

#### **EMPLOYMENT CARD**

Name and address of Contractor

Name and address of establishment under which

The contract is carried out

Nature and location of work

Name and address of Principal Employer

- 1. Name of the workman
- 2. S. Name in the register of workman employed
- 3. Nature of Employment/Designation
- 4. Wage rate (with particulars of unit in case of piece work)
- 5. Wage Period
- 6. Tenure of employment
- 7. Remarks

Signature of Contractor

Appendix – 'G'

## FORM XV

(SEE RULE 77)

### SERVICE CERTIFICATE

Name and address of Contractor

Nature and location of work

Name and address of workman

Age or date of birth

Identification Marks

Father's/Husband's Name

Name and address of establishment in under which contract is carried on

Name and address of Principal Employer

Total period of which employed

S.No.	From	То	Nature of work	Rate of wages (with particular s of unit In case of piece work)	Remarks
1	2	3	4	5	6

Signature

Appendix – 'H'

## FORM XII

[SEE RULE 78 (2) (D)]

### **REGISTER OF FINES**

Name and address of Contractor

Name and address of establishment in/ under which contract is carried on

Nature and location of work

Name and address of workman

Name and address of Principal Employer

S.No.	Name of workman		Designation/nature of employment	Act/Omission for which fine imposed	Date of offence
1	2	3	4	5	6

Whether workman showed causes against fine	Name of person in whose presence employees explanation was heard	Wage period and wages payable	Amount of fine Imposed	Date on which fine realized	Remarks
7	8	9	10	11	12

### LIST OF ACTS AND OMISSIONS FOR WHICH FINES CAN BE IMPOSED

In accordance with rule of Labour Regulations, to be displayed prominently at the Site of work both in English and local language.

- 1. Willful insubordination or disobedience, whether alone or in combination with other.
- 2. Theft, fraud or dishonestly in connection with Contractors beside a business or property of EPI.
- 3. Taking or giving bribes or any illegal gratifications.
- 4. Habitual late attendance.
- 5 Drunk-ness fighting riotous or disorderly or indifferent behaviour.
- 6. Habitual negligence.
- 7. Smoking near or around the area where combustible or other materials are locked.
- 8. Habitual indiscipline.
- 9. Causing damage to work in the progress or to property of EPI or of the Contractor.
- 10. Sleeping on duty.
- 11. Malingering or slowing down work.
- 12. Giving the false information regarding name, age, fathers name etc.
- 13. Habitual loss of wage cards supplied by the Employer.
- 14. Unauthorized use of Employers property or manufacturing or making of unauthorized articles at the work place.
- 15. Bad workmanship in construction and maintenance by skilled workers, which is not approved by EPI for which the Contractors are compelled to undertake rectifications.
- 16. Making false complaints and/or misleading statements.
- 17. Engaging on trade within the premises of the establishment.
- 18. Any unauthorized divulgence of business affairs of the employees.
- 19. Collection or canvassing for the collection of any money within the premises of an establishment unless authorized by the Employer.
- 20. Holding meeting inside the premises without previous sanction of the Employers.
- 21. Threatening or intimidating any workman or employee during the working hours within the premises.

Appendix – 'J'

## FORM XX

[SEE RULE 78 (2) (D)]

#### **REGISTER OF DEDUCTION FOR DAMAGES OR LOSS**

Name and address of Contractor

Name and address of establishment in/ under which contract is carried on

Nature and location of work

Name and address of Principal Employer

S.No.	S.No. Name of Father's/Husband workman Name		Designation/nature of employment	Particulars of damage or loss	Date of damage/loss
1	2	3	4	5	6

				Date of recovery			
Whether workman showed cause against deductions	Name of person in whose presence employees explanation was heard	Amount of deduction Imposed	No. of installment	First Installment	Last Installment	Remarks	
7	8	9	10	11	12	13	

#### Appendix – 'K'

# FORM XXII

[SEE RULE 78(2)]

#### **REGISTER OF ADVCANCES**

Name and address of Contractor

Name and address of establishment in/ under which contract is carried on

Nature and location of work

Name and address of Principal Employer

S.No.	Name of workman	Father's/Husband Name	Designation/nature of employment	Wages period and wages payable	Date and amount of advance given
1	2	3	4	5	6

Purpose / for which advance made	No. of installments by which advance is to be paid	Date and amount of each installment repaid	Date on which last installment was repaid	Remarks
7	8	9	10	11

#### Appendix – 'L'

## FORM XXIII

[See Rule 78(2) (E)]

### **REGISTER OF OVERTIME**

Name and address of Contractor

Name and address of establishment in/ under which contract is carried on

Nature and location of work

Name and address of Principal Employer

S.No.	Name of workman	Father's/Husband Name	Sex	Designation/ nature of employment	Date on which overtime worked
1	2	3	4	5	6

Total overtime worked or production in case of piece rated	Normal rate of wages	Overtime rate of wages	Overtime earning	earning which overtime wages paid	
7	8	9	10	11	12

# **APLICATION FOR EXTENSION OF TIME**

(To be completed by the Contractor)

# PART-I

- 1. Name of Contractor
- 2. Name of the work as given in the Agreement
- 3. Agreement No.
- 4. Estimated amount put to Tender
- 5. Date of commencement work as per agreement
- 6. Period allowed for completion of work as per agreement
- 7. Date of completion stipulated as per agreement
- 8. Period for which extension of time has been given previously Extension granted

a)	First extension vide Engineer-in- charge letter Nodate	Months	Days
b)	2nd extension vide Engineer-in- charge letter No date	Months	Days
c)	3rd extension vide Engineer-in- charge letter No date	Months	Days
d)	4th extension vide engineer-in- charge letter No date	Months	Days

Total extension previously given

- 9. Reasons for which extension have been previously given (copies of the previous application should be attached)
- 10. Period for which extension is applied for:
- 11. Hindrances on account of which extension is applied for with dates on which hindrances occurred, and the period for which these are likely to last.
  - a) Serial No.
  - b) Nature of hindrance

- c) Date of Occurrence
- d) Period for which it is likely to last
- e) Period for which extension required for this particular hindrance.
- f) Over lapping period, if any, with reference to item
- g) Net extension applied for
- h) Remarks, if any

Total period for which extension is now applied for on account of hindrances mentioned above ...... Month/ days.

- 12. Extension of time required for extra work.
- 13. Details of extra work and on the amount involved:
  - a) Total value of extra work
  - b) Proportionate period of extension of time based on estimated amount put to tender on account of extra work.
- 14. Total extension of time required for 11 & 12 Submitted to the Engineer-In-Charges office.

SIGNATURE OF CONTRACTOR

DATE

# **APPLICATION FOR EXTENSION OF TIME**

# (PART – II)

- 1. Date of receipt of application from Contractor for the work in the Engineer-In-Charge office.
- 2. Acknowledgement issued by Engineer-In-Charge vide his letter No dated
- 3. Engineer-In-Charge remarks regarding hindrances mentioned by the Contractor.
  - i) Serial No.
  - ii) Nature of hindrance
  - iii) Date of occurrence of hindrance
  - iv) Period for which hindrance, is likely to last
  - v) Extension of time period applied for by the Contractor
  - vi) Over lapping period, if any, giving reference to items which over lap
  - vii) Net period for which extension is recommended.
  - viii) Remarks as to why the hindrance occurred and justification for extension recommended.
- 4. Engineer-In-Charge recommendations.

(The present progress of the work should be stated and whether the work is likely to be completed by the date upto which extension has been applied for. If extension of time is not recommended, what compensation is proposed to be levied under the agreement.

#### SIGNATURTE OF ENGINEER-IN-CHARGE

#### APPROVAL OF ZONAL HEAD

# PROFORMA FOR EXTENSION OF TIME

### PART-III

То

NAME

ADDRESS OF THE CONTRACTOR

SUBJECT:

Dear Sir(s)

Reference your letter No \_\_\_\_\_\_ dated \_\_\_\_\_, in connection with the grant of extension of time for completion of the work.....

The date of completion for the above mentioned work, is ...... as stipulated in the agreement, dated .....

Extension of time for completion of the above mentioned work is granted upto\_\_\_\_\_\_, without prejudice to the right of EPI to recover compensation for delay in accordance with the provision made in the relevant Clause (s) of the said agreement dated the \_\_\_/ \_\_\_/ \_\_\_. It is also clearly understood that EPI shall not consider any revision in contract price or any other compensation whatsoever due to grant of this extension.

Provided that notwithstanding the extension hereby granted, time is and shall still continue to be the essence of the said agreement.

Yours faithfully,

FOR EPI LTD.

FORMAT NO: EPI/MMD/F/26

#### PROFORMA FOR BANK GURANTEE IN LIEU OF EARNEST MONEY DEPOSIT

In consideration of Chairman & managing Director, Engineering Projects (India) Limited, (A Govt. of India Enterprise), Core-3, Scope Complex, Lodhi Road, New Delhi Pin-110003. (hereinafter called the EPI) having agreed to accept bank Guarantee of Rs lieu of EARNEST ..... in MONEY DEPOSIT from ..... (hereinafter called the Supplier/ Contractor/ Sub-Contractor, which expression shall include its heirs, successors and assignees) in respect of the Tender for

------

We, ...... bank having its registered/head office at ...... (hereinafter referred to as the Bank) do hereby agree and undertake to pay to EPI without demur or protest an amount not exceeding Rs...... on demand by EPI.

We the above said Bank further agree and undertake to pay the said amount of Rs..... without any demur on demand within 48 hours. Any demand made on the Bank by EPI shall be conclusive as regards the amount due and payable by the Bank under this guarantee.

We, the above said Bank, further agree that EPI shall have full liberty, without our consent and without affecting in any manner our obligation to verify, modify or delete any of the conditions.

We, the above said Bank, lastly undertake not to revoke this guarantee during its currency except with the prior consent of EPI in writing.

Dated......200.

For and on behalf of the Bank

<u>NOTE</u>: on a Non-Judicial stamp paper of Rs. 100/- (Rupees One hundred only)

#### FORMAT NO. EPI/MMD/F/17

#### SECURITY DEPOSIT CUM PERFORMANCE BANK GUARANTEE

The Chairman & Managing Director (A Govt. of India Enterprise), Engineering Projects (India) Ltd. Core-3, SCOPE Complex 7, Institutional Area, Lodhi road New Delhi –110 003

Dear Sir,

In consideration of the Chairman & Managing Director, Engineering Projects (India) Ltd. (A Govt. of India Enterprise), Core-3, Scope Complex, 7 Institutional Area, Lodhi Road, New Delhi – 110 003 (hereinafter called 'EPI' which expression shall unless repugnant to the subject or context includes its successors and assigns) having agreed under the terms and conditions of Supply Contract/Contract/Sub-Contract no.

\_\_\_\_Dated\_\_\_\_\_made between M/s

(hereinafter referred to as the said Supplier/Contractor/Sub-Contractor) which expression shall unless repugnant to the subject or context includes its successors and assigns) and EPI in connection with (hereinafter called 'The said Supply Contract/Contract/Sub-Contract) to accept a Deed Security Deposit-cum-Performance Bank Guarantee as herein provided for \_\_\_\_\_\_\_ in lieu of :

- a) The Security Deposit to be made by the said Supplier/Contractor/Sub-Contractor for the due fulfillment by the said Supplier/Contractor/Sub-Contractor of the terms and conditions contained in the said Supply Contract/Contract/Sub-contract, and
- b) Fulfillment of the conditions of the said Supply Contract /Contract/Sub-Contract by furnishing a security for the performance of the works and/or equipment/materials supplied in accordance with conditions of the said Supply Contract/ Contract/ Sub-Contract.
- (hereinafter referred to as "the said bank 1. We which expression shall unless repugnant to the subject or context includes its successors and assigns) and having our registered office at \_ do hereby unconditionally and irrevocably undertake and agree to indemnify and keep indemnified EPI from time to time to the extent of ( ) Only against any loss, damages, costs, charges and expenses caused to or suffered by or that may be caused or suffered by EP II by reason of any breach or breaches by the said Supplier/Contractor/Sub-Contractor of any of the terms and conditions contained in the said Supply Contract/Contract/Sub-Contract and or any amount becoming due for non-

performance and /or penalty as assessed by EPI and top unconditionally pay the amount claimed by EPI on demand and without demur and protest.

- 2. We the said Bank further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said Supply Contract/Contract/Sub-Contract and till all the dues of EPI under the said Supply Contract/Contract/Sub-Contract or by virtue of any of the terms and conditions governing the said Supply Contract/ Contract/ Contract/ Contract/ Contract/ Contract/ Sub-Contract have been fully paid and its claims satisfied or discharged and till EPI certifies that the terms and conditions of the said Supply Contract/Contract/Contract/Sub-Contract/Sub-Contract have been fully and properly carried out by the said Supplier/Contractor/Sub-Contractor and accordingly discharge this guarantee subject, however, that EPI shall have no claim under this guarantee after 6 months from the date of expiry of the guarantee unless a notice of the claim under this guarantee has been served on the Bank before the expiry of the said period of 6 months.
- 3. EPI shall have the fullest liberty without affecting in any way the liability of the said Bank under this Guarantee or indemnity from time to time to vary any of the terms and conditions of the said Supply Contract/Contract/Sub-Contract to extend time of performance of the said Supply Contract/ Contract/ Sub-Contract or to postpone for any time and from time to time any power's exercisable by it against the said Supplier/Contractor/Sub-Contractor and either to enforce or forbear from enforcing any of the terms and conditions governing the said Supply Contract/ Contract/ Sub-Contract or securities available to EPI and the said Bank shall not be released from its liability under these presents by any exercise by EPI of the liberty with reference to the matters aforesaid or by reason of time being given to the said Supplier/Contractor/Sub-Contractor or of any other matter or thing whatsoever which under the law relating to sureties would but for this provision have the effect of so releasing the said Bank from its such liability.
- 4. We, the said Bank, further agree that EPI shall be the sole judge of and as to whether the said Supplier/Contractor/Sub-Contractor has committed any beach or breaches of any of the terms and conditions of the said Supply Contract/Contract/Sub-Contract and the extent of loss, damage, cost, charges and expenses caused to or suffered by or that may be caused to or suffered by EPI on account thereof and the decision of EPI that the said Supplier/Contractor/Sub-Contractor has committed such breach or breaches and as to the amount or amounts of loss, damages, costs, charges and expenses caused to or suffered by EPI from time to time shall be final and binding on the Bank.
- 5. This guarantee shall be a continuing guarantee and shall remain valid and irrevocable for all claims of EPI and liabilities of the said Supplier/Contractor/Sub-Contractor arising up to and until mid night of \_\_\_\_\_\_, subject the claim period as mentioned in para \_\_\_\_\_.
- 6. This guarantee shall be in addition to any other guarantee or security whatsoever that EPI may now or at any time anywise may have in relation to the said Supplier/Contractor/Sub-Contractor obligation/liabilities under and/or in connection with the said Supply Contract/Contract/Sub-Contract and EPI shall have full authority to take recourse to or enforce this guarantee in preference to any other guarantee or

security which EPI may have or obtain and there shall be no forbearance on the part of EPI IN ENFORCING OR REQUIRING ENFORCEMENT OF ANY OTHER SECURITY AND shall not have the effect of releasing the said Bank from its full liability hereunder:

- 7. EPI shall be at liberty without reference to the said Bank and without effecting the full liability of the said Bank hereunder to take any other security in respect of the said supplier's/Contractor's/sub-Contractor's obligations and/or liabilities under or in connection with the said Supply Contract/ Contract/ Sub-Contract.
- 8. This guarantee shall not be determined or affected by the liquidation or winding up, dissolution, or change of constitution or insolvency of the said Supplier/Contractor/Sub-Contractor, but shall in all respects and for all purposes be binding and operative until payment of all moneys paid to EPI in terms thereof.
- 9. The said Bank hereby waives all rights at any time inconsistent with the terms of this guarantee and the obligations of the said Bank in terms hereof shall not be anywise affected or suspended by reasons of any dispute or disputes having been raised by the said Supplier/Contractor/Sub-Contractor (whether or not pending before any arbitrator, tribunal or court) of any denial or liability by the said Supplier/ Contractor/Sub-Contractor stopping or preventing or purporting to stop or prevent any payment by the said Bank to EPI in terms hereof. The amount stated in any notice of demand addressed by EPI to the Guarantor Bank as liable to be paid to EPI by the Supplier/ Contractor/ Sub-Contractor on account of any losses or damages or costs, charges and /or expenses shall as between the said bank and EPI be conclusive evidence of the amount so liable to be paid to EPI or suffered or incurred by EPI as the case may be and payable by the said Bank to EPI in terms hereof. We, the said Bank further undertake that we shall pay forthwith the amount stated in the notice of demand to EPI without demur and protest.
- 10. We, the said bank undertake not to revoke this guarantee during its currency except with the consent of EPI in writing and agree that any change in the constitution of the aid Supplier/Contractor/Sub-Contractor or the said Bank shall not discharge our liabilities hereunder.
- 11. It shall not be necessary for EPI to proceed against the said Supplier/Contractor/Sub-Contractor before proceeding against the Bank and the guarantee herein contained shall be enforceable against the Bank notwithstanding EPI may have obtained any security which or obtain from the Supplier/Contractor/Sub-Contractor shall at the time when proceedings are taken against the said Bank hereunder be outstanding or unrealized.
- 12. Our liability under this guarantee shall be restricted to \_\_\_\_\_\_ and this guarantee shall remain in force until midnight of \_\_\_\_\_\_ unless a claim to enforce this guarantee is filed with us within six months from \_\_\_\_\_\_. (which is date of expiry of this guarantee), we shall be discharged from all liabilities under this guarantee thereafter.

DATED -----200...

FOR AND ON BEHALF OF BANK

Format No: EPI/MMD/F/15

#### PROFORMA FOR ADVANCE BANK GUARANTEE

То

The Chairman & Managing Director, Engineering Projects (India) Ltd., (A Govt.of India Enterprise), Core-3, Scope Complex, 7, Institutional Area, Lodhi Road, New Delhi—110 003.

Dear Sir,

- 1. In consideration of the Chairman & Managing Director, Engineering Projects (India) Limited, (A Govt. of India Enterprise), Core-3, Scope Complex, 7, Institutional Area, Lodhi Road, New Delhi - 110 003 (hereinafter called 'EPI' which expression shall includes its successors and assigns) having agreed under the terms and conditions of Supply Contract/ Contract/ Sub-Contract No.....dated...(hereinafter referred to as the said Supply Contract/ Contract/ Sub-Contract) EPI made between and.....hereinafter called the Supplier/ Contractor/ Sub-Contractor) which expression shall include its successors and assigns to make at the request of the Supplier/ Contractor/ Sub-Contractor a lump sum advance of Rs.....for utilising it only for the purposes of the said Supply Contract/ Contract/ Sub-Contract on his furnishing a guarantee acceptable to EPI.
- 3. We......Bank further agree that EPI shall be the sole judge of and as to whether the said Supplier/ Contractor/ Sub-Contractor has utilised or not utilised the said advance or any part thereof for the purposes of the said Supply Contract/ Contract/ Sub-Contract and/or as to whether the advance or any part thereof with

interest has been recovered or not and the finding of the EPI in this regard- shall be final and binding on us.

- 4. We, the said Bank further agree that the Guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said Supply Contract/ Contract/ Sub-Contract and till the said advance with interest has been fully recovered and its claims satisfied or discharged and till EPI certifies that the said advance with interest has been fully recovered from the Supplier/ Contractor/ Sub-Contractor.
- 5. EPI shall have the fullest liberty without affecting in any way the liability to the said Bank under this guarantee or indemnity from time to time to vary any of the terms and conditions of the said Supply Contract/ Contract/ Sub-Contract, or the advance or to extend time of performance by the said Supplier/ Contractor/ Sub-Contractor or to postpone for any time and from time to time any powers exercisable by it against the said Supplier/ Contractor/ Sub-Contractor and either to enforce or forbear from enforcing any of the terms and conditions governing the said Supply Contract/ Contract/ Sub-Contract or securities available to EPI and the said Bank shall not be released from its liability under these presents by any exercise by EPI of the liberty with reference to the matters aforesaid or by reason of time being given to the said Supplier/ Contractor/ Sub-Contractor or any other forbearance, act or omission on the part of the EPI or any indulgence by EPI to the said Supplier/ Contractor/ Sub-Contractor or of any other matter or thing whatsoever which under the law relating to sureties would but for this provision have the effect of so releasing the said Bank from its such liability.
- 6. The Bank hereby waives all rights at any time inconsistent with the terms of this guarantee/Undertaking and the obligations of the Bank in terms hereof shall not be anywise affected or suspended by reasons of any dispute or disputes having been raised by the Supplier/ Contractor/ Sub-Contractor (whether or not pending before any arbitrator, Tribunal or court) or any denial or liability by the Supplier/ Contractor/ Sub-Contractor stopping or preventing or purporting to stop or prevent any payment by the Bank to EPI in terms hereof.
- 7. The amount stated in any notice of demand addressed by EPI to Bank as liable to be paid to EPI by the Supplier/ Contractor/ Sub-Contractor, shall be conclusive evidence of the amount so liable to be paid to EPI by the Bank.
- 8. This guarantee/undertaking shall be in addition to any other guarantee or security whatsoever that EPI may now or any time anywise may have in relation to the Supplier's/ Contractor's/ Sub-Contractor's obligations of liabilities under and/or in connection with the said Supply Contract/ Contract/ Sub-Contract, and EPI shall have full authority to take recourse to or enforce this security in preference to any other guarantee or security which EPI may have or obtain and there shall be no forbearance on the part of EPI in enforcing or requiring enforcement of any other security and shall not have the effect of releasing the Bank from its full liability hereunder.
- 9. It shall not be necessary for EPI to proceed against the said Supplier/ Contractor/ Sub-Contractor before proceeding against the Bank and the guarantee herein contained shall be enforceable against the Bank notwithstanding any security which EPI may have obtained or obtain from the Supplier/ Contractor/ Sub-Contractor, shall at the time

when proceedings are taken against the said Bank hereunder be outstanding or unrealised.

- 10. We, ...... the said Bank further undertake that we shall pay forthwith the amount stated in the notice of demand without demur and protest notwithstanding any dispute/difference pending between the parties before the arbitrator Tribunal or Court and/or dispute is being referred to arbitrator.
- 11. We, the said Bank undertake not to revoke this Guarantee during its currency except with the consent of EPI in writing and agree that any change in the Constitution of the said Supplier/ Contractor/ Sub-Contractor or the said Bank shall not discharge our liability hereunder.
- 12. This guarantee/undertaking shall be a continuing guarantee/undertaking and shall remain valid and irrevocable for all claims of EPI and liabilities of the Supplier/ Contractor/ Sub-Contractor arising up to and until midnight of.....
- 13. Notwithstanding anything contained herein above, our liability under this guarantee shall be restricted to Rs.....) and this guarantee shall remain in full force till..... unless a claim is made on us within 3 months from the date of expiry of this guarantee i.e. before all the claims under this guarantee shall be forfeited and we shall be relieved of and discharged from our liabilities hereunder.

Dated......day of ......200

For and on behalf of Bank

Format No: EPI/MMD/F-16

#### PROFORMA FOR PERFORMANCE BANK GUARANTEE

То

The Chairman & Managing Director, Engineering Projects (India) Ltd., (A Govt. of India Enterprise), Core-3, Scope Complex, 7, Institutional Area, Lodhi Road, New Delhi—110 003.

Dear Sir,

In consideration of the Chairman & Managing Director, Engineering Projects (India) Limited, (A Govt. of India Enterprise), Core-3, Scope Complex, 7, Institutional Area, Lodhi Road, New Delhi – 110 003 (hereinafter called 'EPI' which expression shall include its successors and assigns) having awarded to ...... (hereinafter referred to as 'the Supplier/ Contractor/ Sub-Contractor' which expression shall wherever the subject or context so permits include its successors and assigns) a Supply Contract/Contract / Sub-Contract No. ..... in terms inter alia, of EPI Letter No. ......dated...and the General Conditions of Contract/ General Purchase Conditions of EPI and upon the condition of the Supplier's/ Contractor's/ Sub-Contractor's furnishing security for the performance of the Supplier's/ Contractor's/ Sub-Contractor's obligations and/or discharge of the Supplier's/ Contractor's/ Sub-Contractor's liability under and/or in connection with the said Supply Contract/ Contract/ Sub-Contract up to a sum of Rs......(Rupees..... only) amount to.....percent of the total Supply Contract/ Contract/ Sub-Contract Value.

- 3. EPI shall be at liberty without reference to the Bank and without effecting the full liability of the Bank hereunder to take any other security in respect of the Supplier's/ Contractor's / Sub-Contractor's obligations and/or liabilities under or in connection with the said Supply Contract/ Contract/ Sub-Contract and to vary the forms vis-à-vis the Supplier/ Contractor/ Sub-Contractor of the said Supply Contract/ Contract/ Contract or to grant time and/or indulgence to the Supplier/ Contractor/ Sub-Contractor or to reduce or to increase or otherwise vary the prices of the total Supply Contract/ Contract/ Sub-Contract or to reduce or to sub-Contract Value or to release or to forbear from enforcement of all or any of the security and/or any other security(ies) now or hereafter held by the EPI and no such dealing(s) reduction(s) increase(s) or other indulgence(s) or arrangements with the Supplier/ Contractor/ Sub-Contractor or release or forbearance whatsoever shall absolve the bank of the full liability to EPI hereunder or prejudice rights of EPI against the bank.
- 4. The guarantee/undertaking shall not be determined or affected by the liquidation or winding up, dissolution, or change of constitution or insolvency of the Supplier/ Contractor/ Sub-Contractor but shall in all respects and for all purposes be binding and operative until payment of all moneys made to EPI in terms thereof.
- 5. The Bank hereby waives all rights at any time inconsistent with the terms of this guarantee/undertaking and the obligations of the Bank in terms hereof shall not be anywise affected or suspended by reasons of any dispute or disputes having been raised by the Supplier/ Contractor/ Sub-Contractor (whether or not pending before any arbitrator, Tribunal or Court) of any denial or liability by the Supplier/ Contractor/ Sub-Contractor stopping or preventing or purporting to stop or prevent any payment by the Bank to the EPI in terms hereof.
- 6. The amount stated in any notice of demand addressed by EPI to Bank as liable to be paid to EPI by the Supplier/ Contractor/ Sub-Contractor or as suffered or incurred by the EPI on account of any losses or damages or costs, charges and/or expenses shall be conclusive evidence of the amount so liable to be paid to EPI or suffered or incurred by EPI as the case may be and shall be payable by the Bank to EPI in terms hereof.

- 7. This guarantee/undertaking shall be a continuing guarantee/undertaking and shall remain valid and irrevocable for all claims of EPI and liabilities of the Supplier/ Contractor/ Sub-Contractor arising up to and until midnight of.....
- 8. This guarantee/undertaking shall be in addition to any other guarantee or security whatsoever that EPI may now or any time anywise may have in relation to the Supplier's/ Contractor's/ Sub-Contractor's obligations of liabilities under and/or in connection with the said Supply Contract/ Contract/ Sub-Contract, and EPI shall have full authority to take recourse to or enforce this security in preference to any other guarantee of security which EPI may have or obtain and here shall be no forbearance on the part of EPI in enforcing or requiring enforcement of any other security and shall not have the effect of releasing the Bank from its full liability hereunder.
- 9. It shall not be necessary for EPI to proceed against the said Supplier/ Contractor/ Sub-Contractor before proceeding against the Bank and the guarantee herein contained shall be enforceable against the Bank notwithstanding any security which the EPI may have obtained or obtain from the Supplier/ Contractor/ Sub-Contractor, shall at the time when proceedings are taken against the said Bank hereunder be outstanding or unrealised.
- 10. We the said Bank undertake not to revoke this guarantee during its currency except with the consent of EPI in writing and agree that any change in the constitution of the said Supplier/ Contractor/ Sub-Contractor or the sand bank shall not discharge our liability hereunder.
- 11. We .....the said Bank further undertake that we shall pay forthwith the amount stated in the notice of demand without demur and protest notwithstanding any dispute/difference pending between the parties before the arbitrator Tribunal or Court and/or any dispute is being referred to arbitrator.

For and on behalf of Bank

#### PROFORMA FOR INDEMNITY BOND TO BE EXECUTED BY THE CONTRACTOR FOR SECURED ADVANCE AGAINST MATERIALS SUPPLIED FOR THE PROJECT

#### (On non-judicial stamp paper of appropriate value)

#### INDEMNITY BOND

WHEREAS EPI has awarded to the Contractor a Contract for the work of.....vide its letter of Intent/Work Order No...... dated....... (hereinafter called the "Contract") in terms of which EPI is required to give "Secured Advance" to the Contractor as per Clause no. 35 of the General Conditions of Contract against supply of materials by the Contractor for the project on the security of materials, the quantities, rates and other particulars of which are detailed in the Bill of Quantities for the said Contract.

And WHEREAS by virtue of Clause no. 35 of the General Conditions of Contract of the said Contract, the Contractor is required to execute an Indemnity Bond in favour of EPI for the amount of "Secured Advance" towards the materials actually supplied by the Contractor for the Contract Work from time to time to EPI for the purpose of performance of the Contract. (hereinafter called the "Materials").

"AND WHEREAS the Contractor has applied to EPI that they may be allowed "Secured Advance" on the security of materials absolutely belonging to them and brought by them to the site of the works for use in construction of the work".

NOW THEREFORE, This Indemnity Bond witnesseth as follows:

1. That in consideration of the "Secured Advance" being given to the Contractor as mentioned in the Contract, for the purpose of performance of the Contract, the Contractor hereby undertakes to indemnify and shall keep EPI indemnified, for the Actual Cumulative Amount of the "Secured Advance" given to the Contractor from time to time against the said Contract. The Contractor hereby acknowledges actual receipt of the materials etc. as per despatch title documents being /to be handed over to EPI from time to time. The Contractor shall hold such materials in trust as a "Trustee" for and on behalf of EPI.

- 2. That the Contractor is obliged and shall remain absolutely responsible for the safe transit/protection and custody of the materials at EPI's project site against all risks whatsoever till the materials are duly used/erected in accordance with the terms of the Contract and the plant/package duly erected and commissioned in accordance with the terms of the Contract is taken over by EPI and the Secured Advance is fully adjusted/recovered as per terms of the Contract. The Contractor undertakes to keep EPI harmless against all losses, damages, deterioration and shortages that may be caused to the materials.
- 3. The Contractor undertakes that the materials shall be used exclusively for the performance/execution of the Contract strictly in accordance with its terms and conditions and no part of the materials shall be utilized for any other work or purpose whatsoever. It is clearly understood by the Contractor that non-observance of the obligations under this Indemnity Bond by the Contractor shall inter-alia constitute a criminal breach of trust on the part of the Contractor for all intents and purposes including legal/penal consequences.
- 4. That EPI is and shall remain the exclusive owner of the materials free from all encumbrances, charges or liens of any kind, whatsoever. The materials shall at all times be open to inspection and checking by the Engineer In Charge or other employees/agents authorized by him in this regard. Further, EPI shall always be free at all times to take possession of the materials in whatever form the materials may be, if in its opinion, the materials are likely to be endangered, misutilised or converted to uses other than those specified in the Contract, by any acts of omission or commission on the part of the Contractor or any other person or on account of any reason whatsoever and the Contractor binds himself and undertakes to comply with the directions of demand of EPI to handover the materials without any demur or reservation.
- 5. That this Indemnity Bond is irrevocable. If at any time any loss or damage occurs to the materials or the same or any part thereof is mis-utilised in any manner whatsoever, then the Contractor hereby agrees that the decision of the Engineer-In-Charge of EPI as to assessment of loss or damage to the materials shall be final and binding on the Contractor. The Contractor binds itself and undertakes to replace the lost and /or damaged materials at its own cost and/or shall pay the amount of 'Secured Advance' to EPI without any demur, reservation or protest. This is without prejudice to any other right or remedy that may be available to EPI against the Contractor to recover any amount or all the amounts of this Bond from any dues of the Contractor under the Contract or as per the law.
- 6. This Bond shall remain in force and effect till the completion of the work as per the aforesaid Contract and till all the amount recoverable under this Bond from the Contractor is fully recovered by EPI. The Bond can not be revoked by the Contractor without the written consent of EPI.
- 7. That Contractor also agrees that any change in the constitution of the Contractor shall not discharge them from their obligation and liability.
- 8. This Bond shall be treated as an additional addage to the Contract and nothing herein contained shall be construed to adversely affect the rights of EPI in the Contract.

IN WITNESS WHEREOF, the Contractor has signed this Indemnity Bond through its duly authorized representative on the date and place first above written.

#### For and on behalf of Contractor

(Contractor's Name)

#### WITNESS: Signature ..... 1. 1. Signature ..... Name (Executant) ..... 2. Name ..... Designation ..... 3. Address ..... (Authorised representative) 2. 1. Signature ..... 2. Name ..... 3. Seal Address .....

#### Signature of Contractor

# FORM FOR GUARANTEE BOND

#### FOR ANTI-TERMITE TREATMENT

THIS AGREEMENT made this \_\_\_\_\_ day of Two thousand \_\_\_\_\_ between M/s \_\_\_\_\_ (hereinafter called the guarantor of the one part and M/s Engineering Projects (India) Limited, hereinafter called EPI hereinafter called the OWNER of the other part.

Whereas this agreement is supplementary to the contract hereinafter called the contract dated\_\_\_\_\_\_ made between the guarantor of the one part and Engineering Projects (India) Ltd., of the other part whereby the Contractor inter-alia, understood to render the buildings and structures in the said contract recited, completed, termite proof. And whereas the guarantor agreed to give a guarantee to the effect that the said structure will remain termite proof for TEN YEARS to be so reckoned from the date after the maintenance period prescribed in the contract expires.

During this period of guarantee the guarantor shall make good all defects and for that matter shall replace at his risk and cost such wooden member as may be damaged by termite and in case of any other defect being found, he shall render the building termite proof at his cost to the satisfaction of the Engineer-In-Charge and shall commence the works of such rectification within seven days from date of issuing notice from the Engineer-In-Charge calling upon him to rectify the defects falling which the work shall be got done by EPI/ OWNER by some other Contractor at the guarantor's cost and risk and in the later case the decision of the Engineer-In-Charge as to the cost recoverable from the guarantor shall be final and binding.

That if the Guarantor fails to execute the Anti-Termite treatment or commits breaches hereunder then the Guarantor will indemnify EPI against all losses damages, cost expenses or otherwise which may be incurred by him by reasons of any default on the part of the guarantor in performance and observance of this supplemental Agreement. As to the amount of loss and or damage and/or cost incurred by EPI/ OWNER, the decision of the Engineer-In-Charge will be final and binding on the parties.

In witness where of these presents have been executed by the Guarantor\_\_\_\_\_ and by\_\_\_\_\_\_ for and on behalf of EPI on the day of month and year first above written.

Signed sealed and delivered by (Guarantor)

IN THE PRESENCE OF: 1.

••

2.

Signed for and on behalf of EPI by/ in presence of:

1.

2.

# GUARANTEE TO BE EXECUTED BY CONTRACTOR FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS

WHEREAS this agreement is supplementary to a contract (hereinafter called the Contract), dated ...... and made between the GUARANTOR OF THE ONE part and EPI of the other part, whereby the Contractor, inter-alia, undertook to render the buildings and structures in the said contract recited completely water and leak proof.

AND WHEREAS the Guarantor agreed to give a guarantee to the effect that the said structures will remain water and leak proof for ten years from the date of handing over of the structure of water proofing treatment.

NOW THE GUARANTOR hereby guarantees that water proofing treatment given by him will render the structures completely leak proof and the minimum life of such water proofing treatment shall be ten years to be reckoned from the date after the maintenance period prescribed in the contract.

Provided that the Guarantor will not be responsible for leakage caused by earthquake or structural defects or misuse of roof or alteration and for such purpose.

- a) Misuse of roof shall mean any operation, which will damage proofing treatment, like chopping of firewood and things of the same nature, which might cause damage to the roof.
- Alternation shall mean construction of an additional storey or a part of the roof or construction adjoining to existing roof whereby proofing treatment is removed in parts
- c) The decision of the Engineer-In-Charge with regard to cause of leakage shall be final

During this period of guarantee, the Guarantor shall make good all defects and in case of any defect being found render the building water proof to the satisfaction of the Engineer-In-Charge at his cost and shall commence the work for such rectification within seven days from the date of issue of notice from the Engineer-In-Charge calling upon him to rectify the defects failing which the work shall be got done by EPI by some other Contractor at the **guarantor's** cost and risk. The decision of Engineer-In-Charge as to the cost, payable by the Guarantor shall be final and binding.

That if the Guarantor fails to execute the waterproofing or commits breach thereunder, then the Guarantor will indemnify the principal and his successors against all laws

damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and / or damage and/ or cost incurred by EPI, the decision of the Engineer-In-Charge will final and binding on the parties.

IN WITNESS WHEREOF these presents have been executed by the Obligator,,,,.... and by ...... And for and on behalf of EPI on the day, month and year first above written.

Signed, sealed and delivered by Obligator in the presence of-

1.

2.

Signed for and on behalf of EPI by \_\_\_\_\_

In presence of :

1.

2.

# AGREEMENT FORM

This agreement made this day of (Month) (Year), between THE **ENGINEERING PROJECTS (INDIA) LIMITED (EPI)**, (A Govt. of India enterprise) a company incorporated under the Companies Act, 1956 having its Registered and Corporate Office at Core-3, Scope Complex, 7, Institutional area, Lodhi Road, New Delhi – 110003 (hereinafter referred to as the "EPI" which expression shall include its administrators, successors, executors and assigns) of the one part and **M/s (NAME OF CONTRACTOR)** (hereinafter referred to as the 'Contractor' which expression shall unless the context requires otherwise include its administrators, successors, executors and permitted assigns) of the other part.

WHEREAS, EPI, is desirous of construction of **(NAME OF WORK)** (hereinafter referred to as the "PROJECT") on behalf of the **(NAME OF OWNER/MINISTRY)** (hereinafter referred to as "OWNER"), and had invited Tenders as per Tender Documents vide NIT No. \_\_\_\_\_.

AND WHEREAS (NAME OF CONTRACTOR) had participated in the above referred Tender vide their tender dated \_\_\_\_\_ and EPI has accepted their aforesaid Tender and award the contract for (NAME OF PROJECT) on the terms and conditions contained in its Letter of Intent No. \_\_\_\_\_ and the documents referred to therein, which have been unequivocally and unconditionally accepted by (NAME OF CONTRACTOR) vide their Letter of Undertaking dated \_\_\_\_\_ resulting into a contract.

NOW THEREFORE THIS DEED WITNESSETH AS UNDER:

#### ARTICLE 1.0 – AWARD OF CONTRACT

#### 1.1 SCOPE OF WORK

EPI has awarded the contract to **(NAME OF CONTRACTOR)** for the work of **(NAME OF WORK)** on the terms and conditions in its Letter of intent No. \_\_\_\_\_\_ dated \_\_\_\_\_\_ and the documents referred to therein. The award of work has taken effect from **(DATE)** i.e. the date of issue of aforesaid letter of intent. The terms and expressions used in this agreement shall have the same meanings as are assigned to them in the "Contract Documents" referred to in the succeeding Article.

#### ARTICLE 2.0 – CONTRACT DOCUMENTS

- 2.1 The contract shall be performed strictly as per the terms and conditions stipulated herein and in the following documents attached herewith (hereinafter referred to as "Contract Documents").
  - a) EPI Notice Inviting Tender vide No. \_\_\_\_\_ date \_\_\_\_\_and EPI's Tender Documents consisting of:
    - i) Instructions to Tenderers and General Conditions of Contract (GCC) alongwith amendments/errata to GCC (if any) issued (Volume-I).

- ii) Additional Conditions of Contract including Appendices & Annexures, Volume-II.
- iii) Bill of Quantities alongwith amendments/corrigendum of schedule items, if any (Volume-III).
- iv) Technical Specifications
- v) Drawings vi)
- b) (NAME OF CONTRACTOR) letter/proposal no.\_\_\_\_\_ dated \_\_\_\_\_ and their subsequent communication:

i) Letter of Undertaking of Tender Conditions dated	
ii)	
iii)	
,	

- 2.2 EPI's detailed Letter of Intent No. \_\_\_\_\_ dated \_\_\_\_ including Bill of Quantities. Agreed time schedule, Contractor's Organisation Chart and list of Plant and Equipments submitted by Contractor.
- 2.3 All the aforesaid contract documents referred to in Para 2.1 and 2.2 above shall form an integral part of this Agreement, in so far as the same or any part thereof conform, to the Tender Documents and what has been specifically agreed to by EPI in its Letter of Intent. Any matter inconsistent therewith, contrary or repugnant thereto or deviations taken by the Contractor in its "TENDER" but not agreed to specifically by EPI in its Letter of Intent, shall be deemed to have been withdrawn by the Contractor without any cost implication to EPI. For the sake of brevity, this Agreement alongwith its aforesaid contract documents and Letter of Intent shall be referred to as the "Contract".

#### ARTICLE 3.0 – CONDITIONS & CONVENANTS

- 3.1 The scope of Contract, Consideration, Terms of Payments, Advance, Retention Moneys, Taxes wherever applicable, Insurance, Agreed Time Schedule, Compensation for delay and all other terms and conditions contained in EPI's Letter of Intent No. \_\_\_\_\_ dated \_\_\_\_\_ are to be read in conjunction with other aforesaid Contract Documents. The contract shall be duly performed by the Contractor strictly and faithfully in accordance with the terms of this contract.
- 3.2 The scope of work shall also include all such items which are not specifically mentioned in the Contract Documents but which are reasonably implied for the satisfactory completion of the entire scope of work envisaged under this contract unless otherwise specifically excluded from the scope of work in the Letter of Intent.
- 3.3 Contractor shall adhere to all requirements stipulated in the Contract documents.
- 3.4 Time is the essence of the Contract and it shall be strictly adhered to. The progress of work shall conform to agreed works schedule/contract documents and Letter of Intent.
- 3.5 This agreement constitutes full and complete understanding between the parties and terms of the presents. It shall supersede all prior correspondence to the extent of inconsistency or repugnancy to the terms and conditions contained in

Agreement. Any modification of the Agreement shall be effected only by a written instrument signed by the authorized representative of both the parties.

3.6 The total contract price for the entire scope of this contract as detailed in Letter of Intent is Rs. \_\_\_\_\_\_ (Rupees \_\_\_\_\_\_ only), which shall be governed by the stipulations of the contract documents.

#### **ARTICLE 4.0 – NO WAIVER OF RIGHTS**

4.1 Neither the inspection by EPI or the Engineer-In-Charge or Owner or any of their officials, employees or agents nor order by EPI or the Engineer-In-Charge for payment of money or any payment for or acceptance of, the whole or any part of the work by EPI or the Engineer-In-Charge nor any extension of time nor any possession taken by the Engineer-In-Charge shall operate as waiver of any provisions of the contract, or of any power herein reserved to EPI, or any right to damage herein provided, nor shall any waiver of any breach in the contract be held to be a waiver of any other or subsequent breach.

#### ARTICLE 5.0 – GOVERNING LAWS AND JURISDICTION

**5.1** The Laws applicable to this contract shall be the laws in force in India and as amended from time to time.

Jurisdiction shall be of the Court (s) stated in the 'Memorandum' to the 'Form of Tender" only.

#### 5.2 Notice of Default

Notice of default given by either party to the other party under the Agreement shall be in writing and shall be deemed to have been duly and properly served upon the parties hereto, if delivered against acknowledgment due or by FAX or by registered mail duly addressed to the signatories at the address mentioned herein above.

IN WITNESS WHEREOF, the parties through their duly authorized representatives have executed these presents (execution whereof has been approved by the Competent Authorities of both the parties) on the day, month and year first above mentioned at New Delhi.

For and on behalf of:	For and on behalf of:
(NAME OF CONTRACTOR)	M/s. Engineering Projects (I) Ltd.
WITNESS:	WITNESS:
1.	1.
2.	2.



# ENGINEERING PROJECTS (INDIA) LIMITED (A Govt. of India Enterprise)

# QUALITY CONTROL FORMATS AND CHECKLISTS

CONTRACT	ONTRACT			K LIST FOR CONCRETIN	IG					हमीका	5
			REF DI	RAWING No						(CD)	
CONTRACT No.			LOCAT	LOCATION BLOCKFLOOR			AREA		60.0		
LAYOUT	Alignment Checked		$\square$	Level of base Checked		Dimensional Check (edges & diagonals)		Starers		Location of cutouts & services	5
STAGING / SCAFFOLDING		rigidity of Props, stays, onformity to scheme drgs.	$\square$								
FORMWORK	Qty. of form Props adeq	s and support uate		ertical form surface in lignment & plumb		Even Surface Oil sprayed		Gaps btwn shuttering are properly closed		No space for saggin Form work	g of
REINFORCEMENT	•	ending as per Bar nedule (Schedules attached)		dequate laps relds		Chair / cover blocks Placed as per scheme		Binding wire not Touching suttering		Fixtures, inserts Cunduits in position	
	Dowels & p Provided as			√alkway for abour provided			CLE	EARANCE from Elect. In-	charge		
PRE-CONCRETING	Concreting Arrangeme	nts		pproval of construction joint		Mixer / vibrator Condition & mixing		Top level of Concrete marked		Transporting & Placing arrangemen	t
POST-CONCRETING	Compactior Checked	1	R	emoval of Laitance		Post Concreting Level/Dimensions		No. of Cubes Cast			
DESHUTTERING & CLEARING	Curing days Water / con		SI O	urface finish Nk		Concrete Test Results Ok					
SIGNATURE								W.O. IT	EM	UNIT	QTY.
CONTRACTOR	DATE	SITE ENGR		DATE		SITE INCHARGE		DATE		CONSULTANT	DATE

CONTRACT			CK LIST FOR MASONRY		ई मी आई			
CONTRACT No.		LOC	CATION BLOCK	EA	EPU			
LAYOUT	Alignment & wal Thickness Check		Brick on edge (top course)					
SCAFFOLDING	Adequacy of props, Stays, platform	E	Rigidity of base	Movement Space	Approa height	ach to		
PRE-LAYING	Working arrangeme & service provisions		Bricks as per specification	Mortar grade & mix As specified	Bricks moiste	ned		
LAYING	Joint thickness & co Ht. As specified	urse	Joint alignment Checked	Vertical joints Properly mortar filled from t	qq			
	Raking of jonts Done (if applicable)	E	Bearing plaster for Concrete					
CURING AND CLEARING	Proper curing of con Joint	ist.	Scaffloding removed (if required)					
SIGNATURE						W.O. ITEM	UNIT	QTY.
CONTRACTOR	DATE	SITE ENGR	DATE	SITE INCHARGE		DATE	CONSULTANT	DATE

CONTRACT			CHECK LIST FOR P			ई मी आहे			Ð	
CONTRACT No.			LOCATION BLOCK		FLOOR_		AREA		G	
SCAFFLODING	Platform		Stability		Movement space		Approach to Height			
SERVICE	All chasing Complete	work	Fixing in positio		Patching Work complete	E	All door / windo Fixed in position		Skirting to floors marked	5
						CL	EARANCE from	Elect. In-charge	3	
SURFACE PREPARATION	Clearing & I surface	aking of	Roughening Hacking done		Fixing metal / lathe Chicken mesh		Mortar level Guides made	E	Surface moistened Cement slurry	
PIASTERING	Mix & W/P o Checked as	compound per specification	Coating / thickn As specified		Groove at Joints Provided		Corners & edge & at right Angle levels maintaine	s lines &	Surface leveled with At straight edge	1
FINISHING	Texture		Curing Days	E	Site cleared	E	]	E	3	
							F	W.O. ITEM	UNIT	QTY.
SIGNATURE									0.01	
CONTRACTOR	DATE	SITE ENGR	D	ATE	SITE INCHARG	E	DA	λΤΕ	CONSULTANT	DATE

CONTRACT			CHECK LIST FOR LAYING OF EXTERNAL SEWER REF DRAWING No					ई मी आ	
CONTRACT No.			CATION BLOCK			AREA		EPI	
EXCAVATION	Layout	E	Slope / cutting as per Specifications		Level				
LAYING/RCC	Bed concre Specificatio		RCC pipes as per Requirement		Jointing of Pipes				
	Boxing	E	Strata bore Dewatering (wherever required)						
Manholes	Bricks as pe	er specifications	Mortar as per specifications		Plastering				
	End of pipe	s plugged							
Back fillings	In layers						W.O. ITEM	UNIT	QTY.
SIGNATURE									
CONTRACTOR	DATE	SITE ENGR	DATE		SITE INCHARGE		DATE	CONSULTANT	DATE

			CHECK LIST FOR GRIT WASH				हिम्दीका	1
			REF DRAWING No				(CITAL)	7
CONTRACT No.			LOCATION BLOCK		FLOOR	 AREA	er	
SCAFFLODING	Platform		Stability	$\square$	Movement space	Approach to Height		
SERVICE PROVISIONS		l	All chasing work Complete		ll door / window frames ixed in position			
	Roughening / of surface dor	v	Fixing metal / lathe Chicken mesh		lortar level Juides made	Surface moistened/ Cement slurry		
	Mix & W/P co Checked agai		Coating / thickness As specified	ri	orners & edges sharp & at ght Angles lines & levels naintained			
	Fixing of beac drawing	ling for grooves as per	Lines and levels of grooves maintained	6N	lix as per specificaiton			
,	Washing of to	p layer	Washing with Acid (light)		uring day	Texture of final surface		
						W.O. ITEN	1 UNIT	QTY.
SIGNATURE CONTRACTOR	DATE	SITE ENGR	DATE		SITE INCHARGE	DATE	CONSULTANT	DATE

CONTRACT				CK LIST FOR WASTE/SOIL/ DRAWING No	VENT	PIPES ETC.			हमी आ	Ð
CONTRACT No.			LOC	ATION BLOCK		FLOOR		AREA	(a) a	
MATERIAL	Make as s	specified		Thickness / class as Specified		Length & dia as specified		No cracks or holes visible		
LAYOUT	Space distril Alignment a			Plumb of vertfical line checked						
FIXING PIPE & FITTINGS		e for pipes fittings & erial as per size & fixing		Cutting & jointing as Specified		Fixing of fittings & specials as specified		Connection with corr. Internal networks	Temporary Plugging	
SMOKE TEST	Open ends p	plugged		Injection of smoke Pressure		No leakage of Smoke	$\square$	Section is Ok		
								W.O. ITE	M UNIT	QTY.
SIGNATURE CONTRACTOR	DATE	SITE ENGR		DATE		SITE INCHARGE		DATE	CONSULTANT	DATE

CONTRACT CONTRACT No.		RE	IECK LIST FOR MOSAIC		AREA	ईमी आई हिरो
LAYOUT	Sub base Prepared Slope	E	Provision of Services checked	Panelling (max size) Separator strips	Level of Sub base checked	
BASE LAYER	Provision checked Mix As specified	E	Water / cement Slurry applied	Cement concrete Thickness checked	Ramming / leveling Compaction done	
TOP LAYER	Evenness Checked Mix As specified	E	Joints treatment If any, provided Proper leveling Done	Trowelling finish	Curing done	
FINISHING	Grinding	E	Final grinding	Repair applied at grinding stages	Polishing W.O. ITE	EM UNIT QTY.
SIGNATURE CONTRACTOR	DATE	SITE ENGR	DATE	SITE INCHARGE	DATE	CONSULTANT DATE

CONTRACT		CHECK LIST FOR GLAZED	TILE FLOORING	_	ईमी आई
CONTRACT No.		LOCATION BLOCK	FLOOR	AREA	EPU
LAYOUT	Service provisions Sanitary, electrical	Fixing pattern	Level of base & dado Height marked	Finish level Guide	Door & window frames in position
BASE	Mix	Thickness Layers	Watering / Cement slurry	Evenness	Verticality, corners At right angle
LAYING	Moistening of tiles	Plan position of cut pieces at corner	Cut to size Smooth edge	Chamfering of edges 8 edge matching proper	Raking / jointing
	Cement slurry adhesive	Level & plumb checked	No hollow sound on tapping		
FINISHING	Grounting of joints	Curing of joints			
SIGNATURE				W.O. IT	EM UNIT QT
CONTRACTOR	DATE SITE ENG	GR DATE	SITE INCHARGE	DATE	CONSULTANT DA

-----

CONTRACT			CHECK LIST FOR	WATER BOUND	MACADAN		ईमीआ	B
			LOCATION		-		(SPA)	
CONTRACT No.							(er G	
MATERIAL AGGREGATE	Gradation a	as specified	Crushing stre	ngth as	No of layers Thickness of layers starting from s	ubgrade		
SCREENINGS	Gradation a	as specfied	Crushing stre As specified	ngth	waiting & rolling as specified			
MOORUM	Gradation a	as specified	Silt content as	s specified	Fill material			
LAYOUT	0	of central line as per nd reference points	Marking of Ca way edges as	arriage s per drawings	Cross section levels of predecent Layer recorded			
WATER BOUND MACADAM	Templates thickness	placed of specified	Placing, level	ing of stone	Stone Screeing spread as specified			
	, ,	as specified section lands layer recorded	Application of specified	moorum as	Wet rolling / compaction as specified			
						W.O. ITEM	UNIT	QTY.
SIGNATURE CONTRACTOR	DATE	SITE ENGR		DATE	SITE INCHARGE	DATE	CONSULTANT	DATE

Validate	Print Help		Percent	age BoQ			
Tender Inviting	Authority: Engineering Projects (India) Limited, WRO MU	IMBAI					
Name of Work: ⊺	Fender for Balance Civil & MEP works of EMRS School a	t Dahanu, Palg	har In The Sta	ate of Maharash	ntra		
Contract No:							
Name of the Bidder/ Bidding Firm / Company :							
(This BOQ to	emplate must not be modified/replaced by the bidder and	d the same sho	ould be upload	ded after filling	PRICE SCHEDU		liable to be rejected for this tender. Bidders a
SI. No.	Item Description	Quantity	Units	Estimated Rate in <mark>Rs. P</mark>	TOTAL AMOUNT With Taxes in Rs. P	TOTAL AMOUNT With Taxes in Rs. P	٢
1.01	Balance Civil & MEP works of EMRS School at Dahanu, Palghar In The State of Maharashtra	1.00	LS	13949313.00	13949313.00	13949313.00	INR One Crore Thirty Nine Lakh Forty Nine Tho
Total in Figure	S				13949313.00	13949313.00	INR One Crore Thirty Nine Lakh Forty Nine Tho
Quoted Rate in	Figures		Select		0.00	0.00	INR Zero Only
Quoted Rate in	Words						INR Zero Only

s are allowed to enter the Bidder Name and Values only )
TOTAL AMOUNT In Words
housand Three Hundred Thirteen & Paise Zero Only
housand Three Hundred Thirteen & Paise Zero Only housand Three Hundred Thirteen & Paise Zero Only

# Cost Estimate (on DSR 2019/ Market rate basis) Incls 18% GST :

Name of Work : Balance left out work at Construction of EMRS School at Dahanu, Palghar In The State of Maharashtra

# **SUMMARY SHEET**

		Amount	in Rs.
S.No.	Particulars	DSR	Non DSR
	CIVIL	WORKS	
А	Cladding Works	8,23,038.94	
В	Wood Work & PVC Work	1,59,165.25	
С	Steel Work	37,47,461.30	
D	Finishing	30,32,813.28	
E	Piping and Valves	4,51,710.40	2,046.00
F	Fire Hydrant and Accessories	1,34,608.00	
G	Fire Extingushers and Misc Items		1,01,202.00
Н	Fire Pumps and Accessories	54,027.00	3,60,840.00
Ι	Aluminium Work	3,37,779.35	
	Total Amount	87,40,603.52	4,64,088.00
	G Total Civil (DSR_Non DSR)		92,04,691.52
	EXTERNAL ELEC	CTRICAL WORKS	
Α	Main LT Panel		9,76,202.00
В	HT Cable And Accessorie	46,063.00	85,778.00
C	Miscellaneous Items	7,765.00	20,063.00
D	Earthing	2,60,086.00	
E	Pole Erection	1,65,760.00	
F	Lightening Conductor	2,40,383.00	
G	External Lighting System	1,68,170.00	6,08,392.00
Н	LT Cable And Accessories	4,86,011.00	6,57,927.00
I	Transformer and HT Panel		11,80,113.00
J	CCTV System	1,28,570.00	5,42,676.00
К	Pumps		1,85,155.00
L	Uninterrupted Power Supply (UPS) - 10 kVA		2,25,122.00
М	Lighting Arrester		12,021.00
	Total Amount	15,02,808.00	44,93,449.00
	G Total Electrical (DSR_Non DSR)		59,96,257.00
C	Grant Total of Civil and External Electrical Work In	cluding 12% GST (DSR+NDSR)	1,52,00,948.52
		Less Discount 12.90 %	19,60,922.36
	Amount aft	er discount with GST 12%	1,32,40,026.16
		Basic amount	1,18,21,451.93
		Add GST 18%	21,27,861.35
	Gross Amount of Civil	& Electrical with GST 18%	1,39,49,313.28

Stand

	SCHEDULE OF QUANTITIES					
S.No.	DSR 2019	Description	Unit	QTY	Rate (Including 12% GST)	Amount (Including 12% )GST
	-	CIVIL WORKS				
A	8	Cladding Work				
	8.2	Providing and fixing 18 mm thick gang saw cut, mirror polished,				
		premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size,				
		approved shade, colour and texture laid over 20 mm thick base cement				
		mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement,				
ľ		mixed with matching pigment, epoxy touch ups, including rubbing, curing,				
		moulding and polishing to edges to give high gloss finish etc. complete at all				
		levels.				
	8.2.2	Granite of any colour and shade	C	10.00	4 247 25	75 04 2 20
	8.2.2.1	Area of slab upto 0.50 sqm	Sqm	18.00	4,217.35	75,912.30
	8.2.2.2	Area of slab over 0.50 sqm	Sqm	161.23	4,007.65	6,46,143.39
ľ	8.4	Extra for fixing marble /granite stone, over and above corresponding basic item, in facia and drops of width upto 150 mm with epoxy resin based	Metre	47.00	434.25	20,409.75
		adhesive, including cleaning etc. complete.		47.00	434.25	20,403.73
	8.5	Extra for providing opening of required size & shape for wash basin/ kitchen	Each			
		sink in kitchen platform, vanity counter and similar location in marble/		30.00	734.55	22,036.50
		Granite/ stone work, including necessary holes for pillar taps etc. including		50.00	754.55	22,030.30
	0.0	moulding, rubbing and polishing of cut edges etc. complete.				
ľ	8.9	Stone tile (polished) work for wall lining over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and cement slurry @ 3.3 kg/sqm				
ľ		including pointing in white cement complete.				
ľ		more any pointing in white content completer				
	8.9.1	8mm thick				
	8.9.1.2	Granite of any colour and shade	Sqm	20.00	2,926.85	58,537.00
		Total of sub-head -DSR				8,23,038.94
В	9	Wood Work & PVC Work				
ľ	9.12	Extra for providing frosted glass panes 4 mm thick instead of ordinary float	Sqm			
		glass panes 4 mm thick in doors, windows and clerestory window shutters. (Area of opening for glass panes excluding portion inside rebate shall be		69.00	214.05	14,769.45
ľ		measured).				
	9.96	Providing and fixing aluminium sliding door bolts, ISI marked anodised				
ľ		(anodic coating not less than grade AC 10 as per IS : 1868), transparent or				
1		dyed to required colour or shade, with nuts and screws etc. complete :				
	9.96.1	200.10	Each	2.00	257.15	F14.20
	9.90.1		Each I			514.30
	0.06.2	300x16 mm				E0 742 20
	9.96.2 9.68	250x16 mm	Each	219.00	231.70	50,742.30
	9.96.2 9.68	250x16 mm Providing and fixing oxidised M.S. casement stays (straight peg type) with				50,742.30
		250x16 mm Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete.			231.70	-
	9.68	250x16 mm Providing and fixing oxidised M.S. casement stays (straight peg type) with	Each	219.00		-
C	9.68	250x16 mm         Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete.         300 mm weighing not less than 200 gms	Each	219.00	231.70	- 93,139.20
С	9.68 9.68.1	250x16 mm Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete. 300 mm weighing not less than 200 gms <b>Total of sub-head - DSR</b> <b>Steel Work</b> Providing and fixing in position collapsible steel shutters with vertical	Each	219.00	231.70	- 93,139.20
C	9.68 9.68.1 10	250x16 mm Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete. 300 mm weighing not less than 200 gms <b>Total of sub-head - DSR</b> <b>Steel Work</b> Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size,	Each Each	219.00 - 1,584.00	231.70	- 93,139.20 <b>1,59,165.25</b>
С	9.68 9.68.1 10	250x16 mm Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete. 300 mm weighing not less than 200 gms <b>Total of sub-head - DSR</b> <b>Steel Work</b> Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel	Each	219.00	231.70	- 93,139.20 <b>1,59,165.25</b>
C	9.68 9.68.1 10	250x16 mm Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete. 300 mm weighing not less than 200 gms <b>Total of sub-head - DSR</b> <b>Steel Work</b> Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles,	Each Each	219.00 - 1,584.00	231.70	- 93,139.20 <b>1,59,165.25</b>
С	9.68 9.68.1 10	250x16 mm Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete. 300 mm weighing not less than 200 gms <b>Total of sub-head - DSR</b> <b>Steel Work</b> Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel	Each Each	219.00 - 1,584.00	231.70	- 93,139.20 <b>1,59,165.25</b>
С	9.68 9.68.1 10 10.3	250x16 mm         Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete.         300 mm weighing not less than 200 gms         Total of sub-head - DSR         Steel Work         Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer.	Each Each	219.00 - 1,584.00	231.70	- 93,139.20 <b>1,59,165.25</b>
С	9.68 9.68.1 10 10.3	250x16 mm Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete. 300 mm weighing not less than 200 gms <b>Total of sub-head - DSR</b> <b>Steel Work</b> Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer. Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft	Each Each	219.00 - 1,584.00	231.70	- 93,139.20 <b>1,59,165.25</b>
С	9.68 9.68.1 10 10.3	250x16 mm Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete. 300 mm weighing not less than 200 gms <b>Total of sub-head - DSR</b> <b>Steel Work</b> Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer. Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking	Each Each	219.00 - 1,584.00	231.70	- 93,139.20 <b>1,59,165.25</b>
С	9.68 9.68.1 10 10.3	250x16 mm Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete. 300 mm weighing not less than 200 gms Total of sub-head - DSR Steel Work Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer. Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and	Each Each	219.00 - 1,584.00	231.70	- 93,139.20 <b>1,59,165.25</b>
С	9.68 9.68.1 10 10.3	250x16 mm Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete. 300 mm weighing not less than 200 gms <b>Total of sub-head - DSR</b> <b>Steel Work</b> Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer. Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile	Each Each	219.00 - 1,584.00	231.70	- 93,139.20 <b>1,59,165.25</b>
С	9.68 9.68.1 10 10.3	250x16 mm Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete. 300 mm weighing not less than 200 gms Total of sub-head - DSR Steel Work Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer. Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and	Each Each	219.00 - 1,584.00	231.70	- 93,139.20 <b>1,59,165.25</b>
С	9.68 9.68.1 10 10.3	250x16 mm Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete. 300 mm weighing not less than 200 gms <b>Total of sub-head - DSR</b> <b>Steel Work</b> Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer. Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS: 4454 - part 1 and M.S. top	Each Each	219.00 - 1,584.00	231.70	- 93,139.20 <b>1,59,165.25</b>
C	9.68 9.68.1 10 10.3 10.6	250x16 mm         Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete.         300 mm weighing not less than 200 gms         Total of sub-head - DSR         Steel Work         Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer.         Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS: 4454 - part 1 and M.S. top cover of required thickness for rolling shutters.         80x1.25 mm M.S. laths with 1.25 mm thick top cover	Each Each sqm	219.00 - 1,584.00 14.00 27.00	231.70	- 93,139.20 <b>1,59,165.25</b> 1,21,387.00 79,490.70
C	9.68 9.68.1 10 10.3 10.6 10.6.1 10.7	250x16 mm         Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete.         300 mm weighing not less than 200 gms         Total of sub-head - DSR         Steel Work         Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer.         Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS: 4454 - part 1 and M.S. top cover of required thickness for rolling shutters.         80x1.25 mm M.S. laths with 1.25 mm thick top cover         Providing and fixing ball bearing for rolling shutters.	Each Each sqm	219.00 - 1,584.00 14.00	231.70	- 93,139.20 <b>1,59,165.25</b> 1,21,387.00 79,490.70
C	9.68 9.68.1 10 10.3 10.6	250x16 mm         Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete.         300 mm weighing not less than 200 gms         Total of sub-head - DSR         Steel Work         Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer.         Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS: 4454 - part 1 and M.S. top cover of required thickness for rolling shutters.         80x1.25 mm M.S. laths with 1.25 mm thick top cover	Each Each sqm	219.00 - 1,584.00 14.00 27.00	231.70	

Start

		SCHEDULE OF QUANTITIES				
S.No.	DSR 2019	Description	Unit	QTY	Rate (Including 12% GST)	Amount (Including 12% )GST
	10.2	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.				
	10.16.1	Hot finished welded type tubes	kg	5,621.00	143.45	8,06,332.4
	10.25	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.				
	10.25.2	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	kg	2,704.00	131.00	3,54,224.0
	10.28	Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners, stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-incharge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.).	kg	2,602.00	575.45	14,97,320.9
	10.29	Providing & fixing fly proof wire gauze to windows, clerestory windows & doors with M.S. Flat 15x3 mm and nuts & bolts complete.				
	10.29.2	Stainless steel (grade 304) wire gauze of 0.5 mm dia wire and 1.4 mm aperture on both sides	Sqm	249.00	929.55	2,31,457.9
	10.30	Providing & fixing glass panes with putty and glazing clips in steel doors, windows, clerestory windows, all complete with :				
	10.30.1	4.0 mm thick glass panes	Sqm	710.00	900.55	6,39,390.5
		Total of sub-head (DSR)	- 1			37,47,461.3
D	13	Finishing				
	13.26	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	Sqm	522.00	196.70	1,02,677.4
	13.37	White washing with lime to give an even shade :				
	13.37.1	New work (three or more coats)	Sqm	150.00	17.25	2,587.5
	13.42	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre, of approved manufacturer, of required shade and colour complete, as per manufacturer's specification.				
	13.42.1	Two or more coats on new work	Sqm	11,048.00	87.15	9,62,833.2
	13.43	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface :				
	13.43.1	Water thinnable cement primer	Sqm	11,048.00	60.00	6,62,880.0
	13.47	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade:	1			
	13.47.1	New work (Two or more coats applied @ 1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	Sqm	6,841.20	161.15	11,02,459.3
	13.50	Applying priming coat:				
	13.50.3	With ready mixed red oxide zinc chromate primer of approved brand and manufacture on steel galvanised iron/ steel works	Sqm	250.00	50.70	12,675.0
	13.61	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :				
			G	1,536.00	424 55	1,86,700.8
	13.61.1	Two or more coats on new work	Sqm	1,550.00	121.55	1,80,700.8
		Total of sub-head (DSR)	Sqm	1,550.00	121.55	
E			Sqm	1,550.00	121.55	
E		Total of sub-head (DSR)		1,550.00	121.55	
E	DSR-18/19	Total of sub-head (DSR) PIPING & VALVES Providing, laying, testing & commissioning of 'C' class heavy duty MS pipe conforming to IS 3589/IS 1239 including Welding, fittings like elbows, tees, flanges ,tapers, nuts bolts, gaskets etc. and fixing the pipe on the wall/ceiling with suitable clamp/support frame and painting with two or more coats of		1,550.00	471.00	30,32,813.2
E	<b>DSR-18/19</b> 7	Total of sub-head (DSR) PIPING & VALVES Providing, laying, testing & commissioning of 'C' class heavy duty MS pipe conforming to IS 3589/IS 1239 including Welding, fittings like elbows, tees, flanges ,tapers, nuts bolts, gaskets etc. and fixing the pipe on the wall/ceiling with suitable clamp/support frame and painting with two or more coats of synthetic enamel paint of required shade complete as required :				7,536.0 56,224.0

stant

S.No.	DSR 2019	SCHEDULE OF QUANTITIES Description	Unit	QTY	Rate (Including 12% GST)	Amount (Including 12% )GST
	14	Providing, installation, testing and commissioning of non-return valve of following sizes confirming to IS:5312 complete with rubber gasket, GI bolts, nuts,washers etc.as required :				
	14.5	80mm dia	Nos	3.00	7,539.00	22,617.00
	18.17	Providing and fixing gun metal gate valve with C.I. wheel of approved				
	10.15.1	quality (screwed end) :				
	18.17.1	25 mm dia. Supplying, fixing, testing and commissioning of butterfly valve of PN 1.6 rating with bronze/gunmetal seat duly ISI marked complete with nuts, bolts, washers, gaskets conforming to IS 13095 of following sizes as required :	Nos	16.00	497.15	7,954.4
	11.5	100 mm dia.	Nos	6.00	6,454.00	38,724.0
	16.8	Providing and fixing dial type pressure gauge with isolation cock and copper		0.00	0,10,100	00,72110
	(HVAC)	pipe at hydrant station.				
		Dial diameter 100 mm calibration 0-15 kg/ sq.cm.	Nos	3.00	682.00	2,046.0
	15	Providing, installation, testing and commissioning of stainless steel Y- strainer fabricated out of 1.6 mm thick stainless steel, Grade 304, sheet with 3 mm dia holes with stainless steel flange.				
	15.2	100mm dia	Each	3.00	6,450.00	19,350.0
	-	Total of sub-head (DSR)			-,	4,51,710.4
		Total Sub Head NON-DSR				2,046.0
F		FIRE HYDRANT ACCESSORIES				
		in post office red, conforming to IS 884 complete with the following as required. 20 mm nominal internal dia water hose thermoplastic (Textile reinforced) type -2 as per IS: 12585 20 mm nominal internal dia gun metal globe valve & nozzle. Drum and brackets for fixing the equipmets on wall. Connections from riser with 25 mm dia stop gun metal valve & M.S. Pipe and socket.				
	17.1	30m	Nos	16.00	8,413.00	1,34,608.0
		Total of sub-head (DSR)				1,34,608.0
G	MR	FIRE EXTINGUISHERS & MISC. ITEMS Providing and fixing Carbon-di-oxide fire extinguishers consisting of				
		welded M.S cylindrical body, squeeze lever discharge valve fitted with internal discharge tube, 30cms long high pressure discharge hose, discharge nozzle, suspension bracket, confirming to IS : 15683 finished externally with red enamel paint and fixed to wall with brackets with rawl plug/dash fasteners complete with internal charge. Capacity 4.5 kg. ISI Marked.( Contractor should submit test certificate form manufacturer along with serial number of every extinguishers supplied.)	Nos	2.00	6,087.00	12,174.0
	MR	Providing and fixing (ABC Dry Chemical Powder ) type Fire Extinguisher of Capacity 6 kg Confirms to IS 15683, bearing ISI mark complete with brass forged squeeze grip type valve fitted with pressure gauge , pressurize with dry Nitrogen gas filled, with discharge nozzle with wall mounting bracket (rubber gripped) complete with internal charges.	Nos	36.00	2,274.00	81,864.0
	MR	Providing and fixing water Carbon-di-oxide (ISI marked) extinguishers including all accessories as per IS specification with wall bracket with rawl plug	Nos	2.00	3,582.00	7,164.0
		Capacity 9 Litres				
Н		Total of sub-head (Non DSR) FIRE PUMPS & ACCESSORIES				1,01,202.00
Π	MR	Supplying, installation, testing and commissioning of electric driven terrace pump suitable for automatic operation and consisting of following, complete in all				
		respects, as required: (Terrace Pump) (a) Horizontal type, multistage, centrifugal, split casing pump of cast iron body & bronze impeller with stainless steel shaft, mechanical confirming to IS : 1520				

Stant

	1	<u>SCHEDULE OF QUANTITIES</u>	· · ·			I
S.No.	DSR 2019	Description	Unit	QTY	Rate (Including 12% GST)	Amount (Includin 12% )GST
		b) Suitable HP squirell cage induction motor TEFC type suitable for operation on 415 volts, 3 phase, 50 Hz, AC supply with IP55 class of protection for enclosure, horiziontal foot mounted type with Class-'F' insulation,				
		conforming to IS-325. (c) M.S.fabricated common base plate, coupling, coupling guard,				
		foundation bolts etc.as required. (d) Suitable cement concrete foundation duly plastered and with anti				
		vibration pads.	Cat	2.00	05 204 00	2 55 072
	MR	450 lpm at 35 m Head Providing and fixing rubber expansion joint (to provide relief from stresses	Set	3.00	85,291.00	2,55,873.
	MIX	at pipe flanges) as per specification of the manufacturers and direction of Engineer in chief PN-16 rating				
		100 mm dia	Nos	3.00	560.00	1,680.
	20	Supplying and fixing air vessel made of 250 mm dia, 8 mm thick MS sheet, 1200 mm in height with air release valve on top and flanged connection to riser, drain arrangement with 25 mm dia gun metal wheel valve with required accessories, pressure gauge and painting with synthetic enamel	Nos	3.00	18,009.00	54,027.
	MR	paint of approved shade as required. "Providing, fixing, testing and commissioning of control panel for Terrace Booster pumps. Incoming: MCCB 35A 1 set of Phase indicating lamps, 1 set of 35A Al bus bars, 1No Ammeter, 1No Voltmeter with phase selector switch Feeder for Booster Pumps - 1 No. 1 No. 32A TP MCCB without releases. DOL starter with over load relay, single phase preventor and indicating lamps with ON/OFF push buttons. 1 No. Automanual selector switch. Suitable for booster pumps"	Nos	3.00	34,429.00	1,03,287.
		Total of sub-head (DSR)				54,027.0
		Total of sub-head (Non DSR)				3,60,840.0
I	21	Aluminium Work				
	21.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free,straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architecturaldrawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately):				
	21.1.1	For Fixed Portion				
	21.1.1.2	Powder coated aluminium (minimum thickness of powder coating 50 micron)	kg	200.00	456.23	91,246.
	21.1.2	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)				
	21.1.2.1	Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	kg	309.00	513.40	1,58,640.
	21.3	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of Engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):				
	21.3.1	With float glass panes of 4.00 mm thickness	Sqm	55.00	999.60	54,978.
	21.4	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with				

slide plate etc. complete as per the direction of Engineer-in-charge.

		SCHEDULE OF QUANTITIES				
S.No.	DSR 2019	Description	Unit	QTY	Rate (Including 12% GST)	Amount (Including 12% )GST
	21.4.1	With stainless steel cover plate minimum 1.25 mm	Each	42.00	2 442 52	20.050.00
		thickness		12.00	2,412.50	28,950.00
	21.13	Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc.	Each			
		complete.		5.00	458.55	2,292.75
	21.16	Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-incharge				
	21.16.2	Powder coated minimum thickness 50 micron aluminium	Each	20.00	83.60	1,672.00
		Total of Sub Head (DSR)				3,37,779.35
		Total Amount of Civil Work Including 12% GST - DSR ITEMS				8740603.52
		Total of Civil Work Including 12% GST - NDSR ITEMS				4,64,088.00
		G. Total Including 12% GST (DSR+NDSR)				92,04,691.52
				Less Dis	count 12.90 %	11,87,405.21
		An	nount afte	r discount	with GST 12%	80,17,286.31
					Basic amount	71,58,291.35
					Add GST 18%	12,88,492.44
		Gross	s Amount	of Civil w	ith GST 18%	84,46,783.80

forth

		SCHEDULE OF QUANTITIES				
S.No.	DSR 2019	Description	Unit	QTY	Rate (Including 12% GST)	Amount (Including 12% )GST
		External Electrical Works				
Α	MR 3	Main LT PANEL				
1		NOTE:- MCCB's wherever specified shall be Thermal Magnetic Type				
		Suppy , installation, testing, Design, manufacture, supply inspection, handling, assembling, affecting proper connections, testing and commissioning of 1.6/2mm CRCA sheet steel fabricated cubical type Main L.T. Panel floor mounting Extensible Type, dust & vermin proof, front operated construction, enclosure class - <b>IP 42</b> , <b>As per IEC 60439</b> after proper treatment with 9 tank process with top/bottom removable gland plates, as required, double compression type cable glands, earth bus, hinged and lockable doors to achieve dust and vermin proof complete with all inter connections small wiring by min. 1.5-2.5 sq. mm. FR copper wires,				
2		ckt labels etc. The panel feeders shall be suitable for terminating suitable nos. 3.5 / 4 core armoured aluminium cable as required.				
		All MCCB's shall be Ics = 100% Icu, with rotary handle & pad locking arrangement. All TP MCCB shall be with heavy duty solid isolable neutral				
3		link. The breaking capacity specified for all MCCB's breakers is Ics value (service				
4		rating).				
5		Incoming From TRANSFORMER 1 (200 KVA) - 1 NOS. (Phase I)				
6		Incomer : 1 Nos 400A TP MCCB 36KA with Thermal Magnetic Release				
7		1 No. Digital Ammeter				
8		1 No. Digital Voltmeter				
9		1 set of 3 CT's of ratio 400/5A, Class 1.0 accuracy 15 VA burden for Metering.				
10		1 set of 3 CT's of ratio 400/5A, Class 1.0 accuracy 15 VA burden for APFCR.				
11		3 Nos. LED Type phase indicating lamps, each lamp shall be with bakup MCB				
12		6A SP 10KA MCB				
13		BUS BAR				
		TPN Aluminium Bus Bars of Minimum 500 Amp with Heat shrinkable coloured sleeves, Shrouds at Joints and including DMC/SMC bus bars				
14		supports at required interval complete for cross section, side supports and their spacing etc.				
15		OUT GOING				
16		18 Nos. Outgoing Feeders :-				
17		1 Nos. 160A, TP 25KA MCCB (CAPACITOR PANEL)				
18		1 Nos. 250A, FP 25KA MCCB (TYPE II METER BOARD PANEL) 1 Nos. 200A, FP 25KA MCCB (TYPE III METER BOARD PANEL -				
19		BLOCK 1) 1 Nos. 160A, FP 25KA MCCB (TYPE III METER BOARD PANEL - DLOCK 2)				
20 21		BLOCK 2) 1 No 160 AMP 4P 25KA MCCB (SCHOOL BUILDING PANEL)				
22		1 No 125 AMP 4P 18KA MCCB (KITCHEN & DINING BLOCK PANEL)				
23		1 No 160 AMP 4P 25KA MCCB (FIRE FIGHTING)				
24		1 No 100 AMP 4P 18KA MCCB (PLUMBING)				
25		1 No 100 AMP 4P 18KA MCCB (EXTERNAL LIGHTING - 1)			ļ	
26		1 No 100 AMP 4P 18KA MCCB (EXTERNAL LIGHTING - 2)				
27		1 No 63 AMP 4P 10KA MCB (GUEST HOUSE DB)1 Nos. 125A, FP18KA MCCB (BOYS HOSTEL & WARDEN BLOCK				
28		PANEL) 1 Nos. 125A, FP 18KA MCCB (GIRLS HOSTEL & WARDEN BLOCK				
29		PANEL)				
30		1 Nos. 100A, FP 18KA MCCB (PRINCIPAL QUARTER PANEL)				
31		1 Nos. 250, FP 25KA MCCB (spare)				
32		1 Nos. 200, FP 25KA MCCB (spare)				
33		2 Nos. 160, FP 25KA MCCB (spare)	sat	1.00	1 57 842 00	A 57 042 00
34		Complete Panel as Above and complete	set	1.00	4,57,843.00	4,57,843.00

Start

#### Name of Work : Balance left out work at Construction of EMRS School at Dahanu, Palghar In The State of Maharashtra SCHEDULE OF QUANTITIES Rate Amount (Including DSR 2019 Unit QTY S.No. Description (Including 12% )GST 12% GST) MR 4 AUTOMATIC POWER FACTOR CORRECTION PANEL Т

Sup         capa           fabr         and           havi         supj           mm         fabr           fabr         and           havi         supj           mm         fabr           fabr         and           fabr         and           fabr         fabr           36         42)           37         Icu)           38         b) 2           c) M         39           fabr         d) M           40         2 So           for         on/c           KV.         KV.	PACITOR PANEL) - 90 KVAR plying, Installation, Testing and Commissioning of cubicle type acitior panel suitable for 415 & 3 phase 50 HZ A.C. supply System icated in design from CRCA Sheet Steel of 2 mm thick for frame work cover, 3 mm thick for gland plates i/c powder coating in approve shade ing 200 AMP capacity TPN Aluminium bus bar DMC/SMC bus bar prot entire pannel should have common Al. earth bar for size 50 mm x 5 i/c Providing & fixing following switch gear mounting there on agrills for propor ventillation complete with gaskets & inner connection connection with existing CTS in the main CT Panel complete as reqd. panel board shall be of dust and verm proof with degree of protection IP 50 Amps TP MCCB with Thermal Magnetic Based release (Ics=100% - 1 No. 50A, 4 strip Tinned Aluminium busbar -1 Set Multi functional meters with suitable CTS and protection MCBS 1 set. Nos. Phase indicating light (lamp) with MCBs protection. <b>TGOINGS -</b> et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
cap fabr           fabr           and           havi           supj           mm           fabr           fabr           and           havi           supj           mm           fabr           fabr           36           42)           37           Icu)           38           b) 2           c) N           39           fact           40           41           2 So           for           on/c           KV	acitior panel suitable for 415 & 3 phase 50 HZ A.C. supply System icated in design from CRCA Sheet Steel of 2 mm thick for frame work cover, 3 mm thick for gland plates i/c powder coating in approve shade ing 200 AMP capacity TPN Aluminium bus bar DMC/SMC bus bar prot entire pannel should have common AI. earth bar for size 50 mm x 5 i/c Providing & fixing following switch gear mounting there on ,grills for propor ventillation complete with gaskets & inner connection connection with existing CTS in the main CT Panel complete as reqd. panel board shall be of dust and verm proof with degree of protection IP 50 Amps TP MCCB with Thermal Magnetic Based release (Ics=100% - 1 No. 50A, 4 strip Tinned Aluminium busbar -1 Set Micro processor based automatic Power factor control relay i/c power or metre in 8 steps fulti functional meters with suitable CTS and protection. <b>TGOINGS -</b> et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
fabr         and         havi         supp         mm         fass         i/c of         36         42)         37         Icu)         38         b) 2         c) N         39         fact         40         41       e) 3         42       OU         2 So         for for         on/c         KV.	icated in design from CRCA Sheet Steel of 2 mm thick for frame work cover, 3 mm thick for gland plates i/c powder coating in approve shade ing 200 AMP capacity TPN Aluminium bus bar DMC/SMC bus bar prot entire pannel should have common Al. earth bar for size 50 mm x 5 i/c Providing & fixing following switch gear mounting there on ,grills for propor ventillation complete with gaskets & inner connection connection with existing CTS in the main CT Panel complete as reqd. panel board shall be of dust and verm proof with degree of protection IP 50 Amps TP MCCB with Thermal Magnetic Based release (Ics=100% i - 1 No. 50A, 4 strip Tinned Aluminium busbar -1 Set Micro processor based automatic Power factor control relay i/c power or metre in 8 steps fulti functional meters with suitable CTS and protection. <b>TGOINGS -</b> et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
and           havi           supp           mm           fans           i/c of           36           42)           37           Icu)           38           b) 2           c) N           39           fact           40           41           2 So           for i           on/c           KV.	cover, 3 mm thick for gland plates i/c powder coating in approve shade ing 200 AMP capacity TPN Aluminium bus bar DMC/SMC bus bar prot entire pannel should have common Al. earth bar for size 50 mm x 5 i/c Providing & fixing following switch gear mounting there on agrills for propor ventillation complete with gaskets & inner connection connection with existing CTS in the main CT Panel complete as reqd. panel board shall be of dust and verm proof with degree of protection IP 50 Amps TP MCCB with Thermal Magnetic Based release (Ics=100% - 1 No. 50A, 4 strip Tinned Aluminium busbar -1 Set Micro processor based automatic Power factor control relay i/c power or metre in 8 steps Aulti functional meters with suitable CTS and protection. TGOINGS - et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
havisupp           mm           fans           i/c of           36           42)           37           Icu)           38           b) 2           c) N           39           fact           40           41         e) 3           42         OU           2 So           for for           on/c           KV.	ing 200 AMP capacity TPN Aluminium bus bar DMC/SMC bus bar prot entire pannel should have common Al. earth bar for size 50 mm x 5 i/c Providing & fixing following switch gear mounting there on agrills for propor ventillation complete with gaskets & inner connection connection with existing CTS in the main CT Panel complete as reqd. panel board shall be of dust and verm proof with degree of protection IP 50 Amps TP MCCB with Thermal Magnetic Based release (Ics=100% - 1 No. 50A, 4 strip Tinned Aluminium busbar -1 Set Micro processor based automatic Power factor control relay i/c power or metre in 8 steps Multi functional meters with suitable CTS and protection. TGOINGS - et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
support           mm           fans           i/c           The           36           42)           37           Icu)           38           b) 2           c) N           39           fact           40           41           2 So           for           on/c           KV.	prot entire pannel should have common Al. earth bar for size 50 mm x 5 i/c Providing & fixing following switch gear mounting there on agrills for propor ventillation complete with gaskets & inner connection connection with existing CTS in the main CT Panel complete as reqd. panel board shall be of dust and verm proof with degree of protection IP 50 Amps TP MCCB with Thermal Magnetic Based release (Ics=100% - 1 No. 50A, 4 strip Tinned Aluminium busbar -1 Set Micro processor based automatic Power factor control relay i/c power or metre in 8 steps Multi functional meters with suitable CTS and protection. TGOINGS - et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
mmm           fans           i/c of           The           36           42)           37           Icu)           38           b) 2           c) N           39           fact           40           41           2 So           for           on/c           KV.	i/c Providing & fixing following switch gear mounting there on agrills for propor ventillation complete with gaskets & inner connection connection with existing CTS in the main CT Panel complete as reqd. panel board shall be of dust and verm proof with degree of protection IP 50 Amps TP MCCB with Thermal Magnetic Based release (Ics=100% - 1 No. 50A, 4 strip Tinned Aluminium busbar -1 Set Micro processor based automatic Power factor control relay i/c power or metre in 8 steps Multi functional meters with suitable CTS and protection. TGOINGS - et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
fans i/c d The 36 42) a) 2 37 Icu) 38 b) 2 c) N 39 fact 40 41 e) 3 42 OU 2 So for on/c KV.	<ul> <li>a.grills for propor ventillation complete with gaskets &amp; inner connection connection with existing CTS in the main CT Panel complete as reqd. panel board shall be of dust and verm proof with degree of protection IP 50 Amps TP MCCB with Thermal Magnetic Based release (Ics=100% - 1 No. 50A, 4 strip Tinned Aluminium busbar -1 Set Micro processor based automatic Power factor control relay i/c power or metre in 8 steps</li> <li>Multi functional meters with suitable CTS and protection. TGOINGS - et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor</li> </ul>				
i/c of The           36         42)           a) 2         a) 2           37         Icu)           38         b) 2           c) N         39           fact         d) N           40         2           41         e) 3           42         OU           2 Ss         for son/c           N         St	connection with existing CTS in the main CT Panel complete as reqd. panel board shall be of dust and verm proof with degree of protection IP 50 Amps TP MCCB with Thermal Magnetic Based release (Ics=100% - 1 No. 50A, 4 strip Tinned Aluminium busbar -1 Set dicro processor based automatic Power factor control relay i/c power or metre in 8 steps fulli functional meters with suitable CTS and protection MCBS 1 set. Nos. Phase indicating light (lamp) with MCBs protection. <b>TGOINGS -</b> et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
36         42)           a) 2         a) 2           37         Icu)           38         b) 2           c) M         g           39         fact           40         d) M           41         e) 3           42         OU           2 So         for 3           6 KV         KV	panel board shall be of dust and verm proof with degree of protection IP 50 Amps TP MCCB with Thermal Magnetic Based release (Ics=100% - 1 No. 50A, 4 strip Tinned Aluminium busbar -1 Set dicro processor based automatic Power factor control relay i/c power or metre in 8 steps dulti functional meters with suitable CTS and protection MCBS 1 set. Nos. Phase indicating light (lamp) with MCBs protection. <b>TGOINGS -</b> et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
36         42)           37         Icu)           38         b) 2           c) M         39           fact         d) M           40         d) M           41         c) 3           42         OU'           2 So for son/c           KV.	50 Amps TP MCCB with Thermal Magnetic Based release (Ics=100% - 1 No. 50A, 4 strip Tinned Aluminium busbar -1 Set Micro processor based automatic Power factor control relay i/c power or metre in 8 steps Multi functional meters with suitable CTS and protection MCBS 1 set. Nos. Phase indicating light (lamp) with MCBs protection. <b>TGOINGS -</b> et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
a) 2           37           Icu)           38           b) 2           c) M           39           fact           40           41           c) 3           42           OU           2 So           for           on/c           KV.	<ul> <li>- 1 No.</li> <li>50A, 4 strip Tinned Aluminium busbar -1 Set</li> <li>Micro processor based automatic Power factor control relay i/c power or metre in 8 steps</li> <li>Multi functional meters with suitable CTS and protection MCBS 1 set.</li> <li>Nos. Phase indicating light (lamp) with MCBs protection.</li> <li>TGOINGS -</li> <li>et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor</li> </ul>				
37         Icu)           38         b) 2           c) M         39           fact         d) M           40         d) M           41         c) 3           42         OU'           2 So for 3           on/c           KV.	<ul> <li>- 1 No.</li> <li>50A, 4 strip Tinned Aluminium busbar -1 Set</li> <li>Micro processor based automatic Power factor control relay i/c power or metre in 8 steps</li> <li>Multi functional meters with suitable CTS and protection MCBS 1 set.</li> <li>Nos. Phase indicating light (lamp) with MCBs protection.</li> <li>TGOINGS -</li> <li>et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor</li> </ul>				
38         b) 2           39         c) M           39         fact           40         d) M           41         c) 3           42         OU'           2 So for         on/c           KV.         KV.	50A, 4 strip Tinned Aluminium busbar -1 Set Micro processor based automatic Power factor control relay i/c power or metre in 8 steps Multi functional meters with suitable CTS and protection MCBS 1 set. Nos. Phase indicating light (lamp) with MCBs protection. <b>TGOINGS -</b> et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
39         fact           40         d) M           41         c) 3           42         OU'           2 So for         on/o           KV.         KV.	Micro processor based automatic Power factor control relay i/c power or metre in 8 steps Multi functional meters with suitable CTS and protection MCBS 1 set. Nos. Phase indicating light (lamp) with MCBs protection. <b>TGOINGS -</b> et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
39         fact           40         d) M           41         c) 3           42         OU'           2 So for         on/o           KV.         KV.	or metre in 8 steps Multi functional meters with suitable CTS and protection MCBS 1 set. Nos. Phase indicating light (lamp) with MCBs protection. <b>TGOINGS -</b> et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
40         d) M           41         e) 3           42         OU'           2 So for         on/c           KV.         KV.	Aulti functional meters with suitable CTS and protection MCBS 1 set.         Nos. Phase indicating light (lamp) with MCBs protection.         TGOINGS -         et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
40 41 e) 3 42 OU 2 So for on/c KV	Nos. Phase indicating light (lamp) with MCBs protection. <b>TGOINGS</b> - et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor			I	
41 e) 3 42 OU 2 Se for 0n/c KV.	TGOINGS - et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
42 OU 2 Se for : on/c KV.	TGOINGS - et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
2 So for on/c KV	et - 63A Amp TP MCB 10 KA and Capacitor duly switching contactor				
for 1 on/c KV2					
on/c KV					
KV.	20 KVAR capacity auto mannual selector switch start/stop puch button				
	off indicatting lamp with protection MCB & delay timer complete i/c 20				
	AR Normal Duty 440V capacitor bank with inter Connection				
43					
	et -32 Amp TP MCB 10 KA and Capacitor duly switching contactor for				
	KVAR capacity auto mannual selector switch start/stop puch button				
	off indicatting lamp with protection MCB & delay timer complete i/c 10				
	AR Normal Duty 440V capacitor bank with inter Connection				
44					
	et - 16 Amp TP MCB 10 KA and Capacitor duly switching contactor for				
	VAR capacity auto mannual selector switch start/stop puch button on/off				
	catting lamp with protection MCB & delay timer complete i/c 5 KVAR				
45	mal Duty 440V capacitor bank with inter Connection				
	plete panel as above and complete	set	1.00	1,67,703.00	1,67,703.00
	HOOL BUILDING MAIN DISTRIBUTION PANEL	301	1.00	1,07,705.00	1,07,705.00
	ign, manufacture, supply, installation, testing and commissioning of				
	icle type panel fabricated out of CRCA sheet steel, floor mounted				
	lly enclosed switchbaord suitable for use of 415 volts, 3 phase, 50 HZ				
	plete with aluminium bus bar and all accessories including supply and				
	ng of following incoming and outgoing switchgears, Panel Should Have				
	ble Earthing Provision which connected to the nearest earth grid.				
48					
	TE:- MCCB's wherever specified upto 250A shall be Thermal Magnetic				
	bove 250A will be Microprocessor based inbuilt protections.				
&A					
49 & A	in the second second means protocolors.				
49	COMER : 160 AMP FP MCCB				
49 50 INC	1 1				
49 50 INC 51 3 N	COMER : 160 AMP FP MCCB				
49 50 INC 51 3 No 52 set.	COMER         : 160 AMP FP MCCB           os. Phase Indication light (lamp) with MCBs protection.           tit functional meters (VAF) with suitable CTS and protection MCBS 1				
49 50 INC 51 3 No 52 set.	COMER         : 160 AMP FP MCCB           os. Phase Indication light (lamp) with MCBs protection.				
49 50 INC 51 3 No 52 set. BUS elec	COMER       : 160 AMP FP MCCB         os. Phase Indication light (lamp) with MCBs protection.         Iti functional meters (VAF) with suitable CTS and protection MCBS 1         S BAR       : 200 AMP, 500 Volts, 3 phase 50 HZ 4P high conductivity trolytic Aluminium bus bar of suitable length, insulated by heat				
49 50 INC 51 3 No 52 set. BUS elec shri	COMER       : 160 AMP FP MCCB         os. Phase Indication light (lamp) with MCBs protection.         Iti functional meters (VAF) with suitable CTS and protection MCBS 1         S BAR       : 200 AMP, 500 Volts, 3 phase 50 HZ 4P high conductivity				
49           50         INC           51         3 N/           52         set.           BUS         elec           53         mm	COMER : 160 AMP FP MCCB         os. Phase Indication light (lamp) with MCBs protection.         Iti functional meters (VAF) with suitable CTS and protection MCBS 1         S BAR : 200 AMP, 500 Volts, 3 phase 50 HZ 4P high conductivity trolytic Aluminium bus bar of suitable length, insulated by heat nkable sleeves. The current density of bus bar shall be minimum 0.6 sq / amp.				
49           50         INC           51         3 N/           52         set.           BUS         elec           53         mm	COMER : 160 AMP FP MCCB         os. Phase Indication light (lamp) with MCBs protection.         Iti functional meters (VAF) with suitable CTS and protection MCBS 1         S BAR : 200 AMP, 500 Volts, 3 phase 50 HZ 4P high conductivity trolytic Aluminium bus bar of suitable length, insulated by heat nkable sleeves. The current density of bus bar shall be minimum 0.6 sq / amp.         Maximum allowable temperature for the Bus bar to be restricted to 90				
49         INC           50         INC           51         3 N/           52         set.           BUS         elec           53         mm           The         deg	COMER : 160 AMP FP MCCB         os. Phase Indication light (lamp) with MCBs protection.         Iti functional meters (VAF) with suitable CTS and protection MCBS 1         S BAR : 200 AMP, 500 Volts, 3 phase 50 HZ 4P high conductivity trolytic Aluminium bus bar of suitable length, insulated by heat nkable sleeves. The current density of bus bar shall be minimum 0.6 sq / amp.         Maximum allowable temperature for the Bus bar to be restricted to 90 C. The temperature rise should be restricted to 45 deg C above ambient				
49           50         INC           51         3 N/           52         set.           BUS         elec           53         mm           54         tem	COMER : 160 AMP FP MCCB         os. Phase Indication light (lamp) with MCBs protection.         Iti functional meters (VAF) with suitable CTS and protection MCBS 1         S BAR : 200 AMP, 500 Volts, 3 phase 50 HZ 4P high conductivity trolytic Aluminium bus bar of suitable length, insulated by heat nkable sleeves. The current density of bus bar shall be minimum 0.6 sq / amp.         Maximum allowable temperature for the Bus bar to be restricted to 90 C. The temperature rise should be restricted to 45 deg C above ambient perature.				
49           50         INC           51         3 N/           52         set.           52         set.           53         mm           53         mm           54         tem           55         OU	COMER : 160 AMP FP MCCB         os. Phase Indication light (lamp) with MCBs protection.         Iti functional meters (VAF) with suitable CTS and protection MCBS 1         S BAR : 200 AMP, 500 Volts, 3 phase 50 HZ 4P high conductivity trolytic Aluminium bus bar of suitable length, insulated by heat nkable sleeves. The current density of bus bar shall be minimum 0.6 sq / amp.         Maximum allowable temperature for the Bus bar to be restricted to 90 C. The temperature rise should be restricted to 45 deg C above ambient perature.         T GOINGS :				
49           50         INC           51         3 N/           52         set.           52         set.           53         mm           53         mm           54         tem           55         OU           56         1 N	COMER       : 160 AMP FP MCCB         os. Phase Indication light (lamp) with MCBs protection.         Iti functional meters (VAF) with suitable CTS and protection MCBS 1         S BAR       : 200 AMP, 500 Volts, 3 phase 50 HZ 4P high conductivity trolytic Aluminium bus bar of suitable length, insulated by heat nkable sleeves. The current density of bus bar shall be minimum 0.6 sq / amp.         Maximum allowable temperature for the Bus bar to be restricted to 90 C. The temperature rise should be restricted to 45 deg C above ambient perature.         T GOINGS :       0 63 AMP 4P MCB (UPS PANEL)				
49           50         INC           51         3 N/           52         set.           52         set.           53         mm           53         mm           54         tem           55         OU'           56         1 N/           57         1 N/	COMER       : 160 AMP FP MCCB         os. Phase Indication light (lamp) with MCBs protection.         Iti functional meters (VAF) with suitable CTS and protection MCBS 1         S BAR       : 200 AMP, 500 Volts, 3 phase 50 HZ 4P high conductivity trolytic Aluminium bus bar of suitable length, insulated by heat nkable sleeves. The current density of bus bar shall be minimum 0.6 sq / amp.         Maximum allowable temperature for the Bus bar to be restricted to 90 C. The temperature rise should be restricted to 45 deg C above ambient perature.         T GOINGS :       0 63 AMP 4P MCB (UPS PANEL)         o 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 1)				
49         INC           50         INC           51         3 N/           52         set.           52         set.           53         mm           53         mm           54         tem           55         OU           56         1 N/           57         1 N/           58         1 N/	COMER       : 160 AMP FP MCCB         os. Phase Indication light (lamp) with MCBs protection.         Iti functional meters (VAF) with suitable CTS and protection MCBS 1         S BAR       : 200 AMP, 500 Volts, 3 phase 50 HZ 4P high conductivity trolytic Aluminium bus bar of suitable length, insulated by heat nkable sleeves. The current density of bus bar shall be minimum 0.6 sq / amp.         Maximum allowable temperature for the Bus bar to be restricted to 90 C. The temperature rise should be restricted to 45 deg C above ambient perature.         T GOINGS :       0 63 AMP 4P MCB (UPS PANEL)				

stant

	WOIR. Dala	SCHEDULE OF QUANTITIES				
S.No.	DSR 2019	Description	Unit	QTY	Rate (Including 12% GST)	Amount (Including 12% )GST
60		1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 4)				
61		1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 1)				
62		1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 2)				
63		1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 3)				
64		1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 4)				
65		3 No 63 AMP 4P MCB (SPARE)		4.00		
66		complete panel as above and complete	set	1.00	71,921.00	71,921.00
67	MR 6	UPS PANEL				
		Design, manufacture, supply, installation, testing and commissioning of cubicle type panel fabricated out of CRCA sheet steel, floor mounted totally enclosed switchbaord suitable for use of 415 volts, 3 phase, 50 HZ complete with aluminium bus bar and all accessories including supply and fixing of following incoming and outgoing switchgears, Panel Should Have Double Earthing Provision which connected to the nearest earth grid.				
68						
		INCOMER : 1 Nos 63 AMP FP MCB (Thru Bypass Switch 5 kva				
69		<b>UPS)</b> <b>BUS BAR</b> : 100 AMP, 500 Volts, 3 phase 50 HZ 4P high conductivity electrolytic Aluminium bus bar of suitable length, insulated by heat shrinkable sleeves. The current density of bus bar shall be minimum 06 sq				
70		$\rm mm$ / amp. The Maximum allowable temperature for the Bus bar to be restricted to 90				
		deg C. The temperature rise should be restricted to 45 deg C above ambient				
71		temperature.				
72		OUT GOINGS :				
73		1 No 63 AMP DP MCB (GROUND FLOOR UPS DB 1)				
74		1 No 40 AMP DP MCB (GROUND FLOOR UPS DB 2)				
75		1 No 40 AMP DP MCB (FIRST FLOOR UPS DB 1)				
76		1 No 40 AMP DP MCB (FIRST FLOOR UPS DB 2)				
77		2 No 40 AMP DP MCB (SPARE)				
78		complete panel as above and complete	set	1.00	51,558.00	51,558.00
79	MR 7	BOYS HOSTEL MAIN DISTRIBUTION BOARD				
80		Design, manufacture, supply, installation, testing and commissioning of cubicle type panel fabricated out of CRCA sheet steel, floor mounted totally enclosed switchbaord suitable for use of 415 volts, 3 phase, 50 HZ complete with aluminium bus bar and all accessories including supply and fixing of following incoming and outgoing switchgears, Panel Should Have Double Earthing Provision which connected to the nearest earth grid.				
81		NOTE:- MCCB's wherever specified upto 250A shall be Thermal Magnetic & Above 250A will be Microprocessor based inbuilt protections.				
82	1	INCOMER : 125 AMP FP MCCB				
83		3 Nos. Phase Indication light (lamp) with MCBs protection.				
		Multi functional meters (VAF) with suitable CTS and protection MCBS 1				
84		set.				
		<b>BUS BAR</b> : 160 AMP, 500 Volts, 3 phase 50 HZ 4P high conductivity electrolytic Aluminium bus bar of suitable length, insulated by heat shrinkable sleeves. The current density of bus bar shall be minimum 0.6 so				
85		electrolytic Aluminium bus bar of suitable length, insulated by heat shrinkable sleeves. The current density of bus bar shall be minimum 0.6 sq				
85		electrolytic Aluminium bus bar of suitable length, insulated by heat				
85		electrolytic Aluminium bus bar of suitable length, insulated by heat shrinkable sleeves. The current density of bus bar shall be minimum 0.6 sq mm / amp. The Maximum allowable temperature for the Bus bar to be restricted to 90 deg C. The temperature rise should be restricted to 45 deg C above ambient temperature.				
		electrolytic Aluminium bus bar of suitable length, insulated by heat shrinkable sleeves. The current density of bus bar shall be minimum 0.6 sq mm / amp. The Maximum allowable temperature for the Bus bar to be restricted to 90 deg C. The temperature rise should be restricted to 45 deg C above ambient				
86		electrolytic Aluminium bus bar of suitable length, insulated by heat shrinkable sleeves. The current density of bus bar shall be minimum 0.6 sq mm / amp. The Maximum allowable temperature for the Bus bar to be restricted to 90 deg C. The temperature rise should be restricted to 45 deg C above ambient temperature. <b>OUT GOINGS :</b> 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 1)				
86 87		electrolytic Aluminium bus bar of suitable length, insulated by heat shrinkable sleeves. The current density of bus bar shall be minimum 0.6 sq mm / amp. The Maximum allowable temperature for the Bus bar to be restricted to 90 deg C. The temperature rise should be restricted to 45 deg C above ambient temperature. <b>OUT GOINGS :</b>				
86 87 88		electrolytic Aluminium bus bar of suitable length, insulated by heat shrinkable sleeves. The current density of bus bar shall be minimum 0.6 sq mm / amp. The Maximum allowable temperature for the Bus bar to be restricted to 90 deg C. The temperature rise should be restricted to 45 deg C above ambient temperature. <b>OUT GOINGS :</b> 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 1)				
86 87 88 89		electrolytic Aluminium bus bar of suitable length, insulated by heat shrinkable sleeves. The current density of bus bar shall be minimum 0.6 sq mm / amp. The Maximum allowable temperature for the Bus bar to be restricted to 90 deg C. The temperature rise should be restricted to 45 deg C above ambient temperature. <b>OUT GOINGS :</b> 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 1) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 2)				
86 87 88 89 90		electrolytic Aluminium bus bar of suitable length, insulated by heat shrinkable sleeves. The current density of bus bar shall be minimum 0.6 sq mm / amp. The Maximum allowable temperature for the Bus bar to be restricted to 90 deg C. The temperature rise should be restricted to 45 deg C above ambient temperature. <b>OUT GOINGS :</b> 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 1) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 2) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 3)				
86 87 88 89 90 91		electrolytic Aluminium bus bar of suitable length, insulated by heat shrinkable sleeves. The current density of bus bar shall be minimum 0.6 sq mm / amp. The Maximum allowable temperature for the Bus bar to be restricted to 90 deg C. The temperature rise should be restricted to 45 deg C above ambient temperature. <b>OUT GOINGS :</b> 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 1) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 2) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 3) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 4) 1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 1)				
86 87 88 89 90 91 92		electrolytic Aluminium bus bar of suitable length, insulated by heat shrinkable sleeves. The current density of bus bar shall be minimum 0.6 sq mm / amp. The Maximum allowable temperature for the Bus bar to be restricted to 90 deg C. The temperature rise should be restricted to 45 deg C above ambient temperature. <b>OUT GOINGS :</b> 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 1) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 2) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 3) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 4) 1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 1) 1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 2)				
86 87 88 89 90 91 92 93		electrolytic Aluminium bus bar of suitable length, insulated by heat shrinkable sleeves. The current density of bus bar shall be minimum 0.6 sq mm / amp. The Maximum allowable temperature for the Bus bar to be restricted to 90 deg C. The temperature rise should be restricted to 45 deg C above ambient temperature. <b>OUT GOINGS :</b> 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 1) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 2) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 3) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 3) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 4) 1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 1) 1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 2) 1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 3)				
86 87 88 90 91 92 93 94		electrolytic Aluminium bus bar of suitable length, insulated by heat shrinkable sleeves. The current density of bus bar shall be minimum 0.6 sq mm / amp. The Maximum allowable temperature for the Bus bar to be restricted to 90 deg C. The temperature rise should be restricted to 45 deg C above ambient temperature. <b>OUT GOINGS :</b> 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 1) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 2) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 3) 1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 4) 1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 1) 1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 2)				

spart

SCHEDULE	E OF Q	UANT

		SCHEDULE OF QUANTITIES				
S.No.	DSR 2019	Description	Unit	QTY	Rate (Including 12% GST)	Amount (Including 12% )GST
98		complete panel as above and complete	set	1.00	70,015.00	70,015.00
99	MR 8	GIRLS HOSTEL MAIN DISTRIBUTION BOARD				
100		Design, manufacture, supply, installation, testing and commissioning of cubicle type panel fabricated out of CRCA sheet steel, floor mounted totally enclosed switchbaord suitable for use of 415 volts, 3 phase, 50 HZ complete with aluminium bus bar and all accessories including supply and fixing of following incoming and outgoing switchgears, Panel Should Have Double Earthing Provision which connected to the nearest earth grid.				
100		NOTE:- MCCB's wherever specified upto 250A shall be Thermal Magnetic				
101		& Above 250A will be Microprocessor based inbuilt protections.				
102		INCOMER : 125 AMP FP MCCB				
103		3 Nos. Phase Indication light (lamp) with MCBs protection.				
104		Multi functional meters (VAF) with suitable CTS and protection MCBS 1 set.				
105		<b>BUS BAR</b> : 160 AMP, 500 Volts, 3 phase 50 HZ 4P high conductivity electrolytic Aluminium bus bar of suitable length, insulated by heat shrinkable sleeves. The current density of bus bar shall be minimum 0.6 sq mm / amp. The Maximum allowable temperature for the Bus bar to be restricted to 90				
		deg C. The temperature rise should be restricted to 45 deg C above ambient				
106		temperature.				
107		OUT GOINGS :				
108		1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 1)				
109		1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 2)				
110		1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 3)				
111		1 No 63 AMP 4P MCB (GROUND FLOOR LIGHT + POWER DB 4)				
112		1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 1)				
113		1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 2)				
114		1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 3)				
115		1 No 63 AMP 4P MCB (FIRST FLOOR LIGHT + POWER DB 4)				
116		1 No 63 AMP 4P MCB (WARDEN BLOCK 2 DB)				
117		3 No 63 AMP 4P MCB (SPARE)	4	1.00	70.015.00	70.045.00
118 119	MR 10	complete panel as above and complete EXTERNAL LIGHT FEEDER PILLAR 1	set	1.00	70,015.00	70,015.00
120		Design, Manufacture, Supply, Installation, Testing and Commissioning of Panel Fabricated out of 16 SWG CRCA sheet steel, IP 54, wall / floor mounting type with rain canopy The sheet steel shall undergo minimum 7 tank treatment followed by finishing powder coating of min 60 micron thickness. the board includes 415 /240 V electrolitic Aluminium Bus Bar, removable gland plates, cable glands, including connection with outgoing feeders complete in all respect, Panel Should Have Double Earthing Provision Which Connected to the Nearest Earth Grid.				
121		INCOMER:				
		1 no. 100A, 25KA 4P MCCB with Thermal Magnetic based releases, ON indication, + 3 Nos 63A DP MCB For each Phase.with 3 Nos Astronomical Weekly programmable time switch (SST- 1min) ON Phase for automatic switching of landscape light fixtures at sun set and sun rise or twilight (auto on/ auto off and auto mode) with manual override faiclity with 12/24 hour display format with suitable battery and indication for relay status i/c				
122		programming at site.				
123		BUS BAR				
124		TPN Aluminium bus bar with heat Shrink Sleeve rated for 125A.				
125		OUTGOING				
126		18 nos 16A DP MCB				
127		1 nos 40A DP MCB (ESS DB)				
128		1 nos 40A DP MCB (UGT DB)				
129		1 nos 40A 4P MCB (BORE WELL WORKING)				
130		1 nos 40A 4P MCB (BORE WELL STAND BY)				
131 132		1 nos 40A 4P MCB (SPARE)				
132		Other items such as 1 Set of control wiring				
122	I					

forth

S.No.	DSR 2019	SCHEDULE OF QUANTITIES Description	Unit	QTY	Rate (Including 12% GST)	Amount (Including 12% )GST
134		1 Set of designation plates		1.00	0514500	07.147.0
135		All Items complete as above	set	1.00	87,147.00	87,147.00
		Total of sub-head (DSR)				-
		Total of sub-head (NDSR)				9,76,202.00
B 136	MD 19	HT Cable And Accessories				
130	MR 18	Supply of H.T. Cable Supply & Testing of following 11 KV( UE) grade multicore Aluminium conductor XLPE insulated cable, insulation screening with extruded semi conducting compound in combination with copper tape armoured cores laid up, inner sheath of PVC tape, galvanised steel flat strip armoured and overall PVC sheathed cable conforming to IS: 7098 (Part - II) and complete with all latest amendments etc. complete as required.				
138		3 C x 120 Sq. mm 11 KV (UE)	Metre	77.00	1,114.00	85,778.0
139	DSR 8	H.T. Cable Laying-DSR Item	metre	-	-	00,770.0
140		H V CABLE LAYING		-	_	
141		Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 11 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.		-	-	
	DSR 8.1.2	Upto 120 sq. mm	Metre			
142		T		77.00	438.00	33,726.0
143	DSR 10.1	H.T Termination: DSR Item				
144		Supply and making Indoor cable end jointing with cast resin compund, including lugs and other jointing materials for following size of 3 core, XLPE aluminium conductor cable of 11KV (UE) grade as required.				
145	10.1.1	3 C x 120 Sq.mm (11KV UE)	Sets	3.00	2,398.00	7,194.0
146						
147		Supply and making Outdoor cable end jointing with cast resin compund, including lugs and other jointing materials for following size of 3 core, XLPE aluminium conductor cable of 11KV (UE)grade as required.				
148	10.2.2	3 C x 120 Sq.mm (11KV UE)	Sets	1.00	5,143.00	5,143.0
		Total of sub-head (DSR)		-		46,063.0
	DCD 2	Total of sub-head (Non DSR)				85,778.0
C 149	2.21	Miscellaneous Items - DSR Providing and fixing M.V. danger notice plate of 200 mm X 150 mm, made of mild steel, at least 2 mm thick, and vitreous enameled white on both sides, and with inscription in single red colour on front side as required.	Nos.	12.00	226.00	2,712.0
150	2.22	Providing and fixing H.T. danger notice plate of 250 mm X 200 mm, made of mild steel, at least 2 mm thick, and vitreous enameled white on both sides, and with inscription in single Red colour on front side as required.	Nos.	2.00	244.00	488.0
151	7.90	Supplying and making cable route marker with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size ) of size 60 cm X 60 cm at the bottom and 50 cm X 50 cm at the top with a thickness of 10cm including inscription duly engraved as required.	Each	5.00	530.00	2,650.0
152	7.10	Supplying and fixing cable route marker with 10 cm X 10 cm X 5 mm thick G.I. plate with inscription there on, bolted /welded to 35 mm X 35 mm X 6 mm angle iron, 60 cm long and fixing the same in ground as required.	Each	5.00	383.00	1,915.0
153	1	Miscellaneous Items - MR Items		-	-	
	MR 19	SITC of <b>shock treatment chart</b> (prescribed under I.E.rules) duly framed with glass and supported from back with hard board with supply of all material labour T & P etc for proper completion of work. (Approx front area	Nos.	2.00	455.00	910.0
154 155	MR 20	= 1.20 sq M) SITC of First aid box as approved by Indian red cross conforming to IS : 2217.	Nos.	2.00	334.00	668.0
	MR 21	SITC of Fire Bucket stand made of M S angle suitable for and with 4 Nos	Nos.	2.00	2 277 00	6 66 4 0
156		Fire Buckets of 9.5 Ltrs capacity		2.00	3,277.00	6,554.0
157	MR 22	SITC of of rubber gloves of 11 KV grade as per IS : 4770.	Set	2.00	428.00	856.0
	MR 23	Supplying and fixing of high voltage insulation mat of class B having 11 KV dielectric strength, 1000mm width and thickness of 2.5mm ISI approved as required including cutting to required lengths.	Metre	1.00	3,650.00	3,650.0

Stant

	1	SCHEDULE OF QUANTITIES				ſ
S.No.	DSR 2019	Description	Unit	QTY	Rate (Including 12% GST)	Amount (Including 12% )GST
159	MR 24	Supplying and fixing of high voltage insulation mat of class B having 1.1 KV dielectric strength, 1000mm width and thickness of 2.0 mm ISI approved as required including cutting to required lengths.	Metre	3.00	2,475.00	7,425.00
		Total of sub-head (DSR)				7,765.00
		Total of sub-head (Non DSR)		-		20,063.00
D	DSR 5	Earthing				
160	5.4	Earthing with G.I. earth plate 600 mm X 600 mm X 6 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc. with charcoal/ coke and salt as required (BODY EARTHING)		20.00	6,216.00	1,24,320.00
161	5.6	Earthing with copper earth plate 600 mm X 600 mm X 3 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc. with charcoal/ coke and salt as required (NEUTRAL EARTHING)		4.00	11,794.00	47,176.00
162	5.15	Providing and fixing 25 mm X 5 mm G.I. strip on surface or in recess for connections etc. as required.	Metre	200.00	206.00	41,200.00
163	5.18	Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required.	Metre	190.00	37.00	7,030.00
164	5.14	Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	Metre	40.00	1,009.00	40,360.00
		Total of sub-head (DSR)				2,60,086.00
E	DSR 11	Pole Erection				2,00,000,000
165		Erection of metallic pole of following length in cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size) foundation including excavation and refilling etc. as required.				
166	11.3.1	Above 4.5 metre and upto 6.5 metre	Each	25.00	4,492.00	1,12,300.00
167	11.6	Supplying and embedding following dia G.I. pipe (medium class) in pole collar/ foundation (during casting) for cable entry including bending the pipe to the required shape, Hole Seeling to be done complete as required.				
168	11.6.1	32 mm dia	Metre	165.00	324.00	53,460.00
		Total of sub-head (DSR)				1,65,760.00
169	6.2	LIGHTNING CONDUCTOR Providing and fixing of lightning conductor finial, made of 25mm dia 300mm long, G.I tube, having single prong at top with 85mm dia 6mm thick G.I base plate including holes etc. complete as required.		30.00	448.00	13,440.00
170	6.7	Providing and fixing G.I tape 20 mm x 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (for horizontal run )	Mtrs.	1,050.00	104.00	1,09,200.00
171	6.8	Providing and fixing G.I tape 20 mm x 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (for vertical run )	Mtrs.	215.00	163.00	35,045.00
172	6.4	Jointing copper / G.I. tape (with another copper/ G I tape, base of the finial or any other metallic object) by riveting / nut bolting/ sweating and soldering etc as required.		74.00	93.00	6,882.00
173	6.12	Providing and fixing testing joint, made of 20 mm X 3 mm thick G.I. strip, 125 mm long, with 4 nos. of G.I. bolts, nuts, chuck nuts and spring washers etc. complete as required.		12.00	102.00	1,224.00
174	5.4	Earthing with G.I. earth plate 600mm x 600mm x 6mm thick including accessories, and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7Mtr long etc. with charcoal/ coke and salt as required.		12.00	6,216.00	74,592.00
		Total of sub-head (DSR)		-	-	2,40,383.00
G		External Lighting System				
175	MR 25	Supply, Installation, Testing & Commissioning of Integrated Post Top Lantern With 70W LED Lamp including Pole & connection with 3 x 2.5 sq.mm single core PVC insulated copper conductor cable from junction box to fixture as required.		2.00	4,520.00	9,040.00
176	MR 27	Supply, Installation, Testing & Commissioning of 45 W LED with complete with pot optic reflector connection with 3x2.5sq.mm single core PVC insulated copper conductor cable from junction box to fixture as required		33.00	3,309.00	1,09,197.00

forth

		SCHEDULE OF QUANTITIES				
S.No.	DSR 2019	·	Unit	QTY	Rate (Including 12% GST)	Amount (Including 12% )GST
177		Building Outer Light (60W LED) :- Supply, fitting, fixing and testing of building outer lighting luminaire aerodynamically shaped single piece pressure die-cast Aluminum luminaire with high power LEDs as light source and electronic driver (IP66), along with 60W LED Lamp as Energy saving as per drawing prescribed reflector and heat resistant toughened flat glass cover, with 5ft long 40mm dia G.I. pipe with 3 Nos. of iron clamps, anchor nut bolts with double washers as per direction of E/I or consultant as per drawing prescribed reflector and heat resistant toughened flat glass cover. (Make:- Philips/Trilux/Hevells-Endura Pearl Neo/Wipro.		14.00	5,030.00	70,420.00
178	MR 28	Supply, Installation, Testing and Commissioning of 200x160x98 (KVPC) Polycarbonate thermoplastics enclosure - junction box with I.P - 65 Protection with Terminals & cable hinged cover of approved design complete having gasket of internally embedded & made of polyeutherene & should be weather proof, rust proof, dust proof, water proof - box shall be tested as per IEC - 60670-2/60670-22. the box shall have self threaded holes & provision for mounting din rail. with 2 Nos cable gland including supplying & fixing crimping 2 nos lugs & 1 nos 32A connector 6 way for looping the incoming & outgoing cables and also connection of the street light one 6A SP MCB Including Connection of 2x6 sqmm Cable etc as Required.		49.00	1,120.00	54,880.00
179	MR 30	Supply of Single bracket type GI sewaged tubular pole of 6 Metre Pole (Above Ground) with Top-70 mm, bottom-135 mm, Base Plate 220x220x12 mm, PCD-225 mm, Foundation Bolts-M20X700 - 4 Nos., Single arm Bracket - 1 mtr long, with 48.3 mm OD pipe suitable for LED fitting. The pole shall be provided with suitable base plate arrangement for fixing on pedestal and looping box complete with MCB, brass connectors etc complete as required. The street lighting pole shall be in accordance with IS 2713. (For Road street light)		17.00	10,399.00	1,76,783.00
180		Supply of Double bracket type GI sewaged tubular pole of 6 Metre Pole (Above Ground) with Top-70 mm, bottom-135 mm, Base Plate 220x220x12 mm, PCD-225 mm, Foundation Bolts-M20X700 - 4 Nos., Double arm Bracket - 1 mtr long, with 48.3 mm OD pipe suitable for LED fitting. The pole shall be provided with suitable base plate arrangement for fixing on pedestal and looping box complete with MCB, brass connectors etc complete as required. The street lighting pole shall be in accordance with IS 2713. (For Road street light)		8.00	10,929.00	87,432.00
181	MR 30	Supplying of 4 mtr long hot dip Galvanized octagonal Pole with top of the pole 70 mm dia (A/F) and bottom of the pole 130 mm dia (A/F) made out of 3mm sheet with MS base plate of size 200mm (NS) x 200mm (NS) x 12mm (NS) on precast RCC foundation complete with suitable size opening inside the pole with flush weather proof door with locking facility preferably with LN key having proper arrangement with Accommodating of 1 Nos. 6 Amp.,10 KA MCB & neutral link 4 way connector suitable for 25 Sqmm cable complete with electrically safe including inside cable termination with thimbles i/c wiring from pole box to fitting with 3x1.5 sq.mm. FRLS PVC insulated copper conductor wire, earth connection, din channel, earth stud and other accessories pertaining to this pole (But without street light fitting) etc as required for 4 mtr. octagonal hot dip Galvanized Pole as per Manufacturers drawing with 1:1.5:3 concrete (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size ) including excavation of all kind of earth such as all type of soil/soft rock or hard rock etc. as per existing site condition i/c providing, cutting, bending and placing reinforcement & Including J type foundation bolts , anchor plate and templates in position as per manufacturer Standard and Providing PVC Pipe for Cable Entry and Exits Including Disposal of Surplus Malba / Softrock / Hardrock Stone etc.as Required.		-	8,760.00	-

Start

S.No.	DSR 2019	SCHEDULE OF QUANTITIES Description	Unit	QTY	Rate (Including 12% GST)	Amount (Including 12% )GST
182	MR 31	Supplying and Fixing of 1.0 Meter Single Arm Bracket with Suitable Angle Having Triangular Stiffener of Size 100x50x5 mm Thick Complete With Nut Bolts etc at a Height of 8/4 mtr. Complete as Required.		-	1,762.00	-
183	MR 32	Supplying of Following sizes 1100 volt grade XLPE insulated PVC sheathed aluminium conductor armoured cables as per specification in existing laid in ground including cost of digging upto required depth, 150 mm sand all around the cable, brick protection and back filling, clamped to wall with suitable clamps including saddles fixing bolts, Connection Testing and commissioning as Required.				
184		2x6 sqmm	Metre	1,360.00	74.00	1,00,640.00
185	7	Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 kV grade of size up to 35 sq. mm				
186	/.3.1	(a) direct in ground including excavation and refilling the trench etc. as required, but excluding sand cushioning and protective covering.	Metre	860.00	167.00	1,43,620.00
187	7.7.1	(b) On Surface	Metre	450.00	39.00	17,550.00
188	MR 33	Supplying of Following sizes 1100 volt grade XLPE insulated PVC sheathed aluminium conductor armoured cables as per specification in existing trenches/pipes, cable trays, ducts, clamped to wall with suitable clamps including, saddles fixing bolts, connecting testing and commissioning as Required.				
189		2x6 sqmm	Metre	-	74.00	-
190	7.5.1	Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 kV grade of following size in the existing RCC/ HUME/ METAL pipe as required.				
191		Upto 35 sq. mm	Metre	50.00	31.00	1,550.00
192	1.17.12	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required.				
193		3 core 2.5 sq.mm (for 6/4 Mtr Poles)	Metre	-	75.00	-
194		Supplying and laying of following size DWC HDPE pipe ISI marked along with all accessories like socket, bend, couplers etc. conforming to IS 14930, Part II complete with fitting and cutting, jointing etc. in the existing trench, complete as required.				
195	14.15.1	63 mm dia (OD-63 mm & ID-51 mm nominal)	Metre	50.00	109.00	5,450.00
		Total of sub-head (DSR)				1,68,170.00
Н		Total of sub-head (Non DSR)				6,08,392.00
196		LT Cable And Accessories Supply Of L.T. Cable:				
197		Supplying of Following Sizes of 1.1 kV Grade Multicore Aluminium Conductor XLPE Power Cable Insulated armoured cable conforming to IS:7098 (Part - I) or as per Relevant IS Code complete with all Amendments etc and should be NABL certified as required.				
198	MR 11	3.5 C X 150 Sq.mm Al. XLPE arm.	Metre	55.00	658.00	36,190.00
199	MR 12	3.5 C X 120 Sq.mm Al. XLPE arm.	Metre	55.00	564.00	31,020.00
200	MR 13	3.5 C X 95 Sq.mm Al. XLPE arm.	Metre	127.00	454.00	57,658.00
201 202	MR 14 MR 15	3.5 C X 70 Sq.mm Al. XLPE arm. 3.5 C X 50 Sq.mm Al. XLPE arm.	Metre Metre	1,089.00 319.00	362.00 270.00	3,94,218.00 86,130.00
202	MR 16	3.5 C X 35 Sq.mm Al. XLPE arm.	Metre	237.00	207.00	49,059.00
204	MR 17	3.5 C X 25 Sq.mm Al. XLPE arm.	Metre	22.00	166.00	3,652.00
205	DSR 7	LT Cable Laying		-		
206	DSR 7.1	Laying of One Number PVC Insulated And PVC Sheathed / XLPE Power Cable of 1.1 kV Grade of Following Size Direct in Ground Including Excavation, Sand Cushioning, Protective Covering and Refilling the Trench etc. as required.		-	-	
207		Above 35 sq. mm and upto 95 sq. mm	Metre	844.00	338.00	2,85,272.00
208		Above 95 sq. mm and upto 185 sq. mm	Metre	66.00	352.00	23,232.00
209	DSR 7.2	Laying of one number additional PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground in the same trench in one tier horizontal formation including excavation, sand cushioning, protective covering and refilling the trench etc as required.		-		

spart

		SCHEDULE OF QUANTITIES				
S.No.	DSR 2019	Description	Unit	QTY	Rate (Including 12% GST)	Amount (Including 12% )GST
210		Above 35 sq. mm and upto 95 sq. mm	Metre	461.00	236.00	1,08,796.00
211	DSR 7.3	Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation and refilling the trench etc as required. but excluding sand cushioning and protective covering.		-		
212	DSR 7.3.1	Upto 35 sq. mm	Metre	259.00	167.00	43,253.00
213	DSR 7.5	Laying of one number PVC insulated & PVC sheathed/ XLPE Power cable of 1.1 KV grade of following size in the existing RCC/HUME/METAL pipe as required.		-		
214	DSR 7.5.2	Above 35 sq. mm and upto 95 sq. mm	Metre	230.00	47.00	10,810.00
215	DSR 7.5.3	Above 95 sq. mm and upto 185 sq. mm	Metre	22.00	64.00	1,408.00
216	DSR 7.7	Laying and fixing of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size on wall surface as required.		-		
217	DSR 7.7.3	Above 95 sq. mm and upto 185 sq. mm (clamped with 25/40x3mm MS flat clamp)	Metre	22.00	122.00	2,684.00
218	DSR 9	LT CABLE JOINTING & END TERMINATION		-	-	
219	DSR 9.1	Supplying and Making End Termination With Brass Compression Gland and Aluminium lugs for Following Size of PVC Insulated and PVC Sheathed / XLPE Aluminium Conductor Cable of 1.1 kV Grade as Required.		-	-	
220	DSR 9.1.20	3½ X 25 sq. mm (28mm)	Each	2.00	250.00	500.00
221	DSR 9.1.21	3½ X 35 sq. mm (32mm)	Each	4.00	300.00	1,200.00
222	DSR 9.1.22	3½ X 50 sq. mm (35mm)	Each	2.00	329.00	658.00
223	DSR 9.1.23	3½ X 70 sq. mm (38mm)	Each	8.00	368.00	2,944.00
224	DSR 9.1.24	3½ X 95 sq. mm (45mm)	Each	2.00	473.00	946.00
225	DSR 9.1.25	3½ X 120 sq. mm (45mm)	Each	2.00	489.00	978.00
226	DSR 9.1.26	3½ X 150 sq. mm (50mm)	Each	6.00	555.00	3,330.00
		Total of sub-head (DSR)				4,86,011.00
		Total of sub-head (NDSR)				6,57,927.00
	100.4	Transformer and HT Panel				
227	MR 1	<b>11KV HT VCB PANEL - IN DOOR TYPE</b> Supplying, installation, testing and commissioning of IN DOOR Type, floor mounting, 11KV HT panel unit made out of M.S sheet steel clad dust and vermin proof with necessary control fuses/MCBs, Termination arrangements for Incoming and Outgoing Cable of 3Cx120 Sq.mm Al.HT XLPE cable, and earthed cable, Terminal Blocks, Earthing, Powder coated painting, Sign writing and Base channels etc. with complete all accessories as required. as per Requirements comprising of the following.				
229		INCOMING : i) 630Amps, 11kV, 3 phase 50Hz, 21KA / 3Sec, Draw-out type Vacuum Circuit Breaker. fitted with 230V AC spring charging motor, 110V DC tripping and closing coils, 8NO+8NC Aux. conductor mechanical on off indicator, spring charging / discharge Indication, automatic safety shutter and with anti-pumping feature with necessary required accessories.				
230		ii) 3 phase 11 KV/110 Volts PT, class 1 accuracy and 100 VA burden with 1 No Voltmeter (0-15 kV), Digital type, selector switch for voltmeter and protection fuses for HT metering upto 12 kV on incomer.				
231		<li>iii) Dual core dual ratio 3 CTs 400/200/5+5A of 15 VA burden and accuracy class1.0 for metering and class 5P10 for protection.</li>				
232		iv) (0-400 A) Ammeter, digital type with selector switch for Ammeter.				
233		v) Digital Multifunction Meter.				

Start

SNN         DR8 2019         Description         Unit         QUY         Rate (nelucing 12% 657)         Amount (including 12% 657)           234		SCHEDULE OF QUANTITIES							
454         protection with directional control.	S.No.	DSR 2019	Description	Unit	QTY	(Including			
225         (i) (i) make indicating tamps viol HRC fuses.         (ii) (ii) (iii) (and tamps viol HRC fuses.           236         (iii) (iii) (and tamps viol HRC fuses.         (iii) (iii) (iii) (and tamps viol index FR2, ON, OFC, OPEN, CLOSE, TRP.           237         (iii) (iii) (and tamps viol index, FR2, ON, OPEN, CLOSE, TRP.         (iii) (iiii) (iii) (i	234								
236     with Indicating larges to indicate, RVB, OV, OFF, OFFN, CLOSE, TRIP, SPRING, CLARGED, TRIP (CLOUTH HEALTHY         237     vit) Test terminal block         238     x3) TopNetmidelose switch         239     x3) TopNetmidelose switch         240     xit) master interpoly & tip circuit heality supervision relay.         241     BasBar     630 Amp, 11W, 50Hz, 3Phase, 25 K / 3Sec. Copper busbars.        242     The HKY HT VCB PANLE shall be complete with as per SLD and specifications.     wet     1.00       244     MR 2     HKY TRANSFORMER (11 KV 0.433 KV) (250 KVA)         244     MR 3     Supplying. installation, testing and commissioning of 250 kVA, (Energy efficiency 1 = 24 + 1) HK / 187 kV0.3 sphase, 50Hz, vector group DyNI (delin - star connected), Inder ONA Vype, copper wound transformer with of FF load tip charging arrangement and commissioning of 12 bit kVA. (Energy efficiency 1 = 4 + 1) HK / 187 kV0.3 sphase, 50H + 12.59k, + 55k        245     Connection chamber suitable KD connecting Bits duct arrangement and equipted with whore swettal accossenis including providing complex with a preventional work (Par - 1V Substant)     1.00     7,31,480.00       246     1.01     1.024 keel - 2 k section 3 of CHWD General spectration for Electrical works (Par - 1V Substant)     1.00     7,31,480.00       247     1.024 kieel - 2 k section 3 of CHWD General spectration for Electrical wo	235								
343     SPRING CLARGED, TREP CIRCUTT HEALTHY     Image: Control of the second s									
228     (N) TopNeutol/dose switch     (N) Copper bases for carding (common)     (N) Copper bases for carding (common)       240     Nui) Copper bases for carding (common)     (N) Copper bases bases for carding (common)       241     BusBar.     (N) Copper bases bases for carding (common)       242     The HK VHT VCB PANEL shall be complete with as per SLD and set for Copper bases.     (N) Copper bases for carding (common)       243     (N) Copper bases for carding and commission (comper bases).     (N) Copper bases for carding (common)       244     MR2     ILKV TRANSFORMER (LI KV 0.433 KV) (250 KVA).     (N) Copper bases for common (comper base) for 230 kVA. (Energy efficiency Level -2) 11kV / 433 Volts. 3 phase, 50Hz vector group Dyn11 (cdra star connecto), hador OXNN bye, copper would transformer with OFF load tap changing arrangement on HV side in steps of +-2 23%, +/- 5% kV + -7.5% (connection harber suitable for first filling of filtered dehydrated oil, supplying grouing suitable MS Channel on the plinth for placing the transformer etc., complete and confinging to 15180 (PHr-1): 2014, level - 2 & section 3 of CPWD General specification for Electrical works (Par 1 V Substation 2013 as amended up to date) and as per sectifications.     (N) COTY STEM       246     Total of sub-head (NDSR)     (N) Complete and commission for Electrical works (Par 1 V Substation 2013 as amended up to date) and as per sectifications.     (N) Complete and commission (Par 1): 2014, level - 2 & section 3 of CPWD General specification for Electrical works (Par 1 V Substation 2013 as amended up to date) and as per sectifications.     (N) Complete and commission (Par 1): 2014, level - 2 & section 3 of CPWD General speci	236								
239     Ni) Oxper bus bar for earthing (common)     Image: Common (Common)     Image: Common (Common)       240     Ni) Image: Trip forly & trip circuit healthy supervision relay.     Image: Common (Common)       241     Busbar:     630 Amps. 11kV, 50Hz, 3Phase, 25 KA / Sec. Copper busburs.     Image: Common (Common)       242     The LIKV, HT VCB PANEL: shall be complete with as per SLD and specifications.     set     1.00     4.48,633.00     4.48,633.00       243     MR 2     IHV TRANSFORMER (II KV.0.433 KV) (250 KV.h)     Image: Common (Common)     Image: Common (Common)     Image: Common (Common)       244     MR 2     IHV TRANSFORMER (II KV.0.433 KV) (250 KV.h)     Image: Common (Common)     Image: Common (Common)     Image: Common (Common)       245     IHV TRANSFORMER (II KV.0.433 KV) (250 KV.h)     Image: Common (Common)     Image: Common (Common)     Image: Common (Common)       246     IHV TRANSFORMER (II KV.0.433 KV) (250 KV.h)     Image: Common (Common)     Image: Common (Common)       245     IHV TRANSFORMER (II KV.0.433 KV) (250 KV.h)     Image: Common (Common)     Image: Common (Common)       246     IHV TRANSFORMER (II KV.0.433 KV) (250 KV.h)     Image: Common (Common)     Image: Common (Common)       246     Image: Common (Common)     Image: Common (Common)     Image: Common (Common)     Image: Common (Common)       247     Image: Common (Common)     Image: Common (Comm			/						
240     Ni) mustar trip relay & trip circuit headby supervision relay.			/ *						
241     Busbar: 630 Amps, 11KV, SOHZ, 3Phase, 25 KA / 3Sec. Copper busbars.     Image: Comparison of the second se									
242       The ILKY HT VCB PANEL shall be complete with as per SLD and specifications.       set       1.00       4,48,633.00       4,48,633.00         243       IKY TRANSFORMER (ILKY/A433 KY) (250 KYA)       i			BusBar:						
243         INCV TRANSPORTER (11 KV /4.433 KV) (250 KVA)         Image: Comparison of the stress of t	242		The11KV HT VCB PANEL shall be complete with as per SLD and	set	1.00	4,48,633.00	4,48,633.00		
244     MR2     IIKV TRANSFORMER (11 KV / A33 KV) (250 KVA)     Image: Constraints of the constraints			specifications.			.,,	, -,		
245         Supplying, installation, using and commissioning of 250 kVA, (Energy efficiency Level -2) 11kV / 433 Vults, 3 phase, SOH2, vector group Dyn11 (dota, star connected), Indoor ONAN* type, copper wound transformer with OFF load tap changing arrangement on FIV side in steps of 4*-2.5%, 4*-5%, 4*-6%, 5%, 4*-6, 75%, 6m kV. side (vable or thrust function) and LT connection chamber suitable for connecting. Indoor ONAN* type, copper wound transformer with off formed advirphed with off care chamber suitable for Heat shrinkable joint with XLPE cable (cable entry from bottom) and LT connection chamber suitable for connecting. Indoor On Mark 1996, 150, 150, 150, 150, 150, 150, 150, 150		MR 2	11KV TRANSFORMER (11 KV /0.433 KV) (250 KVA)						
JTotal of sub-head (NDSR)11,80,113.00JCCTV SYSTEM1532471.53Supplying and drawing of UTP 4 pair CAT 6 LAN Cable in the existing surface/ recessed Steel/ PVC conduit as required.Set1,430.002481.53.11 run of cableSet1,430.0049.002491.21Supply and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required : 250Set650.0090.002491.2.1Supply and fixing of following sizes of medium class PVC conduit as required : (PON) 10-15 Meters (With Min. 24 units IR LED), 2 MP Fixed IR DOME CAMERA With Options Of 2.8mm , 4mm , 6mm Lens , IP66 , POE with installation. (For Substation-2, Kitchen and Dining-6)Set6,488.0051,904.00251(For Substation-2, Kitchen and Dining-6) (For Main Gate-2, School-7, Boys Hostel-5, Girls Hostel-5, Kitchen & Dining-5)Each8.006,488.001,55,712.00252MR38Supplying, installation, fixing, testing and commissioning of 16 ch Linux, H. 264 / H.265 NVR with Minimum 1080p / UXGA / 720p / VGA / 4C1F / DCIF / CIF / CIF / CIF rec. resolutions, 4 HDD slot supports upto 4 TB Each, RS 485 x 1 & USB2.0 x1, HDMI , Local And Remote Access Over Internet In complete in all respect with installation (Make: - CP PLUS, Datua, Hikvision or equivalent) 			efficiency Level -2) 11kV / 433 Volts, 3 phase, 50Hz,vector group Dyn11 (delta -star connected), Indoor 'ONAN' type, copper wound transformer with OFF load tap changing arrangement on HV side in steps of +/- 2.5%, +/- 5% & +/- 7.5%, on H.V. side with HT cable chamber suitable for Heat shrinkable joint with XLPE cable (cable entry from bottom) and LT connection chamber suitable for connecting Bus duct arrangement and equipped with other essential accessories including providing complete with all fittings, accessories etc. and lifting lugs i/c first filling of filtered dehydrated oil, supplying grouting suitable MS Channel on the plinth for placing the transformer etc., complete and confirming to IS 1180 (Part-1): 2014, level - 2 & section 3 of CPWD General specification for Electrical works (Part -IV Substation 2013 as amended up to date) and as per	set	1.00	7,31,480.00	7,31,480.00		
JCCTV SYSTEMImage: CCTV SYSTEM1.53Supplying and drawing of UTP 4 pair CAT 6 LAN Cable in the existing surface/ recessed Steel/ PVC conduit as required.Supplying and drawing of UTP 4 pair CAT 6 LAN Cable in the existing surface/ recessed Steel/ PVC conduit as required.Set1,430.0049.0070,070.002481.53.11 run of cableSet1,430.0049.0070,070.00249good the same in case of recessed including cutting the wall and making good the same in case of recessed conduit as required :Set1,430.0090.0058,500.002501.21.225 mmSet of recessed conduit as required :Set650.0090.0058,500.00MR361/2.8" Progressive Scan CMOS, PAL:1920 * 1080, 0.1 Lux/ F1.2 (0Lux, IR ON), 10-15 Meters (With Min. 24 units IR LED), 2 MP Fixed IR DOME CAMERA With Options Of 2.8mm , 4mm , 6mm Lens , IP66 , POE with installation. ( <i>For Substation-2, Kitchen and Dining-6</i> )Each8.006,488.0051,904.00251( <i>For Substation-2, School-7, Boys Hostel-5, Girls Hostel-5, Kitchen &amp; Dining-5</i> )Each24.006,488.001,55,712.00252MR38Supplying, installation, fixing, testing and commissioning of 16 ch Linux, H. 264 / H.265 NVR with Minimum 1080 / UXGA / 720p / VGA / 42CI / DCIF / 2CIF / CIF / CCF recesolutions, 4 HDD Slot supports upt of a TB Each, RS 485 x 1 & USB2.0 x1, HDDI I, Local And Remote Access Over Internet In complete in all respect with installation (Make: - C P PLUS, Dahua, Hikvision or equivalent)Each4.0028,413.001,13,652.00253MR394 TB Surveillance Sata HDD (WD Purple , Seagate S	246								
2471.53Supplying and drawing of UTP 4 pair CAT 6 LAN Cable in the existing surface/recessed Steel/PVC conduit as required.Set1.430.0049.0070,070.002481.53.11 run of cableSet1,430.0049.0070,070.001.21Supply and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required :Set1,430.0049.0070,070.00249good the same in case of recessed conduit as required :Set650.0090.0058,500.002501.21.225 mmSet650.0090.0058,500.00MR361/2.8" Progressive Scan CMOS, PAL:1920 * 1080, 0.1 Lux/ F1.2 (0Lux, IR ON), 10-15 Meters (With Min. 24 units IR LED), 2 MP Fixed IR DOME CAMERA With Options Of 2.8mm , 4mm , 6mm Lens , IP66 , POE with installation. <i>(For Substation-2, Kitchen and Dining-6)</i> Each8.006,488.0051,904.00251 <i>(For Main Gate-2, School-7, Boys Hostel-5, Girls Hostel-5, Kitchen &amp; Dining-5)</i> 24.006,488.001,55,712.00252MR38Supplying, installation, fixing, testing and commissioning of 16 ch Linux, H. 264 / H.265 NVR with Minimum 1080p / UKGA / 720p / VGA / 4CIF / DCIF / 2CIF / CIF / QCIF rec. resolutions, 4 HDD slot supports upto 4 TB Each, Rs 485 x 1 & USB2.0 x1, HDMI ,Local And Remote Access Over Internet In complete in all respect with installation (Make: - CP PLUS, DCHI / 2CIF / CIF / QCIF rec. resolutions, 4 HDD slot supports upto 4 TB Each, Rs 485 x 1 & USB2.0 x1, HDMI ,Local And Remote Access Over Internet In complete in all respect with installation (Make: -							11,80,113.00		
247         surface/ recessed Steel/ PVC conduit as required.         Image: Constraint of the second steel is a second step is a second step is a second steel is a second steel is a second step is a second step is a second steel is a second steel is a second step is a second stee second step is a second steel is a second step is a sec	J	1.52							
248       1.53.1       I run of cable       Set       1,430.00       49.00       70,070.00         1.21       Supply and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required :       Set       650.00       90.00       58,500.00         249       I.21.2       25 mm       Set       650.00       90.00       58,500.00         250       1.21.2       25 mm       Set       650.00       90.00       58,500.00         251       I.2.8" Progressive Scan CMOS, PAL:1920 * 1080, 0.1 Lux/F1.2 (0Lux, IR ON, 10-15 Meters (With Min. 24 units IR LED), 2 MP Fixed IR DOME CAMERA With Options Of 2.8mm , 4mm , 6mm Lens , IP66 , POE with installation.       8.00       6,488.00       51,904.00         251       (For Substation-2, Kitchen and Dining-6)       Each       8.00       6,488.00       1,55,712.00         252       (For Main Gate-2, School-7, Boys Hostel-5, Girls Hostel-5, Kitchen & Dining-5)       Each       24.00       6,488.00       1,55,712.00         252       (For Main Gate-2, School -7, Boys Hostel-5, Girls Hostel-5, Kitchen & Dining-5)       Each       24.00       6,488.00       1,55,712.00         252       (For Main Gate-2, School -7, Boys Hostel-5, Girls Hostel-5, Kitchen & Dining-1, Boys hostel-1)       Each       24.00       6,488.00	247	1.55							
249with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required :Set650.0090.0058,500.002501.21.225 mmSet650.0090.0058,500.00MR361/2.8" Progressive Scan CMOS, PAL:1920 * 1080, 0.1 Lux/ F1.2 (0Lux, IR ON), 10~15 Meters (With Min. 24 units IR LED), 2 MP Fixed IR DOME CAMERA With Options Of 2.8mm , 4mm , 6mm Lens , IP66 , POE with installation.Set650.0090.0058,500.00251( <i>For Substation-2, Kitchen and Dining-6</i> )For Substation-2, Kitchen and Dining-6)Each8.006,488.0051,904.00251( <i>For Substation-2, Kitchen and Dining-6</i> )I/2.8" Progressive Scan CMOS, PAL:1920 * 1080, 0.1 Lux/ F1.2 (0Lux, IR ON), 10~15 Meters (With Min. 24 units IR LED), 2 MP Fixed IR Bullet CAMERA With Options Of 2.8mm , 4mm , 6mm Lens , IP66 , POE with installation. ( <i>For Main Gate-2, School-7, Boys Hostel-5, Girls Hostel-5, Kitchen &amp; Dining-5</i> )Each24.006,488.001,55,712.00MR38Supplying, installation, fixing, testing and commissioning of 16 ch Linux, H. 264 / H.265 NVR with Minimum 1080p / UXGA / 720p / VGA / 4CIF / DCIF / 2CIF / CIF / QCIF rec. resolutions, 4 HDD slot supports upto 4 TB Each, RS 485 x 1 & USB2.0 x1, HDMI .Local And Remote Access Over Internet In complete in all respect with installation (Make: - CP PLUS) Dahua, Hikvision or equivalent ) ( <i>For School, Main Gate, Substation-1, Kitchen &amp; Dining-1, Bosy hostel-1</i> I, Girls hostel-1)Each4.0010,526.0042,104.00254MR394 TB Surveillance Sata HDD (WD Purple , Seagate Surveillance or Equivalant)Each4.0010,5	248	1.53.1		Set	1,430.00	49.00	70,070.00		
250         1.21.2         25 mm         Set         650.00         90.00         58,500.00           MR36         1/2.8" Progressive Scan CMOS, PAL:1920 * 1080, 0.1 Lux/ F1.2 (0Lux, IR ON), 10-15 Meters (With Min. 24 units IR LED), 2 MP Fixed IR DOME CAMERA With Options Of 2.8mm , 4mm , 6mm Lens , IP66 , POE with installation.         Each         8.00         6,488.00         51,904.00           251         (For Substation-2, Kitchen and Dining-6)         MR37         1/2.8" Progressive Scan CMOS, PAL:1920 * 1080, 0.1 Lux/ F1.2 (0Lux, IR ON), 10~15 Meters (With Min. 24 units IR LED), 2 MP Fixed IR Bullet CAMERA With Options Of 2.8mm , 4mm , 6mm Lens , IP66 , POE with installation. (For Main Gate-2, School-7, Boys Hostel-5, Girls Hostel-5, Kitchen & Dining-5)         Each         24.00         6,488.00         1,55,712.00           MR38         Supplying, installation, fixing, testing and commissioning of 16 ch Linux, H. 264 / H.265 NVR with Minimum 1080p / UXGA / 720p / VGA / 4CIF / DCIF / 2CIF / CIF / QCIF rec. resolutions, 4 HDD slot supports upto 4 TB Each, RS 485 x 1 & USB2.0 x1, HDMI I,Local And Remote Access Over Internet In complete in all respect with installation (Make: - CP PLUS , Dahua, Hikvision or equivalent)         Each         4.00         28,413.00         1,13,652.00           253         I, Girls hostel-1)         For School, Main Gate, Substation-1, Kitchen & Dining-1, Bosy hostel- I, Girls hostel-1)         Each         4.00         10,526.00         42,104.00	2/0	1.21	with accessories in surface/recess including cutting the wall and making						
MR361/2.8" Progressive Scan CMOS, PAL:1920 * 1080, 0.1 Lux/ F1.2 (0Lux, IR ON), 10~15 Meters (With Min. 24 units IR LED), 2 MP Fixed IR DOME CAMERA With Options Of 2.8mm , 4mm , 6mm Lens , IP66 , POE with installation.Each8.006,488.0051,904.00251(For Substation-2, Kitchen and Dining-6)MR371/2.8" Progressive Scan CMOS, PAL:1920 * 1080, 0.1 Lux/ F1.2 (0Lux, IR ON), 10~15 Meters (With Min. 24 units IR LED), 2 MP Fixed IR Bullet CAMERA With Options Of 2.8mm , 4mm , 6mm Lens , IP66 , POE with installation. (For Main Gate-2, School-7, Boys Hostel-5, Girls Hostel-5, Kitchen & Dining-5)24.006,488.001,55,712.00MR38Supplying, installation, fixing, testing and commissioning of 16 ch Linux, H. 266 / LCIF / QCIF rec. resolutions, 4 HDD slot supports upto 4 TB Each, RS 485 x 1 & USB2.0 x1, HDMI _Local And Remote Access Over Internet In complete in all respect with installation (Make: - CP PLUS , Dahua ,Hikvision or equivalent ) (For School, Main Gate, Substation-1, Kitchen & Dining-1, Bosy hostel-1 I, Girls hostel-1)Each4.0028,413.001,13,652.00MR394 TB Surveillance Sata HDD (WD Purple , Seagate Surveillance or Equivalant)Each4.0010,526.0042,104.00		1.21.2		Set	650.00	90.00	58,500.00		
MR37I/2.8" Progressive Scan CMOS, PAL:1920 * 1080, 0.1 Lux/ F1.2 (0Lux, IR ON), 10–15 Meters (With Min. 24 units IR LED), 2 MP Fixed IR Bullet CAMERA With Options Of 2.8mm , 4mm , 6mm Lens , IP66 , POE with installation. (For Main Gate-2, School-7, Boys Hostel-5, Girls Hostel-5, Kitchen & Dining-5)Each24.006,488.001,55,712.00MR38Supplying, installation, fixing, testing and commissioning of 16 ch Linux, H. 264 / H.265 NVR with Minimum 1080p / UXGA / 720p / VGA / 4CIF / DCIF / 2CIF / QCIF rec. resolutions, 4 HDD slot supports upto 4 TB Each, RS 485 x 1 & USB2.0 x1, HDMI ,Local And Remote Access Over Internet In complete in all respect with installation (Make: - CP PLUS , Dahua, Hikvision or equivalent ) (For School, Main Gate, Substation-1, Kitchen & Dining-1, Bosy hostel- I, Girls hostel-1)Each4.0028,413.001,13,652.00MR394 TB Surveillance Sata HDD (WD Purple , Seagate Surveillance or Equivalant)Each4.0010,526.0042,104.00	251	MR36	ON), 10~15 Meters (With Min. 24 units IR LED), 2 MP Fixed IR DOME CAMERA With Options Of 2.8mm , 4mm , 6mm Lens , IP66 , POE with installation.		8.00	6,488.00	51,904.00		
H. 264 / H.265 NVR with Minimum 1080p / UXGA / 720p / VGA / 4CIF / DCIF / 2CIF / CIF / QCIF rec. resolutions, 4 HDD slot supports upto 4 TB Each, RS 485 x 1 & USB2.0 x1, HDMI ,Local And Remote Access Over Internet In complete in all respect with installation (Make: - CP PLUS , Dahua ,Hikvision or equivalent ) (For School, Main Gate, Substation-1, Kitchen & Dining-1, Bosy hostel- 1, Girls hostel-1)4 TB Surveillance Sata HDD (WD Purple , Seagate Surveillance or Equivalant)Each4.0010,526.0042,104.00		MR37	1/2.8" Progressive Scan CMOS, PAL:1920 * 1080, 0.1 Lux/ F1.2 (0Lux, IR ON), 10~15 Meters (With Min. 24 units IR LED), 2 MP Fixed IR Bullet CAMERA With Options Of 2.8mm, 4mm, 6mm Lens, IP66, POE with installation. (For Main Gate-2, School-7, Boys Hostel-5, Girls Hostel-5, Kitchen &		24.00	6,488.00	1,55,712.00		
254 Equivalant) Each 4.00 10,526.00 42,104.00	253		H. 264 / H.265 NVR with Minimum 1080p / UXGA / 720p / VGA / 4CIF / DCIF / 2CIF / CIF / QCIF rec. resolutions, 4 HDD slot supports upto 4 TB Each, RS 485 x 1 & USB2.0 x1, HDMI ,Local And Remote Access Over Internet In complete in all respect with installation (Make: - CP PLUS , Dahua ,Hikvision or equivalent ) (For School, Main Gate, Substation-1, Kitchen & Dining-1, Bosy hostel- 1, Girls hostel-1)	Each	4.00	28,413.00	1,13,652.00		
	254	MR39	· · · · ·	Each	4.00	10,526.00	42,104.00		
		MR40		Each	4.00	17,716.00	70.864.00		

Start

MR41       Supply, installation, testing and commissioning of Independent I kVA UPS system with 230V single phase input and 230V Single phase output with all required accessories & battery bank for 30 nims back up with covered SNF battery concetions as per specifications etc. complete as required. (for Server and CCTV - Boyshostel-1, Girls hostel-1, Kitchen & Dining-1).       3.00       28,899.00       86,697.         256       MR42       S1.T.C.32" Color flat panel LED Monitor,Full HD Professional Series 1920 x 1080 resolution, inputs. 100-230VAC/50 Hz.       Each       1.00       21,743.00       21,743.         257       MR42       S1.T.C.32" Color flat panel LED Monitor,Full HD Professional Series 1920 x 1080 resolution, inputs. 100-230VAC/50 Hz.       Each       1.00       21,743.00       21,743.         257       MR43       SLT.C.32" Color flat panel LED Monitor,Full HD Professional Series 1920 x 1080 resolution, inputs. 100-230VAC/50 Hz.       Each       1.00       21,743.00       21,743.         259       Capacity 10 kA complete all set sequence with all Fitting transission class discharge capacity 10 kA complete all as as specified       Each       3.00       4,007.00       12,021.         260       MR       Borwell Submersible Pump       Set       1.00       55,240.00       55,240.00         261       Flow Rate       :3010 ADD PM       Each       1.00       55,240.00       55,240.00         262       Flow Rate       :3010 ADD PM <th>S.No.</th> <th>DSR 2019</th> <th>SCHEDULE OF QUANTITIES Description</th> <th>Unit</th> <th>QTY</th> <th>Rate (Including 12% GST)</th> <th>Amount (Including 12% )GST</th>	S.No.	DSR 2019	SCHEDULE OF QUANTITIES Description	Unit	QTY	Rate (Including 12% GST)	Amount (Including 12% )GST
257         Wint P         1080 (resolution, juncts. 100-230/AC/59 Hz.         Each         1.10         1.10         21,174-300         21,021         20,01         21,021         20,01         21,021         <	256	MR41	system with 230V single phase input and 230V Single phase output with all required accessories & battery bank for 30 mins back up with covered SMF battery and battery rack for all new required loads covered as required, including connections as per specifications etc. complete as required. (for Server and CCTV - Boyshostel-1, Girls hostel-1, Kitchen &		3.00		86,697.00
Total of sub-head (440) (DSR)         1.28,570           M         MR 36         Lightening Arrester System For Transformer         542,676           M         MR 36         Lightening Arrester System For Transformer         542,676           Supply, Insullation, Texting & Commissing of Lightening Arrester HT- 12 VF explositor type complete with all Fitting transistion class discharge capacity 10 AA complete with all Fitting transiston class discharge capacity 10 AA complete with all Fitting transiston class discharge capacity 10 AA complete with all Fitting transiston class discharge capacity 10 AA complete with all Fitting transiston class discharge capacity 10 AA complete with all Fitting transiston class discharge capacity 10 AA complete with all Fitting transiston class discharge capacity 10 AA complete with all Fitting transiston class discharge with 0° motor al complete with lowering in existing borewell with the help of chain pulley block including supplying and fixing motor starter suitable for the selected pump complete as required.         Set         1.00         55.240.00         55.240.00           Z63         Flow Rate         :350 to 400 LPM         Each min. Head         Each is discharge and prixing of PVC covered 6 mm dia flexible steel rope for handling/rotacting the submersible Pump set including U-lock arrangement including suitable drilel hole and nut holts etc. complete as required.         Each 2.00         735.00         1.470.           Z64         MR         Supplying and Fixing of FVC covered 6 mm dia flexible brevelut including suitable drilel hole and nut holts etc. complete as required.         Each 2.00         2.00         7	257	MR42		Each	1.00	21,743.00	21,743.00
Total of sub-lecal (440) (Non DSR)         (m)         <	257						1 28 570 00
M         MR 36         Lightening Arrester System For Transformer         Image: Commissioning of Lightening Arrester HT: 12 KV expulsion type complete with all Fitting transission class discharge capacity 10 kK complete all as as specified         Each         3.00         4.007.00         12.021.           260         MR 30 complete all as specified         image: an an anomal complete with all Fitting transission class discharge capacity 10 kK complete all as as specified         image: an anomal complete with all Fitting transission class discharge capacity 10 kK complete all as as specified         image: an anomal complete with all Fitting transission class discharge with 6" micro and complete with lowering in existing borewell with the help of class participation of suitable borewell submersible pump set outplete with 6" micro and complete with lowering in existing borewell with the help of class participation and complete with lowering in existing borewell with the help of than pulcipy block. Including supplying and fixing motor starter suitable for the selecter pump complete as required.         image: an anomal complete with lowering in class and complete with lowering in class and public with lowering in class and public with one well including suitable diriled hole and rub test: complete as required.         image: an anomal complete with lowering fitther well including suitable diriled hole and rub test: complete as required.         2.00         735.00         1,470.           268         (a) 3 2 2 5 anom         MR supplying and Fixing of NU complete as required.         Set         2.00         51.240.00         1.00.         1.00.           269         MR Supplying and Fixing of NU							
Supply, Installation, Testing & Commissioning of Lightening Arrester HT.         Bach         3.00         4.007.00         12.021.           259         I total of subled (Mo DSB)         I         I         I         I         12.021.           K         Pumps (Non Scheduted Items)         I	М	MR 36					3,12,070.00
Image Normal Scheduled Herms)         Set         1.00         55,240.00         55,00         82,250.00         73,500         74,250.00         74,250.00         74,250.00         73,500         74,250.00         73,500         74,470.00         74,500.00         73,500         1,470.00         74,670.00         7			Supply, Installation, Testing & Commissioning of Lightening Arrester HT- 12 kV expulsion type complete with all Fitting transission class discharge	Each	3.00	4,007.00	12,021.00
K         Pumps (Non Scheduled Items)         M         M         M           260         MR         Borevell Submersible Pump         Set         1.00         55,240.00         55,240.00           261         MR         Surplying & Installation of suitable borewell submersible pump set coupled with 0° motor and complete with lowering in existing borewell with the help of chain pulps block including supplying and fixing motor starter suitable         55,240.00         55,240.00           262         Flow Rate         :350 to 400 LPM	259						12 021 0
560       MR       Borewell Submersible Pump       Set       1.00       55,240.00       55,240.00         8       Supplying & Installation of suitable borewell submersible pump set coupled with 0" motor and complete with lowering in existing borewell with the help of chain pulley block including supplying and fixing motor starter suitable       Image: Complete as required.       Image: Complete as required. </td <td>К</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>12,021.00</td>	К						12,021.00
Supplying & Installation of suitable borewell submershible pump set coupled with 6 <sup>4</sup> motor and complete with lowering in existing borewell with the help of chain pulley block including supplying and fixing motor statter suitable		MR	• •	Set	1.00	55,240,00	55,240.00
262       Flow Rate       :350 to 400 LPM       Image: 1350 to 400 LPM         263       min. Head       : 60 M       Image: 150 M         264       Min. Motor IP: 7.5 H.P.       Meter       150.00       55.00         265       etc. complete as required.       150.00       55.00       8,250.         266       MR       Supplying and Fixing of suitable size of MS clamp set suitable for holding submersible pump & 40 mm dia pipe assembly lowered in bore well including suitable drilled hole and nut bolts etc. complete as required.       2.00       735.00       1,470.         266       MR       Supplying and Fixing of following size of PVC insulated PVC sheathed Copper conductor flat submersible cable including fixing the cable with nylon tie along with GI pipes in existing borewell, connection with submersible pump, complete as required.       2.00       735.00       1,470.         268       (6) 3 x 2.5 sqmm       Metre       145.00       115.00       16,675.         269       and s/f nut bolts etc. complete as required.       10.00       1,040.00       1,040.00       1,040.00         270       MR       Openwell Submersible for porting of Electrical Driven inline pumping with II accessories as per manufacturer's design, such as C.I. Base, C.I. Impeller, SS shaft, mechanical sead interefty couplet to motor suitable for operation on 4000/40 volts, 3 phase 50Hz A.C.Supply complete in the existing G.I.Pipelines fittings including supply and fixing motor starter suitab			Supplying & Installation of suitable borewell submersible pump set coupled with 6" motor and complete with lowering in existing borewell with the help of chain pulley block including supplying and fixing motor starter suitable				
263       min. Head       : 60 M       image: min. Head       : 60 M         264       MR       Supplying and Fixing of PVC covered 6 mm dia flexible steel rope for handling/protecting the submersible pump set including U-lock arrangement etc. complete as required.       MR       Supplying and Fixing of suitable size of MS clamp set suitable for holding submersible pump & 40 mm dia pipe assembly lowered in bore well including suitable drilled hole and nut bolts etc. complete as required.       Each       2.00       735.00       1,470.         266       MR       Supplying and Fixing of following size of PVC insulated PVC sheathed Copper conductor flat submersible cable including fixing the cable with nylon tie along with GI pipes in existing borewell. connection with submersible pump cable with help of water proof jointing kit provide       2.00       735.00       1,470.         268       (i) 3 x 3.25 sqmm       Metre       145.00       115.00       16,675.         269       SFixing of 8 " dia MS cover with locking arrangement i/c drilling hole and sift nut bolts etc. complete as required.       Set       2.00       51,240.00       1,040.00       1,040.00         270       MR       Opewell Submersible Monobloe Pump Set (Water Transfer Pump set with 1 working + 1 standby)       Set       2.00       51,240.00       1,02,480.         271       Flow Rate       :4.5 to 5.0 LPS (1 working + 1 standby)       Set       2.00       51,240.00       1,02,480.							
MR         Supplying and Fixing of PVC covered 6 mm dia flexible steel rope for handing/protecting the submersible Pump set including U-lock arrangement etc. complete as required.         Metre         150.00         55.00         8,250.           265         MR         Supplying and Fixing of suitable size of MS clamp set suitable for holding submersible pump & 40 mm dia pipe assembly lowered in bore well including suitable drilled hole and nut bolts etc. complete as required.         Each         2.00         735.00         1,470.           266         MR         Supplying and Fixing of following size of PVC insulated PVC sheathed Copper conductor flat submersible cable including fixing the cable with submersible pump cable with the help of water proof jointing kit provided with the pump, complete as required.         Metre         145.00         115.00         16,675.           268         (a) 3.2.5 sqmm         Mas Cover with locking arrangement i/c drilling hole and s/f nut bolts etc. complete as required.         5.00         1,040.00         1,040.00         1,040.00         1,040.00           270         With I working + I standby)         Metre Transfer Pump set with I working + I standby)         Sct         2.00         51,240.00         1,02,480.           271         Providing, fixing, commissiong and testing of Openwell Submersible Monobloc pump set, comprising of Electrical Driven inline pumping with all accessories as per manufacturer's design, such as C.I. angeler, SS shaft, mechanical seal directly coupled to motor suitable for this pump set including supply and fixing	263		min. Head : 60 M				
265       mandling/protecting the submersible Pump set including U-lock arrangement ite, complete as required.       150.00       55.00       8,250.         266       Supplying and Fixing of suitable size of MS clamp set suitable for holding submersible pump & 40 mm dia pipe assembly lowered in bore well including suitable drilled hole and nut bolts etc. complete as required.       Each       2.00       735.00       1,470.         266       MR       Supplying and Fixing of following size of PVC insulated PVC sheathed Copper conductor flat submersible cable including fixing the cable with nylon tie along with GI pipes in existing borewell, connection with submersible pump cable with the help of water proof jointing kit provided with the pump, complete as required.       Metre       145.00       115.00       16,675.         268       (a) 3 x 2.5 sqmm       Metre       145.00       115.00       1,040.00       1,040.00         269       and s/n tut botts etc. complete as required.       Sviping 6 % "dia MS cover with locking arrangement i/c drilling hole and s/n tut botts etc. complete as required.       Set       2.00       51,240.00       1,02,480.         270       With I working + I standby)       Set       2.00       51,240.00       1,02,480.         271       Providing, fixings commissiong and testing of operavell submersible for operation on 400/440 volts, 3 phase 50Hz A.C.L.Base, C.L. Impeller, SS shaft, mechanical seal directly coupled to motor suitable for operation of 400/440 volts, 3 phase 50Hz A.C.Supply complete; SS shaft, mec	264						
MR       Supplying and Fixing of suitable size of MS clamp set suitable for holding submersible pump & 40 mm dia pipe assembly lowered in bore well including suitable drilled hole and nut bolts etc. complete as required.       Each       2.00       735.00       1,470.         266       MR       Supplying and Fixing of following size of PVC insulated PVC sheathed Copper conductor flat submersible cable including fixing the cable with nylon tie along with GI pipes in existing borewell, connection with submersible pump cable with the help of water proof jointing kit provided       Metre       145.00       115.00       16,675.         267       with the pump, complete as required.       Metre       145.00       115.00       16,675.         268       (a) 3 x 2.5 sqmm       Metre       145.00       110.00       1,040.00       1,040.00         269       and sf nut bolts etc. complete as reqd.       1.00       1,040.00       1,040.00       1,040.00         270       With I working + 1 standby)       Set       2.00       51,240.00       1,02,480.         270       Providing, fixing, commission and testing of Openwell Submersible Monobloc pump set, comprising of Electrical Drive in line pumping with all accessories as per manufacturer's design, such as C.I. Base, C.I. impeller, SS shaft, mechanical seal directly coupled to motor suitable for operation on 400/440 volts, 3 phase 50Hz A.C.Supply complet in the existing G.I.Pipelines fittings including supply and fixing motor starter suitable for this pump set including connections testing, commissin	265	MR	handling/protecting the submersible Pump set including U-lock arrangement		150.00	55.00	8,250.00
MR       Supplying and Fixing of following size of PVC insulated PVC sheathed Copper conductor flat submersible cable including fixing the cable with nylon tie along with GI pipes in existing borewell, connection with submersible pump cable with the help of water proof jointing kit provided         267       (a) 3 x 2.5 sqmm       Metre       145.00       115.00       16,675.         268       (a) 3 x 2.5 sqmm       Metre       145.00       1,040.00       1,040.         269       and s/f nut bolts etc. complete as required.       Stifixing of 8 " dia MS cover with locking arrangement i/c drilling hole and s/f nut bolts etc. complete as reqd.       1.00       1,040.00       1,040.         270       MR       Openwell Submersible Monobloc Pump Set (Water Transfer Pump set with 1 working + 1 standby)       Set       2.00       51,240.00       1,02,480.         270       MR       Openwell Submersible for operation on 400/440 volts, 3 phase 50Hz A.C.Supply complete in the existing G.I.Pipelines fittings including supply and fixing motor starter suitable for this pump set including connections testing, commissing etc as required.       271         271       Flow Rate : 4.5 to 5.0 LPS (1 working + 1 standby)       272       1.02       1,85,155.         273       Min. Head : 50 M       11,85,155.       1       1,85,155.       1         274       Min. Motor HP : 7.5 H.P. (Each)       1,85,155.       1,85,155.       1,85		MR	Supplying and Fixing of suitable size of MS clamp set suitable for holding submersible pump & 40 mm dia pipe assembly lowered in bore well		2.00	735.00	1,470.00
269       S/Fixing of 8 " dia MS cover with locking arrangement i/c drilling hole and s/f nut bolts etc. complete as reqd.       1.00       1,040.00       1,040.         270       MR       Openwell Submersible Monobloc Pump Set (Water Transfer Pump set with 1 working + 1 standby)       Set       2.00       51,240.00       1,02,480.         270       Providing, fixing, commissiong and testing of Openwell Submersible Monobloc pump set, comprising of Electrical Driven inline pumping with all accessories as per manufacturer's design, such as C.I. Base, C.I. impeller, SS shaft, mechanical seal directly coupled to motor suitable for operation on 400/440 volts, 3 phase 50Hz A.C.Supply complete in the existing G.I.Pipelines fittings including supply and fixing motor starter suitable for this pump set including connections testing, commissing etc as required.       271         271       Flow Rate : 4.5 to 5.0 LPS (1 working + 1 standby)       273       4         274       Min. Motor HP : 7.5 H.P. (Each)       1       4         275       MR 34       Supply of 10 kVA Online UPS, IGBT UPS (Transformer-less Design).       4         275       MR 34       Supply of SMF Batteries (12Volt VRLA, 26 Ah, 40 Numbers or as per standard Nos to provide 30 Minutes Backup in total for 10 kVA UPS at 0.8PF and ECV=1.7V.       5       4         276       0.8PF and ECV=1.7V.       4       5       7         277       static switch at the static bypass line integrated in UPS module.       100% rated Inbuilt       5     <		MR	Copper conductor flat submersible cable including fixing the cable with nylon tie along with GI pipes in existing borewell, connection with submersible pump cable with the help of water proof jointing kit provided with the pump, complete as required.				
269       and s/f nut bolts etc. complete as reqd.       1.00       1,040.00       1,040.00         270       MR       Openwell Submersible Monobloc Pump Set (Water Transfer Pump set set with 1 working + 1 standby)       Set       2.00       51,240.00       1,02,480.         270       Providing, fixing, commissioing and testing of Openwell Submersible Monobloc pump set, comprising of Electrical Driven inline pumping with all accessories as per manufacturer's design, such as C.I. Base, C.I. impeller, SS shaft, mechanical seal directly coupled to motor suitable for operation on 400/440 volts, 3 phase 50Hz A.C.Supply complete in the existing G.I.Pipelines fittings including supply and fixing motor starter suitable for this pump set including connections testing, commissing etc as required.       Image: Complete test of this pump set including connections testing, commissing etc as required.       Image: Complete test of this pump set including test of this pump set is the stat set of this pump set including test of this pump set is test of this pump set including test of this pump set including test of this pump set including test of this pump set is test of this pump set is test of this pump set including test of this pump set is test of this pump	268				145.00	115.00	16,675.00
MR 270Openwell Submersible Monobloc Pump Set (Water Transfer Pump set with 1 working + 1 standby)Set2.0051,240.001,02,480.270Providing, fixing, commission and testing of Openwell Submersible Monobloc pump set, comprising of Electrical Driven inline pumping with all accessories as per manufacturer's design, such as C.I. Base, C.I. impeller, SS shaft, mechanical seal directly coupled to motor suitable for operation on 400/440 volts, 3 phase 50Hz A.C.Supply complete in the existing G.I.Pipelines fittings including supply and fixing motor starter suitable for this pump set including connections testing, commissing et as required.Image: Comparise of Com	269				1.00	1,040.00	1,040.00
Image: section of the sectin of the section of the section of the		MR	Openwell Submersible Monobloc Pump Set (Water Transfer Pump set with 1 working + 1 standby)		2.00	51,240.00	1,02,480.00
273Min. Head : 50 MImage: Solution of the so	271		Monobloc pump set, comprising of Electrical Driven inline pumping with all accessories as per manufacturer's design, such as C.I. Base, C.I. impeller, SS shaft, mechanical seal directly coupled to motor suitable for operation on 400/440 volts, 3 phase 50Hz A.C.Supply complete in the existing G.I.Pipelines fittings including supply and fixing motor starter suitable for this pump set including connections testing, commissing etc as required.				
274       Min. Motor HP : 7.5 H.P. (Each)       Image: Constraint of Sub-head (43.0) (Non DSR)       Image: Constraint of Sub-head (43.0) (Non DSR)         L       Uninterrupted Power Supply (UPS) - 10 kVA       Image: Constraint of Supply of Supply (UPS) - 10 kVA       Image: Constraint of Supply of Supply of Supply (UPS) - 10 kVA         275       MR 34       Supply of 10 kVA Online UPS, IGBT UPS (Transformer-less Design).       Image: Constraint of Supply of Suply of Supply of Supply of Suply of Supply of Supply o							
Image: Non-State of sub-head (43.0) (Non DSR)Image: Non-State of Supply (UPS) - 10 kVAImage: Non-State of Supply (UPS) - 10 kVA275MR 34Supply of 10 kVA Online UPS, IGBT UPS (Transformer-less Design).Image: Non-State of Supply of SMF Batteries (12Volt VRLA, 26 Ah, 40 Numbers or as per standard Nos to provide 30 Minutes Backup in total for 10 kVA UPS at 0.8PF and ECV=1.7V.Image: Non-State of Supply of SMF Batteries (12Volt VRLA, 26 Ah, 40 Numbers or as per standard Nos to provide 30 Minutes Backup in total for 10 kVA UPS at 0.8PF and ECV=1.7V.Image: Non-State of Supply of SMF Batteries (12Volt VRLA, 26 Ah, 40 Numbers or as per standard Nos to provide 30 Minutes Backup in total for 10 kVA UPS at 0.8PF and ECV=1.7V.Image: Non-State of Supply of SMF Batteries (12Volt VRLA, 26 Ah, 40 Numbers or as per standard Nos to provide 30 Minutes Backup in total for 10 kVA UPS at 0.8PF and ECV=1.7V.Image: Non-State of Supply of SMF Batteries (12Volt VRLA, 26 Ah, 40 Numbers or as per standard Nos to provide 30 Minutes Backup in total for 10 kVA UPS at 0.8PF and ECV=1.7V.Image: Non-State of Supply of SMF Batteries (12Volt VRLA, 26 Ah, 40 Numbers or as per standard Nos to provide 30 Minutes Backup in total for 10 kVA UPS at 0.8PF and ECV=1.7V.Image: Non-State of Supply of SMF Batteries (12Volt VRLA, 26 Ah, 40 Numbers or as per standard Nos to provide 30 Minutes Backup in total for 10 kVA UPS at 0.8PF and ECV=1.7V.276Fully rated Inbuilt static switch at the inverter output and 100% rated InbuiltImage: Non-State of Supply of Supply COV Supply				└───┤			
L       Uninterrupted Power Supply (UPS) - 10 kVA       Image: Comparison of the state of the state system of the state of the state system of the state o	274						1.00.400.0
275       MR 34       Supply of 10 kVA Online UPS, IGBT UPS (Transformer-less Design).       Image: Constraint of the state of th							1,85,155.0
Supply of SMF Batteries (12Volt VRLA, 26 Ah, 40 Numbers or as per standard Nos to provide 30 Minutes Backup in total for 10 kVA UPS at 0.8PF and ECV=1.7V.         Fully rated Inbuilt static switch at the inverter output and 100% rated Inbuilt static switch at the static bypass line integrated in UPS module.		MR 34					
276     standard Nos to provide 30 Minutes Backup in total for 10 kVA UPS at 0.8PF and ECV=1.7V.       Fully rated Inbuilt static switch at the inverter output and 100% rated Inbuilt static switch at the static bypass line integrated in UPS module.	213	1/111 37					
276     0.8PF and ECV=1.7V.       Fully rated Inbuilt static switch at the inverter output and 100% rated Inbuilt static switch at the static bypass line integrated in UPS module.							
277 static switch at the static bypass line integrated in UPS module.	276		0.8PF and ECV=1.7V.				
	277						
i daupti of Loval revessories ting cubility between of thank the national international internationa	211			$\vdash$			

Start

		SCHEDULE OF QUANTITIES					
S.No.	DSR 2019	Description	Unit	QTY	Rate (Including 12% GST)	Amount (Including 12% )GST	
279		Backfeed protection at Mains & Bypass(Inbuilt / External).					
280		Installation and Commissioning of 10 kVA UPS, Battery and Accessories.	set	1.00	2,18,204.00	2,18,204.00	
281	MR 35	Supply, installation, testing and commissioning 63A FP MCB of 10kA breaking Capacity in metal sheet enclosure with ON/OFF, TYB Indication lamps for Incoming of UPS Complete in All Respect as Required.		2.00	3,459.00	6,918.00	
		Total of sub-head (Non DSR)				2,25,122.0	
		Total Amount of External Electrical Including 12% GST (DSR)				15,02,808.0	
		Total Amount of External Electrical Including 12% GST (NDSR)				44,93,449.0	
		Grant Total of External Electrical Work Including 12% GST (DSR+NDS	R)			59,96,257.00	
	Less Discount 12.90 %						
	52,22,739.8						
	46,63,160.5						
Add GST 18%							
		Gross Amo	ount of E	Electrical w	vith GST 18%	55,02,529.48	

Stant